

**New Mexico  
2009  
Corn and Sorghum Performance Tests**

New Mexico State University  
Agricultural Science Centers  
at  
Artesia, Clovis, Farmington, Los Lunas and Tucumcari

Department of Extension Plant Sciences

and

Department of Plant and Environmental Sciences

Agricultural Experiment Station/Cooperative Extension Service  
College of Agricultural, Consumer and Environmental Sciences  
New Mexico State University

Authors:

M.A. Marsalis<sup>1</sup>, R.E. Kirksey<sup>2</sup>, F.E. Contreras-Govea<sup>3</sup>, L. Carrasco<sup>4</sup>, M.K. O'Neill<sup>5</sup>, L.M. Lauriault<sup>6</sup> and M. Place<sup>7</sup>

Thanks to:

B. Niece, Senior Research Assistant, Agricultural Science Center at Clovis  
C.K. Owen, Research Assistant, Agricultural Science Center at Farmington  
S. Bustillos and R. Pacheco, Technicians, Agricultural Science Center at Artesia

---

<sup>1</sup> Assistant Professor and Extension Agronomist, Agricultural Science Center at Clovis

<sup>2</sup> College Professor and Superintendent, Agricultural Science Centers at Clovis and Tukumcari

<sup>3</sup> Assistant Professor and Agronomist, Agricultural Science Center at Artesia

<sup>4</sup> Superintendent, Agricultural Science Center at Artesia

<sup>5</sup> Associate Professor and Superintendent, Agricultural Science Center at Farmington

<sup>6</sup> College Professor and Forage Agronomist, Agricultural Science Center at Tukumcari

<sup>7</sup> Farm Superintendent, Agricultural Science Center at Los Lunas

## Table of Contents

Introduction .....	1
Test Locations .....	3
Test Procedures .....	3
Results .....	4
Grain Corn .....	4
Grain Sorghum.....	4
Forage Corn.....	5
Forage Sorghum .....	5
Sorghum Sudangrass .....	5
Appendix A. Companies and Contact Information for Paid Participants in the Agricultural Science Center Fee-Test Program.....	47
Appendix B. Glossary of Terms.....	54

## List of Tables

Table 1. Historical average monthly precipitation (inches) and temperatures (°F) for cooperating agricultural science centers.....	2
Table 2A-B. New Mexico 2009 grain corn performance test - Agricultural Science Center at Clovis.....	7
Table 3A-B. New Mexico 2009 early season grain corn performance test - Agricultural Science Center at Farmington.....	9
Table 4A-B. New Mexico 2009 full season grain corn performance test - Agricultural Science Center at Farmington.....	11
Table 5A-B. New Mexico 2009 grain corn performance test - Agricultural Science Center at Los Lunas .....	13
Table 6A-B. New Mexico 2009 limited irrigated grain sorghum performance test - Agricultural Science Center at Clovis.....	15
Table 7A-B. New Mexico 2009 dryland grain sorghum performance test - Agricultural Science Center at Clovis.....	17
Table 8A-B. New Mexico 2009 irrigated grain sorghum performance test – Agricultural Science Center at Los Lunas .....	20
Table 9A-B. New Mexico 2009 forage corn performance test - Agricultural Science Center at Artesia .....	22
Table 10A-B. New Mexico 2009 forage corn performance test - Agricultural Science Center at Clovis.....	24
Table 11A-B. New Mexico 2009 forage corn performance test - Agricultural Science Center at Farmington.....	26
Table 12A-B. New Mexico 2009 forage corn performance test -	

Agricultural Science Center at Los Lunas .....	28
Table 13A-B. New Mexico 2009 irrigated forage sorghum performance test - Agricultural Science Center at Artesia .....	30
Table 14A-B. New Mexico 2009 irrigated forage sorghum performance test - Agricultural Science Center at Clovis.....	32
Table 15A-B. New Mexico 2009 dryland forage sorghum performance test - Agricultural Science Center at Clovis.....	34
Table 16A-B. New Mexico 2009 irrigated forage sorghum performance test - Agricultural Science Center at Los Lunas .....	36
Table 17A-B. New Mexico 2009 dryland forage sorghum performance test - Agricultural Science Center at Tucumcari.....	38
Table 18A-C. New Mexico 2009 irrigated sorghum sudangrass performance test - Agricultural Science Center at Artesia.....	40
Table 19A-B. New Mexico 2009 irrigated sorghum sudangrass performance test - Agricultural Science Center at Los Lunas .....	43
Table 20A-B. New Mexico 2009 dryland sorghum sudangrass performance test - Agricultural Science Center at Tucumcari.....	45

### **List of Figures**

Figure 1. Corn and sorghum testing locations.....	1
Figure 2. Climate zones in New Mexico .....	1


# New Mexico 2009 Corn and Sorghum Performance Tests

## INTRODUCTION

Performance tests for grain corn, grain sorghum, forage corn, forage sorghum and sorghum sudangrass were conducted at the Agricultural Science Centers at Artesia, Clovis, Farmington, Los Lunas and Tucumcari, New Mexico in 2009 (Figure 1). This report contains information from all Agricultural Science Center corn and sorghum tests.


The New Mexico corn and sorghum performance testing program is part of an ongoing program to provide farmers, Extension workers and seed industry personnel with reliable, unbiased, information that will allow a valid comparison of corn and sorghum varieties/hybrids at various locations throughout the state. The state of New Mexico encompasses eight climate zones, all of which have some form of agricultural production (Figure 2). Variability in climate, soils, water and local production practices contribute to the need for crop performance tests throughout the state. Climate data for the Agricultural Science Center testing locations are shown in Table 1. Growers who use this report to make cropping decisions should rely primarily on results from tests near their location or in comparable climate zones.

Figure 1. Corn and sorghum testing locations.



1. Agricultural Science Center at Artesia
2. Agricultural Science Center at Clovis
3. Agricultural Science Center at Farmington
4. Agricultural Science Center at Los Lunas
5. Agricultural Science Center at Tucumcari

Figure 2. Climate zones in New Mexico.



- |   |              |                          |
|---|--------------|--------------------------|
| 4 | Light Purple | -25 to 20F               |
| 5 | Light Green  | -20 to -15 / -15 to -10F |
| 6 | Light Yellow | -10 to -5 / -5 to 0F     |
| 7 | Light Pink   | 0 to -5 / -5 to 10F      |
| 8 | Light Brown  | 10 to 15F                |

Table 1. Historical average monthly precipitation (inches) and temperatures (°F) for cooperating agricultural science centers.

	Artesia	Clovis	Farmington	Los Lunas	Tucumcari
<b>Precipitation (inches)</b>					
January	0.38	0.35	0.51	0.36	0.37
February	0.42	0.38	0.57	0.42	0.46
March	0.44	0.73	0.73	0.52	0.76
April	0.63	0.82	0.65	0.46	1.12
May	1.22	1.94	0.57	0.48	2.00
June	1.42	2.41	0.22	0.63	1.90
July	1.75	2.84	0.87	1.27	2.64
August	1.70	3.00	1.08	1.72	2.72
September	1.82	1.88	1.06	1.16	1.54
October	1.18	1.67	0.91	1.06	1.30
November	0.54	0.54	0.76	0.48	0.68
December	0.49	0.49	0.48	0.51	0.57
Total	11.98	17.04	8.43	9.08	16.04
<b>Average Temperature (°F)</b>					
January	40.5	37.9	30.7	34.6	38.3
February	45.1	41.6	36.3	40.2	42.1
March	51.9	47.8	43.7	47.0	49.0
April	60.3	56.1	51.0	54.6	57.4
May	69.4	64.9	60.4	63.4	66.2
June	77.6	73.6	70.0	72.1	75.5
July	79.8	76.4	75.6	76.7	79.0
August	78.3	74.7	73.1	74.6	77.3
September	71.3	68.5	65.7	67.2	70.5
October	60.8	58.4	53.7	55.8	59.5
November	48.9	46.4	40.8	43.6	47.4
December	40.8	39.0	31.2	35.0	39.1
Average	60.4	57.1	52.7	55.4	58.4

Source: Western Region Climate Center: <http://www.wrcc.dri.edu/summary/climsmnm.html>

## TEST LOCATIONS

The New Mexico corn and sorghum performance testing program is supported by paid fees from the cooperating companies. Personnel at each location determine which tests will be conducted at their site and seed companies are invited to participate in those tests. Because seed company participation in individual tests and locations is voluntary, many of the hybrids/varieties that are grown in the state are not included in the tests, and different groups of hybrids/varieties are evaluated at the different locations.

A list of seed companies that participated in the 2009 fee-test program and relevant contact information are presented in Appendix A. Additional company names and contacts may be added to the list of prospective companies by contacting the Agricultural Science Center at Clovis, 2346 State Road 288, Clovis, NM 88101, (575) 985-2292, [http://clovis@nmsu.edu](mailto:clovis@nmsu.edu). Entry forms for the 2010 Corn and Sorghum Performance Tests will be mailed to seed companies in February 2010. Additional 2010 entry forms can be obtained from the address above.

## TEST PROCEDURES

In an effort to provide readers with easily accessible information, procedural data for individual tests are presented in the 'Test Description' tables that immediately precede the summary tables of results for the tests. The 'Test Description' tables contain information on location, test design, management practices and growing conditions. Test description tables are designated with an 'A' suffix.

All of the Agricultural Science Center performance tests were replicated randomized complete block designs (RBD). Where appropriate, statistical analyses were used to calculate measures of least significant difference (LSD), coefficient of variability (CV) and F test values. All LSD's are reported at the 95% probability level. For the LSD value to be considered significant, the F test value in that same column must be less than 0.05. If the F test value is greater than 0.05 the LSD is non-significant at the 95% probability level. When the F test value is less than 0.05, it is appropriate to use the LSD value as a measure of the magnitude by which one entry must differ from another to be considered significantly different. The CV is a measure of variability relative to the mean. A CV below 10% generally indicates reliable, uniform data. CV's of 10 to 20% are indicators of normal variability for grain and forage tests.

Yields for the grain tests are presented on a bushel-per-acre or pound-per-acre basis, adjusted to a standard moisture content and bushel weight. Corn yields are calculated at a standard moisture of 15.5% and a bushel weight of 56 lb. Grain sorghum yields are calculated at a standard moisture of 14% and a bushel weight of 56 lb.

Dry and green forage yields reported for the forage tests are in tons per acre. Moisture at harvest was calculated from a representative sample (approximately 1 lb.) from harvested plots. Samples from variety tests at the Agricultural Science Centers were dried in a forced air oven (150°F) for determination of moisture content. Moisture content determinations at Farmington were derived from air-dried samples. Sub-samples of the dried material from all locations were submitted to the University of Wisconsin, Soil and Forage Analysis Laboratory, Marshfield, WI for nutrient composition

analysis using near infrared reflectance spectroscopy (NIRS). For these trials, milk production estimates were calculated using the University of Wisconsin Milk2000 and Milk2006 spreadsheet programs.

## RESULTS

Results for the 2009 corn and sorghum hybrid/variety tests are shown in Tables 2-20. Results are presented in tables designated with 'B' or 'C' suffixes. Within tables, hybrids and varieties are ranked according to grain yield or total dry forage yield. A glossary of terms used in the tables is presented in Appendix B.

### Grain Corn

Entries for grain corn tests were accepted by the Agricultural Science Centers at Clovis, Farmington and Los Lunas.

The Clovis grain corn test contained 14 entries. Mean grain yield was 240 bu/ac and significant yield differences among varieties were observed (Table 2A-B).

Two grain corn tests were conducted at Farmington. The early season grain corn test contained 9 entries. Mean grain yield was 134 bu/ac and yields were different. (Table 3A-B). Farmington's full-season grain corn test consisted of 7 entries. Mean grain yield was 181 bu/ac and yield differences among hybrids were non-significant (Table 4A-B).

The grain corn test at Los Lunas contained 4 hybrids, which produced a mean grain yield of 262 bu/ac (Table 5A-B). There were no statistical yield differences for grain corn entries at Los Lunas.

### Grain Sorghum

Grain sorghum tests were conducted at the Clovis and Los Lunas science centers in 2009. The Clovis site contained dryland and limited irrigation trials. It should be noted that the dryland test at Clovis was irrigated once after planting in order to aid in establishment. The researchers recognize that this is not a true 'dryland' representation, but also recognize that no data would be collected if the test did not establish due to drought after planting. A one-time irrigation after planting was deemed more logical than a complete crop disaster yielding no information. Several entries included in the dryland test were part of a larger, regional testing program conducted by Texas A&M in which the Clovis center participates. Although yield results are reported, company contact information and variety characteristics of these entries are not included in this report.

At Clovis, 6 grain sorghum varieties were entered into the limited irrigation test. Mean yield was 184 bu/A (10,286 lb/A) for the trial under limited irrigation (<10 in.; Table 6A-B). The dryland grain sorghum test contained 40 entries; mean test yield was 133 bu/A (7466 lb/A) and yields ranged from 91 to 159 bu/A (Tables 7A-B). Excellent in-season precipitation, 2-yr fallow ground, and adequate N fertility contributed to high yields.

At Los Lunas, 3 entries produced an average 99 bu/A yield (5564 lb/A) with differences among varieties for yield (Tables 8A-B).



## Forage Corn

Forage corn tests were conducted at the Agricultural Science Centers at Artesia, Clovis, Farmington and Los Lunas. The Artesia forage corn test consisted of 14 entries. Mean dry forage yield was 8.7 ton/ac and yield and forage quality differences were observed (Table 9A-B).

There were 19 entries in the Clovis forage corn test. Mean dry forage yield was 11.1 ton/A and wet yields averaged 29.5 ton/A (Table 10A-B). Hybrids differed in all yield and some nutrient composition parameters.

Five hybrids were evaluated in the Farmington forage corn test. Dry forage yield averaged 10.7 ton/ac and yields were similar among hybrids (Table 11A-B).

Differences were not observed for any measures of nutrient composition or yield.

The Los Lunas forage corn test was comprised of 6 hybrids. Mean dry forage yield was 11.9 ton/ac. Differences only existed for green forage yield and ash components (Table 12A-B).

## Forage Sorghum

Entries for irrigated forage sorghum evaluations were accepted at the Agricultural Science Centers at Artesia, Clovis, Los Lunas and Tucumcari. There were 5 entries in the irrigated forage sorghum test at Artesia. Mean dry forage yield was 6.7 ton/ac (Table 13A-B). Forage yields and quality estimates were different among the entries.

At Clovis, there were 8 entries in the irrigated forage sorghum test. Mean dry forage yield was 9.2 ton/ac and differences were observed for yield and nutritive parameters (Table 14A-B). A separate dryland forage sorghum trial (7 entries) was conducted at Clovis; and one cutting was obtained. Total dry forage yield was excellent and averaged 6.8 ton/ac for the year (Table 15A-B). Large amounts of in-season rainfall contributed to the high dryland yields.

Los Lunas had 3 entries in its irrigated forage sorghum test. Mean dry forage yield was 7.9 ton/ac (Table 16A-B). Yield and quality measurements were significantly different among the varieties.

Tucumcari received 4 entries into the dryland forage sorghum test (Table 17A-B). Average dry matter yields were low (0.4 ton/ac), and yields and several quality parameters were not different.

## Sorghum Sudangrass

Entries for sorghum sudangrass tests were accepted by the Agricultural Science Centers at Artesia, Los Lunas and Tucumcari. All plots were harvested twice at Artesia and only once at both Los Lunas and Tucumcari.

There were 9 entries in the irrigated sorghum sudangrass test at Artesia. Plots were harvested on August 4 and October 6, and mean dry forage yields were 4.5 and 3.9 ton/ac for first and second harvests, respectively (Table 18A-C). Dry forage yield differences were significant for both harvests.

Irrigated sorghum sudangrass trials at Los Lunas contained 6 entries and were harvested only once. Mean dry yields were good and approached 8 ton/ac (Table 19A-B).

The sorghum sudangrass trial at Tucumcari was not irrigated and contained 8 entries (Table 20A-B). Mean, dry yield was low (0.8 ton/ac), and was likely due to poor stand establishment (<52%). No differences existed among varieties for yield.

**Table 2A. New Mexico 2009 Grain Corn Performance Test - Agricultural Science Center at Clovis**

**Investigators:** R.E. Kirksey, M.A. Marsalis, A. Scott, and B. Niece

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																																																				
County/Area: Curry Longitude: -103.22 Latitude: 34.60 Elevation: 4435 ft. Soil Name: Olton Soil Texture: clay loam Soil Depth: >60 in.	Previous Crop: fallow Planting Date: 28-Apr Harvest Date: 27-Oct  <b>Production Inputs</b> <table border="1"> <thead> <tr> <th></th> <th>Rate</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>10 lb/a</td> <td>carryover</td> </tr> <tr> <td>Nitrogen</td> <td>275 lb/a</td> <td>9-Mar</td> </tr> <tr> <td>P<sub>2</sub>O<sub>5</sub></td> <td>60 lb/a</td> <td>9-Mar</td> </tr> <tr> <td>S</td> <td>30 lb/a</td> <td>9-Mar</td> </tr> <tr> <td>Zn</td> <td>1 lb/a</td> <td>9-Mar</td> </tr> <tr> <td colspan="3"><b>Herbicides:</b></td> </tr> <tr> <td>Bicep Lite II Mag</td> <td>3 pt/a</td> <td>30-Apr</td> </tr> <tr> <td>Dual II Mag</td> <td>12 oz/a</td> <td>12-Jun</td> </tr> <tr> <td colspan="3"><b>Insecticides:</b></td> </tr> <tr> <td>Onager</td> <td>10 oz/a</td> <td>12-Jun</td> </tr> </tbody> </table>		Rate	Date	<b>Fertilizer:</b>			Nitrogen	10 lb/a	carryover	Nitrogen	275 lb/a	9-Mar	P <sub>2</sub> O <sub>5</sub>	60 lb/a	9-Mar	S	30 lb/a	9-Mar	Zn	1 lb/a	9-Mar	<b>Herbicides:</b>			Bicep Lite II Mag	3 pt/a	30-Apr	Dual II Mag	12 oz/a	12-Jun	<b>Insecticides:</b>			Onager	10 oz/a	12-Jun	<table border="1"> <thead> <tr> <th></th> <th>Average Temp. °F</th> <th>Precip. in.</th> <th>Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td>48.2</td><td>0.35</td><td></td></tr> <tr><td>April</td><td>53.7</td><td>0.83</td><td>3.30</td></tr> <tr><td>May</td><td>62.0</td><td>0.24</td><td>1.20</td></tr> <tr><td>June</td><td>72.8</td><td>1.35</td><td>4.80</td></tr> <tr><td>July</td><td>74.5</td><td>6.56</td><td>3.10</td></tr> <tr><td>August</td><td>74.0</td><td>4.25</td><td>4.70</td></tr> <tr><td>September</td><td>64.0</td><td>0.87</td><td>1.00</td></tr> <tr><td>October</td><td>52.5</td><td>2.38</td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td colspan="2">Seasonal Precipitation:</td><td colspan="2">16.5 in.</td></tr> <tr><td colspan="2">Total Irrigation:</td><td colspan="2">18.1 in.</td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td colspan="2">Date of Last Spring Frost:</td><td colspan="2">20-Apr</td></tr> <tr><td colspan="2">Date of First Fall Frost:</td><td colspan="2">23-Sep</td></tr> <tr><td colspan="2">Frost Free Period:</td><td colspan="2">156 days</td></tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March	48.2	0.35		April	53.7	0.83	3.30	May	62.0	0.24	1.20	June	72.8	1.35	4.80	July	74.5	6.56	3.10	August	74.0	4.25	4.70	September	64.0	0.87	1.00	October	52.5	2.38		November				December				<hr/>				Seasonal Precipitation:		16.5 in.		Total Irrigation:		18.1 in.		<hr/>				Date of Last Spring Frost:		20-Apr		Date of First Fall Frost:		23-Sep		Frost Free Period:		156 days	
	Rate	Date																																																																																																																				
<b>Fertilizer:</b>																																																																																																																						
Nitrogen	10 lb/a	carryover																																																																																																																				
Nitrogen	275 lb/a	9-Mar																																																																																																																				
P <sub>2</sub> O <sub>5</sub>	60 lb/a	9-Mar																																																																																																																				
S	30 lb/a	9-Mar																																																																																																																				
Zn	1 lb/a	9-Mar																																																																																																																				
<b>Herbicides:</b>																																																																																																																						
Bicep Lite II Mag	3 pt/a	30-Apr																																																																																																																				
Dual II Mag	12 oz/a	12-Jun																																																																																																																				
<b>Insecticides:</b>																																																																																																																						
Onager	10 oz/a	12-Jun																																																																																																																				
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																																																			
January																																																																																																																						
February																																																																																																																						
March	48.2	0.35																																																																																																																				
April	53.7	0.83	3.30																																																																																																																			
May	62.0	0.24	1.20																																																																																																																			
June	72.8	1.35	4.80																																																																																																																			
July	74.5	6.56	3.10																																																																																																																			
August	74.0	4.25	4.70																																																																																																																			
September	64.0	0.87	1.00																																																																																																																			
October	52.5	2.38																																																																																																																				
November																																																																																																																						
December																																																																																																																						
<hr/>																																																																																																																						
Seasonal Precipitation:		16.5 in.																																																																																																																				
Total Irrigation:		18.1 in.																																																																																																																				
<hr/>																																																																																																																						
Date of Last Spring Frost:		20-Apr																																																																																																																				
Date of First Fall Frost:		23-Sep																																																																																																																				
Frost Free Period:		156 days																																																																																																																				
<b>Test Design:</b> Replications: 4 Plot Length: 20 ft. Rows per Plot: 2 Row Spacing: 30 in. Seeding Rate: 32000 seed/a																																																																																																																						

**Table 2B. New Mexico 2009 Grain Corn Performance Test - Agricultural Science Center at Clovis**

**Results**

<b>Brand/Company Name</b>	<b>Hybrid/Variety Name</b>	<b>Grain Yield</b>	<b>Moisture at Harvest</b>	<b>Test Weight</b>	<b>Plant Height</b>	<b>Ear Height</b>	<b>Silk Date</b>
		bu/a	%	lb/bu	in	in	
Eureka Seeds, Inc.	X9082VT3	272.9	15.23	61.53	96.7	40.9	14-Jul
Mycogen Seeds	2T804	272.9	15.08	60.63	102.7	47.0	18-Jul
Mycogen Seeds	2W814	272.3	15.85	60.30	104.4	46.3	15-Jul
Grand Valley Hybrids	X6GB147	264.7	15.80	59.20	115.2	53.6	17-Jul
Monsanto Company	DKC69-40	257.3	16.10	62.43	99.9	47.5	15-Jul
Eureka Seeds, Inc.	X9032VT3	249.6	15.33	59.15	104.8	47.4	18-Jul
Grand Valley Hybrids	X6R136	245.3	14.30	59.00	102.7	44.4	15-Jul
Grand Valley Hybrids	23T51	237.3	13.98	60.15	100.2	45.8	14-Jul
Mycogen Seeds	2T832	231.5	16.95	58.78	105.5	43.6	16-Jul
Monsanto Company	DKC61-69	222.4	14.70	59.98	97.3	43.7	14-Jul
Monsanto Company	DKC64-79	221.3	15.08	61.63	100.6	45.8	16-Jul
Grand Valley Hybrids	X5T138	209.5	15.03	60.93	97.1	41.3	14-Jul
Grand Valley Hybrids	X6RHX132	209.4	14.18	60.55	102.6	47.3	17-Jul
Mycogen Seeds	2G847	186.8	15.28	61.18	98.4	45.7	13-Jul
	Trial Mean	239.5	15.20	60.39	102.0	45.7	15-Jul
	LSD (P > 0.05)	34.6	0.48	0.99	5.0	4.8	2.0
	CV	10.11	2.19	1.14	3.44	7.31	0.71
	F Test	<0.0001	<0.0001	<0.0001	<0.0001	0.0013	<0.0001

**Table 3A. New Mexico 2009 Early Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Investigators:** O'Neill, M.K, C.K. Owen, M. West, and K. Kohler

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																																																										
County/Area: San Juan Longitude: -108.3061 Latitude: 36.6812 Elevation: 5,640 ft. Soil Name: Wall Soil Texture: sandy loam Soil Depth: > 75 in.	Previous Crop: winter canola Planting Date: 14-May Harvest Date: 17-Nov  <b>Production Inputs</b> <table border="1"> <thead> <tr> <th></th> <th>Rate</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>10 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>Nitrogen</td> <td>16 lb/a</td> <td>15-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>22-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>1-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>14 lb/a</td> <td>6-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>24 lb/a</td> <td>13-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>30 lb/a</td> <td>21-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>28-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>42 lb/a</td> <td>5-Aug</td> </tr> <tr> <td>P2O5</td> <td>48 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>K2O</td> <td>56 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>Zn</td> <td>3.4 lb/a</td> <td>11-Mar</td> </tr> </tbody> </table> <b>Herbicides:</b> Bicep Lite II Mag 1.2 qt/a 27-May Clarity 3 oz/a 27-May  <b>Insecticides:</b> None		Rate	Date	<b>Fertilizer:</b>			Nitrogen	10 lb/a	11-Mar	Nitrogen	16 lb/a	15-Jun	Nitrogen	18 lb/a	22-Jun	Nitrogen	18 lb/a	1-Jul	Nitrogen	14 lb/a	6-Jul	Nitrogen	24 lb/a	13-Jul	Nitrogen	30 lb/a	21-Jul	Nitrogen	18 lb/a	28-Jul	Nitrogen	42 lb/a	5-Aug	P2O5	48 lb/a	11-Mar	K2O	56 lb/a	11-Mar	Zn	3.4 lb/a	11-Mar	<table border="1"> <thead> <tr> <th></th> <th>Average Temp. °F</th> <th>Precip. in.</th> <th>Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td>63.5</td><td>0.78</td><td>2.1</td></tr> <tr><td>June</td><td>67.6</td><td>0.47</td><td>7.6</td></tr> <tr><td>July</td><td>77.1</td><td>0.15</td><td>10.4</td></tr> <tr><td>August</td><td>73.1</td><td>0.27</td><td>6.6</td></tr> <tr><td>September</td><td>66.6</td><td>0.09</td><td>3.0</td></tr> <tr><td>October</td><td></td><td></td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td>Seasonal Precipitation</td><td></td><td>1.76 in.</td><td></td></tr> <tr><td>Total water</td><td></td><td>31.4 in.</td><td></td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td>Date of Last Spring Freeze</td><td></td><td>27-Apr</td><td></td></tr> <tr><td>Date of First Fall Freeze</td><td></td><td>22-Sep</td><td></td></tr> <tr><td>Frost Free Period</td><td></td><td>147 days</td><td></td></tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	63.5	0.78	2.1	June	67.6	0.47	7.6	July	77.1	0.15	10.4	August	73.1	0.27	6.6	September	66.6	0.09	3.0	October				November				December				<hr/>				Seasonal Precipitation		1.76 in.		Total water		31.4 in.		<hr/>				Date of Last Spring Freeze		27-Apr		Date of First Fall Freeze		22-Sep		Frost Free Period		147 days	
	Rate	Date																																																																																																																										
<b>Fertilizer:</b>																																																																																																																												
Nitrogen	10 lb/a	11-Mar																																																																																																																										
Nitrogen	16 lb/a	15-Jun																																																																																																																										
Nitrogen	18 lb/a	22-Jun																																																																																																																										
Nitrogen	18 lb/a	1-Jul																																																																																																																										
Nitrogen	14 lb/a	6-Jul																																																																																																																										
Nitrogen	24 lb/a	13-Jul																																																																																																																										
Nitrogen	30 lb/a	21-Jul																																																																																																																										
Nitrogen	18 lb/a	28-Jul																																																																																																																										
Nitrogen	42 lb/a	5-Aug																																																																																																																										
P2O5	48 lb/a	11-Mar																																																																																																																										
K2O	56 lb/a	11-Mar																																																																																																																										
Zn	3.4 lb/a	11-Mar																																																																																																																										
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																																																									
January																																																																																																																												
February																																																																																																																												
March																																																																																																																												
April																																																																																																																												
May	63.5	0.78	2.1																																																																																																																									
June	67.6	0.47	7.6																																																																																																																									
July	77.1	0.15	10.4																																																																																																																									
August	73.1	0.27	6.6																																																																																																																									
September	66.6	0.09	3.0																																																																																																																									
October																																																																																																																												
November																																																																																																																												
December																																																																																																																												
<hr/>																																																																																																																												
Seasonal Precipitation		1.76 in.																																																																																																																										
Total water		31.4 in.																																																																																																																										
<hr/>																																																																																																																												
Date of Last Spring Freeze		27-Apr																																																																																																																										
Date of First Fall Freeze		22-Sep																																																																																																																										
Frost Free Period		147 days																																																																																																																										
<b>Test Design:</b> Replications 3 Plot Length: 18.5 ft. Rows per Plot: 4 Row Spacing: 34 in. Seeding Rate: 35,000 seed/a Harvest area: 2 row 18.5 feet long (104.83 sq.ft.)																																																																																																																												

**Table 3B. New Mexico 2009 Early Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture		Test Weight	Plant Height	Ear Height	Plant Population	Silk Date	Days to Silk	Lodging	Relative Maturity
		Yield	at Harvest								
		bu/a	%	lb/bu	in	in	# plants/a	date	# days	%	days
Pioneer Hi-Bred Int'l	36V75	169.5	11.8	53.5	94	48	33,655	5-Aug	84	3.8	102
Pioneer Hi-Bred Int'l	PO541HR	167.6	11.6	57.1	100	47	31,439	8-Aug	87	7.4	105
Monsanto Company	Dekalb DKC52-59(VT3)	150.6	10.7	56.0	93	46	31,577	6-Aug	84	11.5	102
Monsanto Company	Dekalb DKC50-66(VT3)	146.1	11.1	56.5	89	44	35,040	2-Aug	80	2.8	100
Triumph Seed Co.	1121V	144.9	12.4	56.5	95	47	31,439	7-Aug	85	6.6	110
Monsanto Company	Dekalb DKC50-44(VT3)	121.2	11.3	55.6	97	41	31,023	4-Aug	82	15.2	100
Triumph Seed Co.	5501X	118.6	12.7	55.1	101	49	33,655	6-Aug	85	36.5	104
Monsanto Company	Dekalb DKC46-60(VT3)	114.2	11.0	56.6	87	41	35,317	3-Aug	81	3.2	96
Pioneer Hi-Bred Int'l	PO125HR	69.8	11.9	55.4	91	40	30,746	6-Aug	84	46.7	101
	Trial Mean	133.6	11.6	55.8	94	45	32,654	5-Aug	83	14.8	102
	LSD	51.4	NS	1.4	NS	6	2763	3	3	11.5	-
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	-
	CV	22.2	6.4	1.4	5.5	7.8	4.9	0.0	1.8	44.7	-
	F Test	0.0192	0.0729	0.0016	0.0556	0.0373	0.0123	0.0012	0.0012	<0.0001	-

**Table 4A. New Mexico 2009 Full Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Investigators:** O'Neill, M.K, C.K. Owen, M. West, and K. Kohler

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																																																																				
County/Area: San Juan Longitude: -108.3061 Latitude: 36.6812 Elevation: 5,640 ft. Soil Name: Wall Soil Texture: sandy loam Soil Depth: > 75 in.	Previous Crop: winter canola Planting Date: 14-May Harvest Date: 19-Nov  <b>Production Inputs</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>10 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>Nitrogen</td> <td>16 lb/a</td> <td>15-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>22-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>1-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>14 lb/a</td> <td>6-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>24 lb/a</td> <td>13-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>30 lb/a</td> <td>21-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>28-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>42 lb/a</td> <td>5-Aug</td> </tr> <tr> <td>P2O5</td> <td>48 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>K2O</td> <td>56 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>Zn</td> <td>3.4 lb/a</td> <td>11-Mar</td> </tr> <tr> <td colspan="3" style="text-align: center;">total: 190-48-56-3.4zn</td> </tr> <tr> <td colspan="3"><b>Herbicides:</b></td> </tr> <tr> <td>Bicep Lite II Mag</td> <td>1.2 qt/a</td> <td>27-May</td> </tr> <tr> <td>Clarity</td> <td>3 oz/a</td> <td>27-May</td> </tr> <tr> <td colspan="3"><b>Insecticides:</b></td> </tr> <tr> <td colspan="3" style="text-align: center;">None</td> </tr> </tbody> </table>		Rate	Date	<b>Fertilizer:</b>			Nitrogen	10 lb/a	11-Mar	Nitrogen	16 lb/a	15-Jun	Nitrogen	18 lb/a	22-Jun	Nitrogen	18 lb/a	1-Jul	Nitrogen	14 lb/a	6-Jul	Nitrogen	24 lb/a	13-Jul	Nitrogen	30 lb/a	21-Jul	Nitrogen	18 lb/a	28-Jul	Nitrogen	42 lb/a	5-Aug	P2O5	48 lb/a	11-Mar	K2O	56 lb/a	11-Mar	Zn	3.4 lb/a	11-Mar	total: 190-48-56-3.4zn			<b>Herbicides:</b>			Bicep Lite II Mag	1.2 qt/a	27-May	Clarity	3 oz/a	27-May	<b>Insecticides:</b>			None			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td style="text-align: center;">63.5</td><td style="text-align: center;">0.28</td><td style="text-align: center;">2.1</td></tr> <tr><td>June</td><td style="text-align: center;">67.6</td><td style="text-align: center;">0.78</td><td style="text-align: center;">7.6</td></tr> <tr><td>July</td><td style="text-align: center;">77.1</td><td style="text-align: center;">0.15</td><td style="text-align: center;">10.4</td></tr> <tr><td>August</td><td style="text-align: center;">73.1</td><td style="text-align: center;">0.27</td><td style="text-align: center;">6.6</td></tr> <tr><td>September</td><td style="text-align: center;">66.6</td><td style="text-align: center;">0.09</td><td style="text-align: center;">3.0</td></tr> <tr><td>October</td><td></td><td></td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr> <td style="text-align: right;">Seasonal Precipitation</td> <td></td> <td style="text-align: center;">1.57 in.</td> <td></td> </tr> <tr> <td style="text-align: right;">Total water</td> <td></td> <td style="text-align: center;">31.4 in.</td> <td></td> </tr> <tr> <td style="text-align: right;">Date of Last Spring Freeze</td> <td></td> <td style="text-align: center;">27-Apr</td> <td></td> </tr> <tr> <td style="text-align: right;">Date of First Fall Freeze</td> <td></td> <td style="text-align: center;">22-Sep</td> <td></td> </tr> <tr> <td style="text-align: right;">Frost Free Period</td> <td></td> <td style="text-align: center;">147 days</td> <td></td> </tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	63.5	0.28	2.1	June	67.6	0.78	7.6	July	77.1	0.15	10.4	August	73.1	0.27	6.6	September	66.6	0.09	3.0	October				November				December				Seasonal Precipitation		1.57 in.		Total water		31.4 in.		Date of Last Spring Freeze		27-Apr		Date of First Fall Freeze		22-Sep		Frost Free Period		147 days	
	Rate	Date																																																																																																																																				
<b>Fertilizer:</b>																																																																																																																																						
Nitrogen	10 lb/a	11-Mar																																																																																																																																				
Nitrogen	16 lb/a	15-Jun																																																																																																																																				
Nitrogen	18 lb/a	22-Jun																																																																																																																																				
Nitrogen	18 lb/a	1-Jul																																																																																																																																				
Nitrogen	14 lb/a	6-Jul																																																																																																																																				
Nitrogen	24 lb/a	13-Jul																																																																																																																																				
Nitrogen	30 lb/a	21-Jul																																																																																																																																				
Nitrogen	18 lb/a	28-Jul																																																																																																																																				
Nitrogen	42 lb/a	5-Aug																																																																																																																																				
P2O5	48 lb/a	11-Mar																																																																																																																																				
K2O	56 lb/a	11-Mar																																																																																																																																				
Zn	3.4 lb/a	11-Mar																																																																																																																																				
total: 190-48-56-3.4zn																																																																																																																																						
<b>Herbicides:</b>																																																																																																																																						
Bicep Lite II Mag	1.2 qt/a	27-May																																																																																																																																				
Clarity	3 oz/a	27-May																																																																																																																																				
<b>Insecticides:</b>																																																																																																																																						
None																																																																																																																																						
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																																																																			
January																																																																																																																																						
February																																																																																																																																						
March																																																																																																																																						
April																																																																																																																																						
May	63.5	0.28	2.1																																																																																																																																			
June	67.6	0.78	7.6																																																																																																																																			
July	77.1	0.15	10.4																																																																																																																																			
August	73.1	0.27	6.6																																																																																																																																			
September	66.6	0.09	3.0																																																																																																																																			
October																																																																																																																																						
November																																																																																																																																						
December																																																																																																																																						
Seasonal Precipitation		1.57 in.																																																																																																																																				
Total water		31.4 in.																																																																																																																																				
Date of Last Spring Freeze		27-Apr																																																																																																																																				
Date of First Fall Freeze		22-Sep																																																																																																																																				
Frost Free Period		147 days																																																																																																																																				

**Table 4B. New Mexico 2009 Full Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture		Test Weight	Plant Height	Ear Height	Plant Population	Silk Date	Days to Silk	Lodging	Relative Maturity
		Yield	at Harvest								
		bu/a	%	lb/bu	in	in	# plants/a	date	# days	%	days
Monsanto	Dekalb DKC50-44(VT3)	199.7	12.1	56.2	99	49	33,239	31-Jul	78	0	100
Eureka Seeds, Inc.	X9082VT3	199.0	14.5	55.1	98	42	34,624	6-Aug	84	0	n/a
Monsanto	Dekalb DKC50-66(VT3)	188.3	12.3	56.9	103	47	33,932	1-Aug	79	0	100
Triumph	1121V	176.9	12.9	56.4	103	46	33,101	5-Aug	84	1	110
Monsanto	Dekalb DKC52-59(VT3)	170.9	12.1	55.6	99	48	32,131	4-Aug	82	15	102
Eureka Seeds, Inc.	X9032VT3	170.0	14.6	52.3	106	49	32,270	7-Aug	86	14	n/a
Monsanto	Dekalb DKC46-60(VT3)	159.2	12.3	56.3	99	43	34,624	31-Jul	78	0	96
	Trial Mean	180.6	13.0	55.5	101	46	33,417	3-Aug	82	4	101.6
	LSD	NS	0.7	1.7	NS	NS	NS	3	3	NS	-
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	-
	CV	29.0	3.1	1.7	8.8	11.8	3.7	0	2.1	229.5	-
	F Test	0.9444	<0.0001	0.0013	0.9006	0.5931	0.1293	0.0006	0.0006	0.2843	-



**Table 5A. New Mexico 2009 Grain Corn Performance Test - Agricultural Science Center at Los Lunas**

Investigators: M. Place, and M.A. Marsalis

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																									
County/Area: Valencia Longitude: -106.45 Latitude: 34.46 Elevation: 4840 ft. Soil Name: Gila Loam Soil Texture: loam Soil Depth: 60 in.	Previous Crop: Alfalfa Planting Date: 13-May Harvest Date: 26-Oct  <b>Production Inputs</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td style="text-align: center;">33-0-0-11</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">6-Jun</td> </tr> <tr> <td style="text-align: center;">46-0-0</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">19-Jun</td> </tr> <tr> <td style="text-align: center;">46-0-0</td> <td style="text-align: center;">100 lb/a</td> <td style="text-align: center;">25-Feb</td> </tr> <tr> <td><b>Total:</b></td> <td style="text-align: center;">N      P      K      S</td> <td></td> </tr> <tr> <td style="text-align: center;">262</td> <td style="text-align: center;">0      0      0      30</td> <td></td> </tr> </tbody> </table> Herbicides:   Insecticides:		Rate	Date	<b>Fertilizer:</b>			33-0-0-11	275 lb/a	6-Jun	46-0-0	275 lb/a	19-Jun	46-0-0	100 lb/a	25-Feb	<b>Total:</b>	N      P      K      S		262	0      0      0      30		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td style="text-align: center;">37.5</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>February</td><td style="text-align: center;">42.4</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>March</td><td style="text-align: center;">48.8</td><td style="text-align: center;">0.30</td><td></td></tr> <tr><td>April</td><td style="text-align: center;">55.0</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>May</td><td style="text-align: center;">68.2</td><td style="text-align: center;">0.96</td><td style="text-align: center;">3</td></tr> <tr><td>June</td><td style="text-align: center;">72.9</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>July</td><td style="text-align: center;">79.5</td><td style="text-align: center;">1.92</td><td style="text-align: center;">9</td></tr> <tr><td>August</td><td style="text-align: center;">75.3</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>September</td><td style="text-align: center;">67.5</td><td style="text-align: center;">2.20</td><td></td></tr> <tr><td>October</td><td style="text-align: center;">55.1</td><td style="text-align: center;">1.31</td><td></td></tr> <tr><td>November</td><td style="text-align: center;">44.2</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>December</td><td style="text-align: center;">38.0</td><td style="text-align: center;">0.15</td><td></td></tr> </tbody> </table>  Seasonal Precipitation: 7.2 in. Total Irrigation: 24.0 in.  Date of Last Spring Frost: 20-Apr Date of First Fall Frost: 2-Oct Frost Free Period: 165 days		Average Temp. °F	Precip. in.	Irrigation in.	January	37.5	0.00		February	42.4	0.00		March	48.8	0.30		April	55.0	0.14		May	68.2	0.96	3	June	72.9	0.98	6	July	79.5	1.92	9	August	75.3	0.98	6	September	67.5	2.20		October	55.1	1.31		November	44.2	0.14		December	38.0	0.15	
	Rate	Date																																																																									
<b>Fertilizer:</b>																																																																											
33-0-0-11	275 lb/a	6-Jun																																																																									
46-0-0	275 lb/a	19-Jun																																																																									
46-0-0	100 lb/a	25-Feb																																																																									
<b>Total:</b>	N      P      K      S																																																																										
262	0      0      0      30																																																																										
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January	37.5	0.00																																																																									
February	42.4	0.00																																																																									
March	48.8	0.30																																																																									
April	55.0	0.14																																																																									
May	68.2	0.96	3																																																																								
June	72.9	0.98	6																																																																								
July	79.5	1.92	9																																																																								
August	75.3	0.98	6																																																																								
September	67.5	2.20																																																																									
October	55.1	1.31																																																																									
November	44.2	0.14																																																																									
December	38.0	0.15																																																																									
<b>Test Design:</b> Replications: 4 Plot Length: 10 ft. Rows per Plot: 2 Row Spacing: 30 in. Seeding Rate: 38000 seed/a																																																																											

**Table 5B. New Mexico 2009 Grain Corn Performance Test - Agricultural Science Center at Los Lunas**

**Results**

<b>Brand/Company Name</b>	<b>Hybrid/Variety Name</b>	<b>Grain Yield</b>	<b>Moisture at Harvest</b>	<b>Test Weight</b>	<b>Plant Height</b>	<b>Ear Height</b>
		bu/a	%	lb/bu	in	in
Monsanto Co.	DKC61-69VT3	271.2	11.6	59.2	97.5	42.8
Eureka Seeds, Inc.	X9082VT3	267.7	13.8	61.6	95.0	43.0
Eureka Seeds, Inc.	X9032VT3	266.3	13.4	59.6	102.3	45.8
Monsanto Co.	DKC64-79VT3	242.3	12.7	62.4	93.0	37.3
	Trial Mean	261.9	12.90	60.7	96.9	42.2
	LSD	NS	0.6	0.9	NS	4.6
	LSD P >	0.05	0.05	0.05	0.05	0.05
	CV	8.6	2.8	0.9	5.4	6.9
	F Test	0.3094	<0.0001	<0.0001	0.1451	0.0154

**Table 6A. New Mexico 2009 Limited Irrigated Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

**Investigators:** R.E. Kirksey, M.A. Marsalis, A. Scott, and B. Niece

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																																																		
County/Area: Curry Longitude: -103.22 Latitude: 34.60 Elevation: 4435 ft. Soil Name: Olton Soil Texture: clay loam Soil Depth: >60 in.	Previous Crop: fallow Planting Date: 3-Jun Harvest Date: 10-Nov  <b>Production Inputs</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>21 lb/a</td> <td>carryover</td> </tr> <tr> <td>Nitrogen</td> <td>110 lb/a</td> <td>13-Mar</td> </tr> <tr> <td>P<sub>2</sub>O<sub>5</sub></td> <td>50 lb/a</td> <td>13-Mar</td> </tr> <tr> <td>S</td> <td>17 lb/a</td> <td>13-Mar</td> </tr> <tr> <td>Zn</td> <td>2 qt/a</td> <td>13-Mar</td> </tr> <tr> <td colspan="3"><b>Herbicides:</b></td> </tr> <tr> <td>Bicep Lite II Mag</td> <td>3 pt/a</td> <td>4-Jun</td> </tr> <tr> <td>Aatrex</td> <td>2 pt/a</td> <td>4-Jun</td> </tr> </tbody> </table>		Rate	Date	<b>Fertilizer:</b>			Nitrogen	21 lb/a	carryover	Nitrogen	110 lb/a	13-Mar	P <sub>2</sub> O <sub>5</sub>	50 lb/a	13-Mar	S	17 lb/a	13-Mar	Zn	2 qt/a	13-Mar	<b>Herbicides:</b>			Bicep Lite II Mag	3 pt/a	4-Jun	Aatrex	2 pt/a	4-Jun	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td style="text-align: center;">62.0</td><td style="text-align: center;">0.24</td><td></td></tr> <tr><td>June</td><td style="text-align: center;">72.8</td><td style="text-align: center;">1.35</td><td style="text-align: center;">2.1</td></tr> <tr><td>July</td><td style="text-align: center;">74.5</td><td style="text-align: center;">6.56</td><td style="text-align: center;">0.0</td></tr> <tr><td>August</td><td style="text-align: center;">74.0</td><td style="text-align: center;">4.25</td><td style="text-align: center;">2.7</td></tr> <tr><td>September</td><td style="text-align: center;">64.0</td><td style="text-align: center;">0.87</td><td style="text-align: center;">0.0</td></tr> <tr><td>October</td><td style="text-align: center;">52.5</td><td style="text-align: center;">2.38</td><td></td></tr> <tr><td>November<sup>†</sup></td><td style="text-align: center;">51.9</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr><td><sup>†</sup> Nov. 1-10</td><td></td><td></td><td></td></tr> <tr><td colspan="4"> </td></tr> <tr> <td style="text-align: right;">Seasonal Precipitation:</td> <td></td> <td style="text-align: center;">15.7 in.</td> <td></td> </tr> <tr> <td style="text-align: right;">Total Irrigation:</td> <td></td> <td style="text-align: center;">4.8 in.</td> <td></td> </tr> <tr><td colspan="4"> </td></tr> <tr> <td style="text-align: right;">Date of Last Spring Frost:</td> <td></td> <td style="text-align: center;">20-Apr</td> <td></td> </tr> <tr> <td style="text-align: right;">Date of First Fall Frost:</td> <td></td> <td style="text-align: center;">23-Sep</td> <td></td> </tr> <tr> <td style="text-align: right;">Frost Free Period:</td> <td></td> <td style="text-align: center;">156 days</td> <td></td> </tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	62.0	0.24		June	72.8	1.35	2.1	July	74.5	6.56	0.0	August	74.0	4.25	2.7	September	64.0	0.87	0.0	October	52.5	2.38		November <sup>†</sup>	51.9	0.00		December				<sup>†</sup> Nov. 1-10								Seasonal Precipitation:		15.7 in.		Total Irrigation:		4.8 in.						Date of Last Spring Frost:		20-Apr		Date of First Fall Frost:		23-Sep		Frost Free Period:		156 days	
	Rate	Date																																																																																																																		
<b>Fertilizer:</b>																																																																																																																				
Nitrogen	21 lb/a	carryover																																																																																																																		
Nitrogen	110 lb/a	13-Mar																																																																																																																		
P <sub>2</sub> O <sub>5</sub>	50 lb/a	13-Mar																																																																																																																		
S	17 lb/a	13-Mar																																																																																																																		
Zn	2 qt/a	13-Mar																																																																																																																		
<b>Herbicides:</b>																																																																																																																				
Bicep Lite II Mag	3 pt/a	4-Jun																																																																																																																		
Aatrex	2 pt/a	4-Jun																																																																																																																		
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																																																	
January																																																																																																																				
February																																																																																																																				
March																																																																																																																				
April																																																																																																																				
May	62.0	0.24																																																																																																																		
June	72.8	1.35	2.1																																																																																																																	
July	74.5	6.56	0.0																																																																																																																	
August	74.0	4.25	2.7																																																																																																																	
September	64.0	0.87	0.0																																																																																																																	
October	52.5	2.38																																																																																																																		
November <sup>†</sup>	51.9	0.00																																																																																																																		
December																																																																																																																				
<sup>†</sup> Nov. 1-10																																																																																																																				
Seasonal Precipitation:		15.7 in.																																																																																																																		
Total Irrigation:		4.8 in.																																																																																																																		
Date of Last Spring Frost:		20-Apr																																																																																																																		
Date of First Fall Frost:		23-Sep																																																																																																																		
Frost Free Period:		156 days																																																																																																																		
<b>Test Design:</b> Replications: 3 Plot Length: 20 ft. Rows per Plot: 2 Row Spacing: 30 in. Seeding Rate: 80,000 seed/a																																																																																																																				

**Table 6B. New Mexico 2009 Limited Irrigated Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Grain Yield		Moisture at Harvest		Plant Height	Head		Heading Date
		lb/a	bu/a	%	lb/bu		Exertion	Lodging	
Triumph Seed Co., Inc.	TRX85001	11616	207.4	15.2	58.9	55.5	6.0	0	19-Aug
Sorghum Partners, Inc.	SP6680	11111	198.4	15.3	61.7	47.2	3.8	0	14-Aug
Sorghum Partners, Inc.	NK7633	10945	195.5	14.5	61.3	45.5	6.0	0	3-Aug
Triumph Seed Co., Inc.	TR481	10422	186.1	15.0	61.7	47.8	5.8	0	7-Aug
Triumph Seed Co., Inc.	TRX95004	10067	179.8	14.7	59.5	46.3	5.3	0	14-Aug
Sorghum Partners, Inc.	NK5418	7557	134.9	14.5	59.9	42.3	5.6	4	31-Jul
	Trial Mean	10286	183.7	14.9	60.5	47.4	5.4	0.7	9-Aug
	LSD	1526	27.3	0.5	0.9	NS	1.4	1.3	1.8
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	8.2	8.2	1.9	0.8	11.0	14.3	106.1	0.5
	F Test	0.0019	0.0019	0.0127	<0.0001	0.1448	0.0422	0.0002	<0.0001

**Table 7A. New Mexico 2009 Dryland Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

Investigators: M.A. Marsalis, A. Scott, and B. Niece

**Test Description**

Location:	Management Practices:	Growing Conditions:																																																																						
County/Area: Curry Longitude: -103.22 Latitude: 34.60 Elevation: 4435 ft. Soil Name: Olton Soil Texture: clay loam Soil Depth: >60 in.	Previous Crop: fallow Planting Date: 17-Jun Harvest Date: 11-Nov  <hr/> Production Inputs <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3">Fertilizer:</td> </tr> <tr> <td>Nitrogen</td> <td style="text-align: center;">85 lb/a</td> <td style="text-align: center;">23-Apr</td> </tr> <tr> <td>P<sub>2</sub>O<sub>5</sub></td> <td style="text-align: center;">40 lb/a</td> <td style="text-align: center;">23-Apr</td> </tr> <tr> <td>S</td> <td style="text-align: center;">13 lb/a</td> <td style="text-align: center;">23-Apr</td> </tr> <tr> <td>Zn</td> <td style="text-align: center;">1 lb/a</td> <td style="text-align: center;">23-Apr</td> </tr> </tbody> </table> Herbicides: Aatrex            2 pts/a            18-Jun  Insecticides: None		Rate	Date	Fertilizer:			Nitrogen	85 lb/a	23-Apr	P <sub>2</sub> O <sub>5</sub>	40 lb/a	23-Apr	S	13 lb/a	23-Apr	Zn	1 lb/a	23-Apr	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td style="text-align: center;">62.0</td><td style="text-align: center;">0.24</td><td></td></tr> <tr><td>June</td><td style="text-align: center;">72.8</td><td style="text-align: center;">1.35</td><td style="text-align: center;">0.85*</td></tr> <tr><td>July</td><td style="text-align: center;">74.5</td><td style="text-align: center;">6.56</td><td></td></tr> <tr><td>August</td><td style="text-align: center;">74.0</td><td style="text-align: center;">4.25</td><td></td></tr> <tr><td>September</td><td style="text-align: center;">64.0</td><td style="text-align: center;">0.87</td><td></td></tr> <tr><td>October</td><td style="text-align: center;">52.5</td><td style="text-align: center;">2.38</td><td></td></tr> <tr><td>November<sup>†</sup></td><td style="text-align: center;">51.0</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> </tbody> </table> * Emergence and soil crust mellowing irrigations. † Nov. 1-11  Seasonal Precipitation: 15.7 in. Total Irrigation: 0.85 in.  Date of Last Spring Frost: 20-Apr Date of First Fall Frost: 23-Sep Frost Free Period: 156 days		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	62.0	0.24		June	72.8	1.35	0.85*	July	74.5	6.56		August	74.0	4.25		September	64.0	0.87		October	52.5	2.38		November <sup>†</sup>	51.0	0.00		December			
	Rate	Date																																																																						
Fertilizer:																																																																								
Nitrogen	85 lb/a	23-Apr																																																																						
P <sub>2</sub> O <sub>5</sub>	40 lb/a	23-Apr																																																																						
S	13 lb/a	23-Apr																																																																						
Zn	1 lb/a	23-Apr																																																																						
	Average Temp. °F	Precip. in.	Irrigation in.																																																																					
January																																																																								
February																																																																								
March																																																																								
April																																																																								
May	62.0	0.24																																																																						
June	72.8	1.35	0.85*																																																																					
July	74.5	6.56																																																																						
August	74.0	4.25																																																																						
September	64.0	0.87																																																																						
October	52.5	2.38																																																																						
November <sup>†</sup>	51.0	0.00																																																																						
December																																																																								

**Table 7B. New Mexico 2009 Dryland Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Maturity Class	Yield lb/A	Yield bu/A	Test Weight lb/bu	Moisture	Head Date	Plant Height in.	Head Exsertion in.
						at Harvest %			
DeKalb	DeKalb DK44	M	8899	159	59.2	15.4	15-Aug	35.7	3.0
Pioneer Hi-Bred Int., Inc.	85G46	M	8851	158	60.0	14.8	14-Aug	38.3	1.8
Pioneer Hi-Bred Int., Inc.	85G46	M	8716	156	60.0	14.7	14-Aug	37.7	1.6
DeKalb	DeKalb DKS37--07	ME	8704	155	59.7	15.3	10-Aug	37.8	3.7
Tx. Agri. Exp. Stat.	ATx378 x RTx430	ML	8644	154	57.4	15.8	19-Aug	44.8	0.8
Sorghum Partners, Inc.	NK7633	ML	8446	151	59.6	15.3	17-Aug	39.2	3.9
DynaGro Seeds	DG 771B	M	8391	150	58.9	16.1	20-Aug	38.2	0.4
Tx. Agri. Exp. Stat.	ATx2752 x RTx430	ML	8363	149	57.5	15.5	20-Aug	40.8	0.0
Sorghum Partners, Inc.	NK6638	M	8323	149	57.9	15.6	21-Aug	38.8	1.7
Pioneer Hi-Bred Int., Inc.	85G03	M	8225	147	59.3	14.7	17-Aug	38.8	1.0
Asgrow	Asgrow Pulsar	E	8156	146	59.9	15.1	10-Aug	35.7	3.1
DynaGro Seeds	DG 772B	M	7976	142	58.1	16.3	17-Aug	40.7	2.4
Pioneer Hi-Bred Int., Inc.	85G03	M	7972	142	58.8	15.3	17-Aug	37.4	0.3
Sorghum Partners, Inc.	NK5418	M	7910	141	59.4	15.3	11-Aug	34.6	2.4
Sorghum Partners, Inc.	KS585	M	7858	140	59.7	14.7	16-Aug	36.2	0.4
Tx. Agri. Exp. Stat.	ATx399 x RTx430	ML	7822	140	56.0	15.1	18-Aug	38.7	0.7
Pioneer Hi-Bred Int., Inc.	86G32	ME	7771	139	59.2	15.0	11-Aug	37.4	1.7
Sorghum Partners, Inc.	NK5418	M	7770	139	59.7	14.7	12-Aug	35.2	2.2
Triumph Seed Co., Inc.	TR452 (TRX02783)	M	7630	136	59.2	15.4	13-Aug	39.1	3.8
DynaGro Seeds	DG 764B	M	7584	135	59.6	15.3	13-Aug	37.0	3.7
Triumph Seed Co., Inc.	TR459	M	7537	135	60.5	15.6	15-Aug	38.1	3.5
Pioneer Hi-Bred Int., Inc.	86G32	ME	7500	134	58.8	14.8	10-Aug	33.6	0.7
Sorghum Partners, Inc.	KS310	E	7487	134	60.4	14.4	9-Aug	34.9	2.1
DynaGro Seeds	DG 771B	M	7361	131	58.6	15.8	19-Aug	38.5	0.8
DynaGro Seeds	DG 758B	M	7289	130	58.1	15.6	17-Aug	40.3	2.2

**Table 7B (cont.). New Mexico 2009 Dryland Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Maturity Class	Yield lb/A	Yield bu/A	Test Weight lb/bu	Moisture	Head Date	Plant Height in.	Head Exsertion in.
						at Harvest %			
Triumph Seed Co., Inc.	TR438	ME	7274	130	58.4	14.7	13-Aug	37.8	3.4
Sorghum Partners, Inc.	NK7829	ML	7175	128	58.3	16.1	19-Aug	40.8	3.5
DynaGro Seeds	DG 762B	M	7022	125	59.1	15.0	12-Aug	38.6	2.6
DeKalb	DeKalb DK39Y	ME	6991	125	60.1	15.2	10-Aug	36.1	4.7
Tx. Agri. Exp. Stat.	ATx631 x RTx436	ML	6907	123	55.6	17.3	22-Aug	40.3	1.4
Sorghum Partners, Inc.	NK4420	ME	6896	123	59.6	15.2	10-Aug	34.9	1.6
Triumph Seed Co., Inc.	TR458	M	6772	121	58.6	15.9	15-Aug	39.8	3.5
Sorghum Partners, Inc.	NK4420	ME	6686	119	59.9	15.3	12-Aug	34.4	0.7
DeKalb	DeKalb DK29-28	E	6597	118	60.1	15.1	7-Aug	34.4	2.5
Sorghum Partners, Inc.	SP3303	E	6334	113	60.2	14.8	12-Aug	36.2	1.8
DeKalb	DeKalb DK28E	E	6276	112	59.4	14.9	3-Aug	34.0	2.8
Triumph Seed Co., Inc.	TR463	M	6120	109	55.1	16.7	22-Aug	38.3	0.3
DynaGro Seeds	DG 732B	ME	6074	108	56.3	14.2	15-Aug	35.3	1.8
Sorghum Partners, Inc.	SP3303	E	5226	93	59.6	14.8	13-Aug	34.6	1.4
Triumph Seed Co., Inc.	TRX85001	ML	5103	91	49.1	19.3	1-Sep	42.0	3.3
	Trial Mean		7466	133	58.6	15.4	15-Aug	37.6	2.1
	LSD		1181	21.1	2.0	0.7	2.4	3.3	1.3
	LSD P >		0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV		9.7	9.7	2.1	2.7	0.65	5.5	38.1
	F Test		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**Table 8A. New Mexico 2009 Irrigated Grain Sorghum Performance Test - Agricultural Science Center at Los Lunas**

Investigators: M. Place, and M.A. Marsalis

**Test Description**

Location:	Management Practices:	Growing Conditions:																																																																									
County/Area: Valencia Longitude: -106.45 Latitude: 34.46 Elevation: 4840 ft. Soil Name: Gila Loam Soil Texture: loam Soil Depth: 60 in.	Previous Crop: Alfalfa Planting Date: 13-May Harvest Date: 27-Oct  Significant grain loss to birds  Production Inputs <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;"></th> <th style="width: 20%; text-align: center;">Rate</th> <th style="width: 20%; text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3">Fertilizer:</td> </tr> <tr> <td>33-0-0-11</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">4-Jun</td> </tr> <tr> <td>46-0-0</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">19-Jun</td> </tr> <tr> <td>46-0-0</td> <td style="text-align: center;">100 lb/a</td> <td style="text-align: center;">25-Feb</td> </tr> <tr> <td>Total:</td> <td style="text-align: center;">N      P      K      S</td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">262      0      0      30</td> <td></td> </tr> </tbody> </table> Herbicides:		Rate	Date	Fertilizer:			33-0-0-11	275 lb/a	4-Jun	46-0-0	275 lb/a	19-Jun	46-0-0	100 lb/a	25-Feb	Total:	N      P      K      S			262      0      0      30		<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 20%; text-align: center;">Average Temp. °F</th> <th style="width: 20%; text-align: center;">Precip. in.</th> <th style="width: 45%; text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td style="text-align: center;">37.5</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>February</td><td style="text-align: center;">42.4</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>March</td><td style="text-align: center;">48.8</td><td style="text-align: center;">0.30</td><td></td></tr> <tr><td>April</td><td style="text-align: center;">55.0</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>May</td><td style="text-align: center;">68.2</td><td style="text-align: center;">0.96</td><td style="text-align: center;">3</td></tr> <tr><td>June</td><td style="text-align: center;">72.9</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>July</td><td style="text-align: center;">79.5</td><td style="text-align: center;">1.92</td><td style="text-align: center;">9</td></tr> <tr><td>August</td><td style="text-align: center;">75.3</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>September</td><td style="text-align: center;">67.5</td><td style="text-align: center;">2.20</td><td></td></tr> <tr><td>October</td><td style="text-align: center;">55.1</td><td style="text-align: center;">1.31</td><td></td></tr> <tr><td>November<sup>†</sup></td><td style="text-align: center;">44.2</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>December</td><td style="text-align: center;">38.0</td><td style="text-align: center;">0.15</td><td></td></tr> </tbody> </table> <sup>†</sup> Nov. 1-10  Seasonal Precipitation: 7.2 in. Total Irrigation: 24.0 in.  Date of Last Spring Frost: 20-Apr Date of First Fall Frost: 2-Oct Frost Free Period: 165 days		Average Temp. °F	Precip. in.	Irrigation in.	January	37.5	0.00		February	42.4	0.00		March	48.8	0.30		April	55.0	0.14		May	68.2	0.96	3	June	72.9	0.98	6	July	79.5	1.92	9	August	75.3	0.98	6	September	67.5	2.20		October	55.1	1.31		November <sup>†</sup>	44.2	0.14		December	38.0	0.15	
	Rate	Date																																																																									
Fertilizer:																																																																											
33-0-0-11	275 lb/a	4-Jun																																																																									
46-0-0	275 lb/a	19-Jun																																																																									
46-0-0	100 lb/a	25-Feb																																																																									
Total:	N      P      K      S																																																																										
	262      0      0      30																																																																										
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January	37.5	0.00																																																																									
February	42.4	0.00																																																																									
March	48.8	0.30																																																																									
April	55.0	0.14																																																																									
May	68.2	0.96	3																																																																								
June	72.9	0.98	6																																																																								
July	79.5	1.92	9																																																																								
August	75.3	0.98	6																																																																								
September	67.5	2.20																																																																									
October	55.1	1.31																																																																									
November <sup>†</sup>	44.2	0.14																																																																									
December	38.0	0.15																																																																									
<b>Test Design:</b> Replications: 4 Plot Length: 10 ft. Rows per Plot: 2 Row Spacing: 30 in. Seeding Rate: 69000 seed/a																																																																											



**Table 8B. New Mexico 2009 Irrigated Grain Sorghum Performance Test - Agricultural Science Center at Los Lunas**

<b>Results</b>								
<b>Brand/Company Name</b>	<b>Hybrid/Variety Name</b>	<b>Grain Yield</b>	<b>Grain Yield</b>	<b>Moisture at Harvest</b>	<b>Test Weight</b>	<b>Plant Height</b>	<b>Head Exertion</b>	<b>Lodging</b>
		lb/a	bu/a	%	lb/bu	in	in	%
Sorghum Partners, Inc.	NK7829	6571	117.3	11.2	58.4	47.5	6.0	0
Sorghum Partners, Inc.	NK8831	6472	115.6	10.2	57.9	42.8	4.5	0
Sorghum Partners, Inc.	SP6680	3650	65.2	9.8	53.1	51.0	2.3	0
	Trial Mean	5564	99.4	10.4	56.5	47.1	4.3	-
	LSD	933	16.7	0.8	NS	5.0	1.3	-
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	-
	CV	9.7	9.7	4.3	4.8	6.1	18.0	-
	F Test	0.0004	0.0004	0.0103	0.0592	0.0186	0.0013	-

**Table 9A. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Artesia**

Investigators: F.E. Contreras-Govea and L. Carrasco

**Test Description**

Location:		Management Practices:			Growing Conditions:		
County/Area:	Eddy	Previous Crop:	Cotton		Average		
Longitude:	-104.38	Planting Date:	12-May		Temp.	Precip.	Irrigation
Latitude:	32.75	Harvest Date:	1-Sep		<hr/>		
Elevation:	3348 ft				F	in.	in.
Soil Name:	Reagan				<hr/>		
Soil Texture:	loam	Production Inputs:					
Soil Depth:	>80 in.	<hr/>					
		Rate			Date		
		<hr/>					
		Fertilizer:					
		Nitrogen	73 lb/a	7-May	January	41.5	0.00
		Nitrogen	47 lb/a	2-Jun	February	47.6	0.00
		Nitrogen	100 lb/a	26-Jun	March	53.2	0.46
		P <sub>2</sub> O <sub>5</sub>	47 lb/a	7-May	April	58.7	0.00
		K <sub>2</sub> O	42 lb/a	7-May	May	70.6	0.73
					June	77.8	1.16
					July	81.1	4.89
					August	79.0	0.08
					September	69.9	0.33
					October		
		Herbicides:					
		Yukon	6 oz/ac	8-Jun	Precipitation:	7.65	
		Aim	6 oz/ac	2-Jul	Total Irrigation:	21.53	
		Insecticides:					
		Intrepid	6 oz/ac	2-Jul	Date of Last Spring Frost:	18-Apr	
		Oberon	12 oz/ac	2-Jul	Date of First Fall Frost:	30-Oct	
					Frost Free Period:	195	
Field Notes							
Maturity at harvest: From 1/3 to 1/2 starch/milk line							

**Table 9B. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Artesia**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture			CP	NDF	NDFD 48hr	Starch	NE <sub>1</sub>	Milk/Ton	Milk/Acre
		Dry Forage	Green Forage	at Harvest							
		t/a	t/a	%	%	%	%	Mcal/lb	lb/t	lb/a	
Mycogen Seeds	TMF2L831	10.2	30.7	66.7	8.5	46.8	59.8	33.3	0.67	3091	31542
Eureka Seeds, Inc	X9015RR	9.8	31.2	68.6	8.2	48.9	55.7	31.5	0.64	2860	27961
Mycogen Seeds	2W814	9.2	28.0	67.3	8.5	43.7	55.8	36.9	0.68	3150	28838
Mycogen Seeds	TMF2Q759	9.0	26.3	65.8	8.1	45.3	59.1	35.0	0.67	3101	27748
Mycogen Seeds	TMF2N804	8.8	28.5	69.1	8.2	49.1	57.6	31.6	0.65	2941	25824
Buckeye Ag Testing, LLC	58V69	8.8	28.3	69.2	8.3	47.9	57.7	31.7	0.65	2974	26010
Golden Acres Genetics	28Y47	8.6	29.2	70.6	8.0	51.4	57.8	29.1	0.63	2847	24504
Golden Acres Genetics	28Y97	8.5	26.0	67.2	8.6	48.7	58.5	31.1	0.65	2974	25097
Eureka Seeds, Inc	ES-7654RR	8.4	26.1	68.0	8.8	48.3	58.3	29.1	0.66	2968	24745
Golden Acres Genetics	27Z07	8.3	27.0	69.2	8.4	45.2	55.4	34.4	0.66	2988	24860
Buckeye Ag Testing, LLC	58V24	8.3	26.8	69.2	7.9	45.3	56.4	35.2	0.67	3044	25184
Eureka Seeds, Inc	X9054RR	7.8	25.8	69.9	8.3	51.2	56.8	27.7	0.63	2792	21741
Eureka Seeds, Inc	X9064RR	7.4	22.6	66.7	8.8	48.6	57.5	30.3	0.65	2941	21776
Eureka Seeds, Inc	X8013 VT3	7.3	21.3	65.6	8.4	45.6	59.2	34.2	0.68	3141	22780
	Trial Mean	8.7	27.5	68.2	8.4	47.8	57.6	32.0	0.65	2978	25920
	LSD	1.7	5.8	2.2	ns	2.6	2.7	3.1	0.02	169	5643
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV %	14.1	14.7	2.3	4.7	3.8	3.3	6.8	2.6	4.0	15.3
	F Test	0.0171	0.0049	0.0002	0.0533	<0.0001	0.0500	<0.0001	0.0002	0.0008	0.0305

**Table 10A. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Clovis**

Investigators: M.A. Marsalis, R.E. Kirksey, B. Niece, and A. Scott

**Test Description**

Location:	Management Practices:	Growing Conditions:																																																																									
County/Area: Curry Longitude: -103.22 Latitude: 34.60 Elevation: 4435 ft. Soil Name: Olton Soil Texture: clay loam Soil Depth: >60 in.	Previous Crop: fallow Planting Date: 28-Apr Harvest Date: 8-Sep  Production Inputs <hr/> <table border="0"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3">Fertilizer:</td> </tr> <tr> <td>Nitrogen</td> <td>10 lb/a</td> <td>carryover</td> </tr> <tr> <td>Nitrogen</td> <td>275 lb/a</td> <td>9-Mar</td> </tr> <tr> <td>P<sub>2</sub>O<sub>5</sub></td> <td>60 lb/a</td> <td>9-Mar</td> </tr> <tr> <td>S</td> <td>30 lb/a</td> <td>9-Mar</td> </tr> <tr> <td>Zn</td> <td>1 lb/a</td> <td>9-Mar</td> </tr> </tbody> </table> Herbicides:  Bicep Lite II Mag      3 pt/a      30-Apr Dual II Mag            0.75 pt/a      12-Jun  Insecticides:  Onager                    10 oz/a      12-Jun Intrepid 2F              8 oz/a      3-Aug		Rate	Date	Fertilizer:			Nitrogen	10 lb/a	carryover	Nitrogen	275 lb/a	9-Mar	P <sub>2</sub> O <sub>5</sub>	60 lb/a	9-Mar	S	30 lb/a	9-Mar	Zn	1 lb/a	9-Mar	<table border="0"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td>48.2</td><td>0.35</td><td></td></tr> <tr><td>April</td><td>53.7</td><td>0.83</td><td>3.30</td></tr> <tr><td>May</td><td>62.0</td><td>0.24</td><td>1.20</td></tr> <tr><td>June</td><td>72.8</td><td>1.35</td><td>4.80</td></tr> <tr><td>July</td><td>74.5</td><td>6.56</td><td>3.10</td></tr> <tr><td>August</td><td>74.0</td><td>4.25</td><td>4.70</td></tr> <tr><td>September†</td><td>68.9</td><td>0.41</td><td></td></tr> <tr><td>October</td><td></td><td></td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> </tbody> </table> <hr/> † Sept. 1-8  Seasonal Precipitation      14.0 in. Total Irrigation              17.1 in.  Date of Last Spring Frost:      20-Apr Date of First Fall Frost:      23-Sep Frost Free Period:              156 days		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March	48.2	0.35		April	53.7	0.83	3.30	May	62.0	0.24	1.20	June	72.8	1.35	4.80	July	74.5	6.56	3.10	August	74.0	4.25	4.70	September†	68.9	0.41		October				November				December			
	Rate	Date																																																																									
Fertilizer:																																																																											
Nitrogen	10 lb/a	carryover																																																																									
Nitrogen	275 lb/a	9-Mar																																																																									
P <sub>2</sub> O <sub>5</sub>	60 lb/a	9-Mar																																																																									
S	30 lb/a	9-Mar																																																																									
Zn	1 lb/a	9-Mar																																																																									
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January																																																																											
February																																																																											
March	48.2	0.35																																																																									
April	53.7	0.83	3.30																																																																								
May	62.0	0.24	1.20																																																																								
June	72.8	1.35	4.80																																																																								
July	74.5	6.56	3.10																																																																								
August	74.0	4.25	4.70																																																																								
September†	68.9	0.41																																																																									
October																																																																											
November																																																																											
December																																																																											
<b>Test Design:</b> Replications: 4 Plot Length: 20 ft. Rows per Plot: 2 Row Spacing: 30 in.  Seeding Rate: 30000 seeds/a																																																																											

**Table 10B. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture			CP	NDF	NDFD		Ash	TDN	NE <sub>l</sub>	Milk/Ton	Milk/Acre
		Dry Forage	Green Forage	at Harvest			48hr	Starch					
		t/a	t/a	%	%	%	%	%	%	Mcal/lb	lb/t	lb/a	
Triumph Seed Co., Inc.	8539R	12.3	34.5	64.4	8.3	49.7	59.5	24.7	4.7	62.9	0.595	2615	32015
Golden Acres Genetics	28Y47	12.0	31.6	61.8	8.3	50.2	60.3	23.7	4.8	63.6	0.601	2656	31917
Mycogen Seeds	2N804	11.6	32.3	63.9	8.5	49.6	61.5	24.9	4.4	64.1	0.605	2686	31284
Grand Valley Hybrids, Inc.	26T50	11.6	31.3	63.1	8.5	49.3	61.3	24.8	4.4	64.4	0.609	2713	31375
Grand Valley Hybrids, Inc.	X7R145	11.3	31.2	63.6	8.7	47.7	60.8	26.2	4.7	63.9	0.604	2681	30358
Golden Acres Genetics	28Y97	11.3	27.8	59.3	8.7	47.5	62.1	26.8	4.5	64.8	0.613	2741	30997
Eureka Seeds, Inc.	ES-7654RR	11.2	29.1	61.6	9.3	47.6	62.5	23.8	4.9	65.3	0.618	2776	30948
Triumph Seed Co., Inc.	1825V	11.2	27.1	58.7	8.1	48.1	60.9	26.9	4.5	64.0	0.606	2690	30034
Golden Acres Genetics	27Z07	11.0	29.1	62.1	8.2	46.1	61.5	30.0	4.3	64.7	0.612	2734	30074
Triumph Seed Co., Inc.	2288H	11.0	32.0	65.7	8.7	51.3	61.5	22.2	4.4	64.2	0.605	2691	29529
Monsanto Company	DKC67-87	10.8	29.2	62.8	9.4	48.7	61.2	25.1	4.5	64.4	0.609	2714	29422
Eureka Seeds, Inc.	X9015RR	10.8	29.7	63.6	8.1	49.3	60.8	25.0	4.6	63.6	0.600	2652	28703
Mycogen Seeds	2L831	10.7	28.3	62.1	9.1	47.8	61.4	25.2	4.5	64.7	0.613	2740	29419
Grand Valley Hybrids, Inc.	25T57	10.7	28.9	62.9	8.0	52.2	61.5	21.9	4.8	63.4	0.595	2626	28262
Eureka Seeds, Inc.	X9064RR	10.6	27.7	61.6	9.1	47.7	61.8	25.6	4.1	65.1	0.617	2767	29448
Mycogen Seeds	2W814	10.6	26.8	60.3	8.6	46.0	61.7	29.0	3.8	65.6	0.623	2807	29778
Eureka Seeds, Inc.	X8013VT3	10.6	28.5	62.8	8.9	48.6	60.0	26.0	4.4	63.7	0.603	2670	28255
Mycogen Seeds	2Q759	10.4	26.6	60.7	8.5	47.5	63.4	25.9	4.5	65.5	0.617	2778	29050
Eureka Seeds, Inc.	X9054RR	10.2	28.7	64.3	8.4	48.9	60.8	24.7	4.7	63.8	0.603	2671	27310
	Trial Mean	11.1	29.5	62.4	8.6	48.6	61.2	25.5	4.5	64.3	0.608	2703	29943
	LSD	0.9	2.1	2.6	0.5	2.5	NS	3.2	NS	NS	NS	NS	NS
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	5.8	5.1	2.9	4.1	3.6	2.8	8.9	10.6	2.0	2.1	3.3	7.5
	F Test	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	0.3741	0.0003	0.1290	0.1232	0.0554	0.0743	0.2764

**Table 11A. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Farmington**

**Investigators:** O'Neill, M.K, C.K. Owen, M. West, and K. Kohler

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																																																																				
County/Area: San Juan Longitude: -108.3061 Latitude: 36.6812 Elevation: 5,640 ft. Soil Name: Wall Soil Texture: sandy loam Soil Depth: > 75 in.	Previous Crop: winter canola Planting Date: 14-May Harvest Date: 28-Sep  <b>Production Inputs</b> <table border="1"> <thead> <tr> <th></th> <th>Rate</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>10 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>Nitrogen</td> <td>16 lb/a</td> <td>15-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>22-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>1-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>14 lb/a</td> <td>6-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>24 lb/a</td> <td>13-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>30 lb/a</td> <td>21-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>18 lb/a</td> <td>28-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>42 lb/a</td> <td>5-Aug</td> </tr> <tr> <td>P2O5</td> <td>48 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>K2O</td> <td>56 lb/a</td> <td>11-Mar</td> </tr> <tr> <td>Zn</td> <td>3.4 lb/a</td> <td>11-Mar</td> </tr> <tr> <td colspan="3">Total: 190-48-56-3.4Zn</td> </tr> <tr> <td colspan="3"><b>Herbicides:</b></td> </tr> <tr> <td>Bicep Lite II Mag</td> <td>1.2 qt/a</td> <td>27-May</td> </tr> <tr> <td>Clarity</td> <td>3 oz/a</td> <td>27-May</td> </tr> <tr> <td colspan="3"><b>Insecticides:</b></td> </tr> <tr> <td colspan="3">None</td> </tr> </tbody> </table>		Rate	Date	<b>Fertilizer:</b>			Nitrogen	10 lb/a	11-Mar	Nitrogen	16 lb/a	15-Jun	Nitrogen	18 lb/a	22-Jun	Nitrogen	18 lb/a	1-Jul	Nitrogen	14 lb/a	6-Jul	Nitrogen	24 lb/a	13-Jul	Nitrogen	30 lb/a	21-Jul	Nitrogen	18 lb/a	28-Jul	Nitrogen	42 lb/a	5-Aug	P2O5	48 lb/a	11-Mar	K2O	56 lb/a	11-Mar	Zn	3.4 lb/a	11-Mar	Total: 190-48-56-3.4Zn			<b>Herbicides:</b>			Bicep Lite II Mag	1.2 qt/a	27-May	Clarity	3 oz/a	27-May	<b>Insecticides:</b>			None			<table border="1"> <thead> <tr> <th></th> <th>Average Temp. °F</th> <th>Precip. in.</th> <th>Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td>63.5</td><td>0.28</td><td>2.1</td></tr> <tr><td>June</td><td>67.6</td><td>0.78</td><td>7.6</td></tr> <tr><td>July</td><td>77.1</td><td>0.15</td><td>10.4</td></tr> <tr><td>August</td><td>73.1</td><td>0.27</td><td>6.6</td></tr> <tr><td>September</td><td>66.6</td><td>0.09</td><td>3.0</td></tr> <tr><td>October</td><td></td><td></td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr> <td>Seasonal Precipitation</td> <td></td> <td>1.57 in.</td> <td></td> </tr> <tr> <td>Total water</td> <td></td> <td>31.4 in.</td> <td></td> </tr> <tr> <td>Date of Last Spring Freeze</td> <td colspan="3">27-Apr</td> </tr> <tr> <td>Date of First Fall Freeze</td> <td colspan="3">22-Sep</td> </tr> <tr> <td>Frost Free Period</td> <td colspan="3">147 days</td> </tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	63.5	0.28	2.1	June	67.6	0.78	7.6	July	77.1	0.15	10.4	August	73.1	0.27	6.6	September	66.6	0.09	3.0	October				November				December				Seasonal Precipitation		1.57 in.		Total water		31.4 in.		Date of Last Spring Freeze	27-Apr			Date of First Fall Freeze	22-Sep			Frost Free Period	147 days		
	Rate	Date																																																																																																																																				
<b>Fertilizer:</b>																																																																																																																																						
Nitrogen	10 lb/a	11-Mar																																																																																																																																				
Nitrogen	16 lb/a	15-Jun																																																																																																																																				
Nitrogen	18 lb/a	22-Jun																																																																																																																																				
Nitrogen	18 lb/a	1-Jul																																																																																																																																				
Nitrogen	14 lb/a	6-Jul																																																																																																																																				
Nitrogen	24 lb/a	13-Jul																																																																																																																																				
Nitrogen	30 lb/a	21-Jul																																																																																																																																				
Nitrogen	18 lb/a	28-Jul																																																																																																																																				
Nitrogen	42 lb/a	5-Aug																																																																																																																																				
P2O5	48 lb/a	11-Mar																																																																																																																																				
K2O	56 lb/a	11-Mar																																																																																																																																				
Zn	3.4 lb/a	11-Mar																																																																																																																																				
Total: 190-48-56-3.4Zn																																																																																																																																						
<b>Herbicides:</b>																																																																																																																																						
Bicep Lite II Mag	1.2 qt/a	27-May																																																																																																																																				
Clarity	3 oz/a	27-May																																																																																																																																				
<b>Insecticides:</b>																																																																																																																																						
None																																																																																																																																						
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																																																																			
January																																																																																																																																						
February																																																																																																																																						
March																																																																																																																																						
April																																																																																																																																						
May	63.5	0.28	2.1																																																																																																																																			
June	67.6	0.78	7.6																																																																																																																																			
July	77.1	0.15	10.4																																																																																																																																			
August	73.1	0.27	6.6																																																																																																																																			
September	66.6	0.09	3.0																																																																																																																																			
October																																																																																																																																						
November																																																																																																																																						
December																																																																																																																																						
Seasonal Precipitation		1.57 in.																																																																																																																																				
Total water		31.4 in.																																																																																																																																				
Date of Last Spring Freeze	27-Apr																																																																																																																																					
Date of First Fall Freeze	22-Sep																																																																																																																																					
Frost Free Period	147 days																																																																																																																																					
<b>Test Design:</b> Replications: 4 Plot Length: 18.5 ft. Rows per Plot: 4 Row Spacing: 34 in. Seeding Rate: 35,000 seed/a Harvest area: 1 row 10 feet long (28.3 sq.ft.)																																																																																																																																						

**Table 11B. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Farmington**

**Results**

Brand/Company Name	Hybrid/Variety Name	Dry Forage t/a	Green Forage t/a	Moisture	CP %	NDF %	NDFD			TDN %	NE <sub>1</sub> Mcal/lb	Milk/ Ton lb/t	Milk/ Acre lb/a
				at Harvest %			48hr %	Starch %	Ash %				
Eureka Seeds, Inc.	X9054RR	11.4	35.8	68.4	7.6	46.0	61.6	31.1	4.9	68.9	0.66	3,074	35,237
Eureka Seeds, Inc.	X8013VT3	10.9	30.8	64.3	7.8	43.5	62.8	33.9	4.1	70.3	0.68	3,180	34,758
Eureka Seeds, Inc.	ES-7654RR	10.5	29.6	64.6	7.8	45.0	65.1	29.6	4.9	70.2	0.67	3,146	33,106
Eureka Seeds, Inc.	X9015RR	10.4	33.6	69.4	7.4	43.7	64.2	29.7	4.8	71.7	0.69	3,281	33,972
Eureka Seeds, Inc.	X9064RR	10.4	30.2	65.3	7.4	45.3	63.8	30.1	4.3	70.1	0.67	3,145	32,553
	Trial Mean	10.7	32.0	66.4	7.6	44.7	63.5	30.9	4.6	70.2	0.68	3,165	33,925
	LSD	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	18.0	14.5	4.6	9.3	9.4	2.4	15.5	11.7	2.7	3.4	4.8	20.4
	F Test	0.9266	0.3348	0.1080	0.8471	0.8950	0.0528	0.6985	0.1461	0.3705	0.4993	0.4443	0.9789

**Table 12A. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Los Lunas**

Investigators: M. Place and M.A. Marsalis

**Test Description**

<p><b>Location:</b>                  County/Area: Valencia                  Longitude: -106.45                  Latitude: 34.46                  Elevation: 4840 ft.                  Soil Name: Gila Loam                  Soil Texture: loam                  Soil Depth: 60 in.</p> <p><b>Test Design:</b>                  Replications: 4                  Plot Length: 10 ft.                  Rows per Plot: 2                  Row Spacing: 30 in.                  Seeding Rate: 38000 seeds/a</p>	<p><b>Management Practices:</b>                  Previous Crop: Alfalfa                  Planting Date: 13-May                  Harvest Date: 9-Sep</p> <p><b>Production Inputs</b></p> <table border="1"> <thead> <tr> <th></th> <th>Rate</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td colspan="3">Fertilizer:</td> </tr> <tr> <td>46-0-0</td> <td>100 lb/a</td> <td>25-Feb</td> </tr> <tr> <td>33-0-0-11</td> <td>275 lb/a</td> <td>4-Jun</td> </tr> <tr> <td>46-0-0</td> <td>275 lb/a</td> <td>19-Jun</td> </tr> <tr> <td>Total:</td> <td>N    P    K    S</td> <td></td> </tr> <tr> <td></td> <td>262    0    0    30</td> <td></td> </tr> </tbody> </table> <p>Herbicides:</p> <p>Insecticides:</p>		Rate	Date	Fertilizer:			46-0-0	100 lb/a	25-Feb	33-0-0-11	275 lb/a	4-Jun	46-0-0	275 lb/a	19-Jun	Total:	N    P    K    S			262    0    0    30		<p><b>Growing Conditions:</b></p> <table border="1"> <thead> <tr> <th></th> <th>Average Temp. °F</th> <th>Precip. in.</th> <th>Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td>37.5</td><td>0.00</td><td></td></tr> <tr><td>February</td><td>42.4</td><td>0.00</td><td></td></tr> <tr><td>March</td><td>48.8</td><td>0.30</td><td></td></tr> <tr><td>April</td><td>55.0</td><td>0.14</td><td></td></tr> <tr><td>May</td><td>68.2</td><td>0.96</td><td>3</td></tr> <tr><td>June</td><td>72.9</td><td>0.98</td><td>6</td></tr> <tr><td>July</td><td>79.5</td><td>1.92</td><td>9</td></tr> <tr><td>August</td><td>75.3</td><td>0.98</td><td>6</td></tr> <tr><td>September</td><td>67.5</td><td>2.20</td><td></td></tr> <tr><td>October</td><td>55.1</td><td>1.31</td><td></td></tr> <tr><td>November</td><td>44.2</td><td>0.14</td><td></td></tr> <tr><td>December</td><td>38.0</td><td>0.15</td><td></td></tr> </tbody> </table> <p>Seasonal Precipitation      7.2 in.                  Total Irrigation              24.0 in.</p> <p>Date of Last Spring Frost:    20-Apr                  Date of First Fall Frost:     2-Oct                  Frost Free Period:            165 days</p>		Average Temp. °F	Precip. in.	Irrigation in.	January	37.5	0.00		February	42.4	0.00		March	48.8	0.30		April	55.0	0.14		May	68.2	0.96	3	June	72.9	0.98	6	July	79.5	1.92	9	August	75.3	0.98	6	September	67.5	2.20		October	55.1	1.31		November	44.2	0.14		December	38.0	0.15	
	Rate	Date																																																																									
Fertilizer:																																																																											
46-0-0	100 lb/a	25-Feb																																																																									
33-0-0-11	275 lb/a	4-Jun																																																																									
46-0-0	275 lb/a	19-Jun																																																																									
Total:	N    P    K    S																																																																										
	262    0    0    30																																																																										
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January	37.5	0.00																																																																									
February	42.4	0.00																																																																									
March	48.8	0.30																																																																									
April	55.0	0.14																																																																									
May	68.2	0.96	3																																																																								
June	72.9	0.98	6																																																																								
July	79.5	1.92	9																																																																								
August	75.3	0.98	6																																																																								
September	67.5	2.20																																																																									
October	55.1	1.31																																																																									
November	44.2	0.14																																																																									
December	38.0	0.15																																																																									



**Table 12B. New Mexico 2009 Forage Corn Performance Test - Agricultural Science Center at Los Lunas**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture			CP	NDF	NDFD		Ash	TDN	NE <sub>l</sub>	Milk/Ton	Milk/Acre
		Dry Forage	Green Forage	at Harvest			48hr	Starch					
		t/a	t/a	%	%	%	%	%	%	Mcal/lb	lb/t	lb/a	
Eureka Seeds, Inc.	X9015RR	12.6	35.3	64.3	8.6	43.4	70.3	33.6	2.5	75.4	0.73	3513	44254
Eureka Seeds, Inc.	ES-7654RR	12.4	33.8	63.5	9.1	41.7	70.6	35.5	2.8	76.8	0.74	3629	44943
Eureka Seeds, Inc.	X9054RR	11.9	34.7	65.7	8.9	43.3	71.9	33.3	2.5	76.6	0.74	3591	42772
Eureka Seeds, Inc.	X8013VT3	11.8	31.3	62.4	8.8	42.0	69.8	36.6	2.7	76.9	0.75	3644	42886
Monsanto Company	DXC67-87	11.6	30.5	62.3	8.7	39.9	68.9	38.8	2.8	77.3	0.76	3696	42713
Eureka Seeds, Inc.	X9064RR	11.1	30.8	63.8	8.8	39.4	70.0	37.3	2.7	76.2	0.74	3600	40072
	Trial Mean	11.9	32.8	63.6	8.8	41.6	70.2	35.8	2.7	76.5	0.74	3611	42940
	LSD	NS	2.7	NS	NS	NS	NS	NS	0.3	NS	NS	NS	NS
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	8.0	5.6	2.9	3.5	5.6	2.9	8.0	6.4	1.6	2.1	2.7	8.9
	F Test	0.3309	0.0049	0.157	0.4814	0.1258	0.4669	0.1039	0.0232	0.3657	0.1912	0.2213	0.5884

**Table 13A. New Mexico 2009 Forage Sorghum Performance Test - Agricultural Science Center at Artesia**

Investigators: F.E. Contreras-Govea and L. Carrasco

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>			<b>Growing Conditions:</b>			
County/Area:	Eddy	Previous Crop:	Cotton		Average			
Longitude:	-104.38	Planting Date:	15-May		Temp	Precip.	Irrigation	
Latitude:	32.75	Harvest Date:	31-Aug		F	in.	in.	
Elevation:	3348 ft	<b>Production Inputs:</b>						
Soil Name:	Reagan	<u>Rate</u> <u>Date</u>						
Soil Texture:	loam	<b>Fertilizer:</b>			January	41.5	0.00	
Soil Depth:	>80 in.				February	47.6	0.00	
					March	53.2	0.46	
<b>Test Design:</b>					April	58.7	0.00	
Replications:	4	Nitrogen	100 lb/a	26-Jun	May	70.6	0.73	4.72
Plot Length:	25 ft.				June	77.8	1.16	5.77
Rows per Plot	2				July	81.1	4.89	4.10
Row Spacing	40 in.				August	79.0	0.08	2.21
Seeding Rate:	90,000 seeds/a				September	69.9	0.33	
					October			
		<b>Herbicides:</b>						
		Yukon	6 oz/ac	8-Jun				
		<b>Insecticides:</b>				Precipitation:	7.65	
		Cobal	6 oz/ac	14-Jul		Total Irrigation:	16.80	
Maturity at harvest flowering to late dough stage of kernel								
					Date of Last Spring Frost:	18-Apr		
					Date of First Fall Frost:	30-Oct		
					Frost Free Period:	195		

**Table 13B. New Mexico 2009 Forage Sorghum Performance Test - Agricultural Science Center at Artesia**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture			CP	NDF	NDFD 48hr	Starch	NE <sub>l</sub>	Milk/Ton	Milk/Acre
		Dry Forage	Green Forage	at Harvest							
		t/a	t/a	%	%	%	%	%	Mcal/lb	lb/t	lb/a
Sorghum Partners, Inc.	NK 300	8.0	37.5	78.8	8.4	62	63	14.3	0.55	2357	18798
Sorghum Partners, Inc.	SS 405	7.9	35.4	77.9	7.4	68	66	9.2	0.55	2329	18204
Sorghum Partners, Inc.	HIKANE II	6.4	25.0	74.4	8.4	52	61	25.9	0.62	2796	17875
Dyna-Gro/UAP	DG 712F	6.1	24.1	74.7	7.7	50	59	29.7	0.63	2829	17273
Coffey Forage Seed Inc.	FS 6810	5.5	22.1	75.0	8.1	52	65	21.4	0.64	2897	16010
	Trial Mean	6.7	28.0	75.9	7.9	56	63	21.4	0.60	2668	17530
	LSD	1.46	5.54	1.49	0.66	3.8	2.6	4.35	0.03	188	4456
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	14.6	13.1	1.3	5.5	4.6	2.8	13.5	3.3	4.7	16.9
	F Test	0.0113	<0.0001	<0.0001	0.0277	<0.0001	0.0003	<0.0001	<0.0001	<0.0001	0.8131

**Table 14A. New Mexico 2009 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Investigators:** M.A. Marsalis, R.E. Kirksey, B. Niece, and A. Scott

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																									
County/Area: Curry Longitude: -103.22 Latitude: 34.60 Elevation: 4435 ft. Soil Name: Olton Soil Texture: clay loam Soil Depth: >60 in.	Previous Crop: fallow Planting Date: 26-May Harvest Date: 8-Oct  Production Inputs <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>12 lb/a</td> <td>carryover</td> </tr> <tr> <td>Nitrogen</td> <td>180 lb/a</td> <td>23-Apr</td> </tr> <tr> <td>P<sub>2</sub>O<sub>5</sub></td> <td>50 lb/a</td> <td>23-Apr</td> </tr> <tr> <td>S</td> <td>30 lb/a</td> <td>23-Apr</td> </tr> <tr> <td>Zn</td> <td>1 lb/a</td> <td>23-Apr</td> </tr> </tbody> </table> Herbicides: Atrazine 2 pt/a 27-May  Insecticides:		Rate	Date	<b>Fertilizer:</b>			Nitrogen	12 lb/a	carryover	Nitrogen	180 lb/a	23-Apr	P <sub>2</sub> O <sub>5</sub>	50 lb/a	23-Apr	S	30 lb/a	23-Apr	Zn	1 lb/a	23-Apr	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td style="text-align: center;">53.7</td><td style="text-align: center;">0.83</td><td style="text-align: center;">2.0</td></tr> <tr><td>May</td><td style="text-align: center;">62.0</td><td style="text-align: center;">0.24</td><td style="text-align: center;">1.7</td></tr> <tr><td>June</td><td style="text-align: center;">72.8</td><td style="text-align: center;">1.35</td><td style="text-align: center;">1.1</td></tr> <tr><td>July</td><td style="text-align: center;">74.5</td><td style="text-align: center;">6.56</td><td style="text-align: center;">2.4</td></tr> <tr><td>August</td><td style="text-align: center;">74.0</td><td style="text-align: center;">4.25</td><td style="text-align: center;">3.5</td></tr> <tr><td>September</td><td style="text-align: center;">64.0</td><td style="text-align: center;">0.87</td><td style="text-align: center;">0.0</td></tr> <tr><td>October<sup>†</sup></td><td style="text-align: center;">57.8</td><td style="text-align: center;">0.00</td><td style="text-align: center;">0.0</td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> </tbody> </table> <hr/> <sup>†</sup> Oct. 1-8  Seasonal Precipitation 14.1 in. Total Irrigation 10.7 in.  Date of Last Spring Frost: 20-Apr Date of First Fall Frost: 23-Sep Frost Free Period: 156 days		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April	53.7	0.83	2.0	May	62.0	0.24	1.7	June	72.8	1.35	1.1	July	74.5	6.56	2.4	August	74.0	4.25	3.5	September	64.0	0.87	0.0	October <sup>†</sup>	57.8	0.00	0.0	November				December			
	Rate	Date																																																																									
<b>Fertilizer:</b>																																																																											
Nitrogen	12 lb/a	carryover																																																																									
Nitrogen	180 lb/a	23-Apr																																																																									
P <sub>2</sub> O <sub>5</sub>	50 lb/a	23-Apr																																																																									
S	30 lb/a	23-Apr																																																																									
Zn	1 lb/a	23-Apr																																																																									
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January																																																																											
February																																																																											
March																																																																											
April	53.7	0.83	2.0																																																																								
May	62.0	0.24	1.7																																																																								
June	72.8	1.35	1.1																																																																								
July	74.5	6.56	2.4																																																																								
August	74.0	4.25	3.5																																																																								
September	64.0	0.87	0.0																																																																								
October <sup>†</sup>	57.8	0.00	0.0																																																																								
November																																																																											
December																																																																											
<b>Test Design:</b> Replications: 3 Plot Length: 20 ft. Rows per Plot: 2 Row Spacing: 30 in.  Seeding Rate: 90,000 seed/a																																																																											

**Table 14B. New Mexico 2009 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Moisture			CP	NDF	NDFD 48hr	Ash	TDN	NE <sub>i</sub>	Milk/ Ton	Milk/ Acre
			Dry Forage	Green Forage	at Harvest								
			t/a	t/a	%	%	%	%	%	%	Mcal/lb	lb/t	lb/a
Sorghum Partners, Inc.	SS405	Conv	12.4	31.9	61.2	5.4	56.5	64.3	5.5	62.1	0.57	2476	27225
Forage First	FS-5	Conv	11.6	29.7	60.8	6.5	47.3	65.9	6.0	61.6	0.56	2435.7	25186
Sorghum Partners, Inc.	NK300	Conv	9.6	22.7	57.6	7.0	53.9	60.5	6.6	61.3	0.57	2467	21122
Sorghum Partners, Inc.	HIKANE II	Conv	8.8	22.5	60.7	6.9	46.2	65.8	6.0	62.0	0.57	2470.7	19388
Pioneer Seed Co.	849 F	Conv	8.8	20.7	57.8	7.0	56.4	60.6	6.5	60.6	0.56	2411	18799
Coffey Forage Seeds, Inc.	EXP3017	BMR	8.1	17.0	52.5	7.3	53.9	63.8	6.9	63.4	0.59	2593	18661
Coffey Forage Seeds, Inc.	EXP2017	BMR	8.0	22.4	64.1	7.3	44.5	69.0	6.5	62.0	0.56	2441	17421
Coffey Forage Seeds, Inc.	FS6810	BMR	6.2	16.3	61.9	8.2	50.3	69.2	7.4	62.5	0.56	2451	13522
Trial Mean			9.2	22.9	59.6	7.0	51.1	64.9	6.4	61.9	0.57	2468	20166
LSD			1.3	3.2	2.8	0.6	4.0	2.3	1.0	NS	NS	NS	3702
LSD P >			0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
CV			8.2	7.9	2.7	5.3	4.5	2.0	9.0	2.0	2.9	4.2	10.5
F Test			<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0380	0.3328	0.4968	0.5785	<0.0001

<sup>†</sup> Sorghum Type: Conv = Conventional, BMR = Brown Midrib

**Table 15A. New Mexico 2009 Dryland Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Investigators:** M.A. Marsalis, R.E. Kirksey, B. Niece, and A. Scott

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																			
County/Area: Curry Longitude: -103.22 Latitude: 34.60 Elevation: 4435 ft. Soil Name: Olton Soil Texture: clay loam Soil Depth: >60 in.	Previous Crop: fallow Planting Date: 16-Jun Harvest Date: 8-Oct  <b>Production Inputs</b> <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td>Nitrogen</td> <td>23 lb/a</td> <td>carryover</td> </tr> <tr> <td>Nitrogen</td> <td>85 lb/a</td> <td>23-Apr</td> </tr> <tr> <td>P<sub>2</sub>O<sub>5</sub></td> <td>40 lb/a</td> <td>23-Apr</td> </tr> <tr> <td>S</td> <td>13 lb/a</td> <td>23-Apr</td> </tr> <tr> <td>Zn</td> <td>0.75 lb/a</td> <td>23-Apr</td> </tr> </tbody> </table> Herbicides: Atrazine 2 pt/a 18-Jun  Insecticides:		Rate	Date	<b>Fertilizer:</b>			Nitrogen	23 lb/a	carryover	Nitrogen	85 lb/a	23-Apr	P <sub>2</sub> O <sub>5</sub>	40 lb/a	23-Apr	S	13 lb/a	23-Apr	Zn	0.75 lb/a	23-Apr	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td style="text-align: center;">62.0</td><td style="text-align: center;">0.24</td><td></td></tr> <tr><td>June</td><td style="text-align: center;">72.8</td><td style="text-align: center;">1.35</td><td style="text-align: center;">2.3*</td></tr> <tr><td>July</td><td style="text-align: center;">74.5</td><td style="text-align: center;">6.56</td><td></td></tr> <tr><td>August</td><td style="text-align: center;">74.0</td><td style="text-align: center;">4.25</td><td></td></tr> <tr><td>September</td><td style="text-align: center;">64.0</td><td style="text-align: center;">0.87</td><td></td></tr> <tr><td>October<sup>†</sup></td><td style="text-align: center;">57.8</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> </tbody> </table> <hr/> <sup>†</sup> Oct. 1-8 * Emergence and soil crust mellowing irrigations.  <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: right;">Seasonal Precipitation</td> <td style="text-align: right;">13.3 in.</td> </tr> <tr> <td style="text-align: right;">Total Irrigation</td> <td style="text-align: right;">2.3 in.</td> </tr> </table> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: right;">Date of Last Spring Frost:</td> <td style="text-align: right;">20-Apr</td> </tr> <tr> <td style="text-align: right;">Date of First Fall Frost:</td> <td style="text-align: right;">23-Sep</td> </tr> <tr> <td style="text-align: right;">Frost Free Period:</td> <td style="text-align: right;">156 days</td> </tr> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	62.0	0.24		June	72.8	1.35	2.3*	July	74.5	6.56		August	74.0	4.25		September	64.0	0.87		October <sup>†</sup>	57.8	0.00		November				December				Seasonal Precipitation	13.3 in.	Total Irrigation	2.3 in.	Date of Last Spring Frost:	20-Apr	Date of First Fall Frost:	23-Sep	Frost Free Period:	156 days
	Rate	Date																																																																																			
<b>Fertilizer:</b>																																																																																					
Nitrogen	23 lb/a	carryover																																																																																			
Nitrogen	85 lb/a	23-Apr																																																																																			
P <sub>2</sub> O <sub>5</sub>	40 lb/a	23-Apr																																																																																			
S	13 lb/a	23-Apr																																																																																			
Zn	0.75 lb/a	23-Apr																																																																																			
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																		
January																																																																																					
February																																																																																					
March																																																																																					
April																																																																																					
May	62.0	0.24																																																																																			
June	72.8	1.35	2.3*																																																																																		
July	74.5	6.56																																																																																			
August	74.0	4.25																																																																																			
September	64.0	0.87																																																																																			
October <sup>†</sup>	57.8	0.00																																																																																			
November																																																																																					
December																																																																																					
Seasonal Precipitation	13.3 in.																																																																																				
Total Irrigation	2.3 in.																																																																																				
Date of Last Spring Frost:	20-Apr																																																																																				
Date of First Fall Frost:	23-Sep																																																																																				
Frost Free Period:	156 days																																																																																				
<b>Test Design:</b> Replications: 3 Plot Length: 20 ft. Rows per Plot: 2 Row Spacing: 30 in.  Seeding Rate: 60,000 seed/a																																																																																					

**Table 15B. New Mexico 2009 Dryland Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Moisture			CP	NDF	NDFD 48hr	Ash	TDN	NE <sub>i</sub>	Milk/ Ton	Milk/ Acre
			Dry Forage t/a	Green Forage t/a	at Harvest %								
Sorghum Partners, Inc.	SS405	Conv	8.4	26.9	68.8	7.3	50.6	66.5	6.8	61.3	0.55	2393.7	20055
Sorghum Partners, Inc.	NK300	Conv	7.7	19.5	60.6	7.4	55.3	61.9	7.5	61.4	0.57	2451.3	18837
Forage First	FS-5	Conv	7.6	22.8	66.7	7.3	47.6	66.4	6.3	61.9	0.56	2447	18614
Sorghum Partners, Inc.	HIKANE II	Conv	6.6	19.2	65.6	7.6	46.3	66.4	6.3	62.7	0.57	2515	16547
Coffey Forage Seeds, Inc.	FS6810	BMR	6.4	18.8	65.8	7.6	44.0	70.9	7.0	61.9	0.55	2411	15477
Coffey Forage Seeds, Inc.	EXP3017	BMR	5.9	13.9	57.7	7.0	54.3	65.9	7.0	63.3	0.58	2547	15031
Coffey Forage Seeds, Inc.	EXP2017	BMR	4.9	14.1	65.4	9.9	50.0	69.5	8.2	62.2	0.56	2426	11880
Trial Mean			6.8	19.3	64.4	7.7	49.7	66.8	7.0	62.1	0.56	2456	16634
LSD			1.0	3.1	2.6	0.8	3.0	2.3	0.7	NS	0.02	NS	2621
LSD P >			0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
CV			7.9	8.9	2.3	6.1	3.4	1.9	5.7	1.3	1.7	2.6	8.9
F Test			<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	0.0012	0.1255	0.0490	0.1012	0.0003

<sup>†</sup> Sorghum Type: Conv = Conventional, BMR = Brown Midrib

**Table 16A. New Mexico 2009 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Los Lunas**

Investigators: M. Place and M.A. Marsalis

**Test Description**

Location:	Management Practices:	Growing Conditions:																																																																									
County/Area: Valencia Longitude: -106.45 Latitude: 34.46 Elevation: 4840 ft. Soil Name: Gila Loam Soil Texture: loam Soil Depth: 60 in.	Previous Crop: Alfalfa Planting Date: 13-May Harvest Date: 15-Sep  Production Inputs <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td>Fertilizer:</td> <td></td> <td></td> </tr> <tr> <td>46-0-0</td> <td style="text-align: center;">100 lb/a</td> <td style="text-align: center;">25-Feb</td> </tr> <tr> <td>33-0-0-11</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">4-Jun</td> </tr> <tr> <td>46-0-0</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">19-Jun</td> </tr> <tr> <td>Total:</td> <td style="text-align: center;">N P K S</td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">262 0 0 30</td> <td></td> </tr> </tbody> </table> Herbicides:  Insecticides:		Rate	Date	Fertilizer:			46-0-0	100 lb/a	25-Feb	33-0-0-11	275 lb/a	4-Jun	46-0-0	275 lb/a	19-Jun	Total:	N P K S			262 0 0 30		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td style="text-align: center;">37.5</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>February</td><td style="text-align: center;">42.4</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>March</td><td style="text-align: center;">48.8</td><td style="text-align: center;">0.30</td><td></td></tr> <tr><td>April</td><td style="text-align: center;">55.0</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>May</td><td style="text-align: center;">68.2</td><td style="text-align: center;">0.96</td><td style="text-align: center;">3</td></tr> <tr><td>June</td><td style="text-align: center;">72.9</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>July</td><td style="text-align: center;">79.5</td><td style="text-align: center;">1.92</td><td style="text-align: center;">9</td></tr> <tr><td>August</td><td style="text-align: center;">75.3</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>September</td><td style="text-align: center;">67.5</td><td style="text-align: center;">2.20</td><td></td></tr> <tr><td>October<sup>†</sup></td><td style="text-align: center;">55.1</td><td style="text-align: center;">1.31</td><td></td></tr> <tr><td>November</td><td style="text-align: center;">44.2</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>December</td><td style="text-align: center;">38.0</td><td style="text-align: center;">0.15</td><td></td></tr> </tbody> </table> <sup>†</sup> Oct. 1-8  Seasonal Precipitation 7.2 in. Total Irrigation 24.0 in.  Date of Last Spring Frost: 20-Apr Date of First Fall Frost: 2-Oct Frost Free Period: 165 days		Average Temp. °F	Precip. in.	Irrigation in.	January	37.5	0.00		February	42.4	0.00		March	48.8	0.30		April	55.0	0.14		May	68.2	0.96	3	June	72.9	0.98	6	July	79.5	1.92	9	August	75.3	0.98	6	September	67.5	2.20		October <sup>†</sup>	55.1	1.31		November	44.2	0.14		December	38.0	0.15	
	Rate	Date																																																																									
Fertilizer:																																																																											
46-0-0	100 lb/a	25-Feb																																																																									
33-0-0-11	275 lb/a	4-Jun																																																																									
46-0-0	275 lb/a	19-Jun																																																																									
Total:	N P K S																																																																										
	262 0 0 30																																																																										
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January	37.5	0.00																																																																									
February	42.4	0.00																																																																									
March	48.8	0.30																																																																									
April	55.0	0.14																																																																									
May	68.2	0.96	3																																																																								
June	72.9	0.98	6																																																																								
July	79.5	1.92	9																																																																								
August	75.3	0.98	6																																																																								
September	67.5	2.20																																																																									
October <sup>†</sup>	55.1	1.31																																																																									
November	44.2	0.14																																																																									
December	38.0	0.15																																																																									
<b>Test Design:</b> Replications: 4 Plot Length: 10 ft. Rows per Plot: 2 Row Spacing: 30 in.  Seeding Rate: 69000 seed/a																																																																											



**Table 16B. New Mexico 2009 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Los Lunas**

**Results**

Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Moisture			CP	NDF	NDFD 48hr	Ash	TDN	NE <sub>l</sub>	Milk/Ton	Milk/Acre
			Dry Forage	Green Forage	at Harvest								
			t/a	t/a	%	%	%	%	%	%	Mcal/lb	lb/t	lb/a
Sorghum Partners, Inc.	SS405	Conv	10.8	34.6	68.7	7.7	56.5	66.0	6.3	65.2	0.60	2700	29111.5
Sorghum Partners, Inc.	HIKANE11	Conv	7.2	22.9	68.7	7.9	46.9	69.5	4.5	70.5	0.66	3099.3	22224.5
Sorghum Partners, Inc.	NK300	Conv	5.8	14.3	60.0	8.7	42.7	62.1	4.9	70.2	0.68	3179.5	18327.3
Trial Mean			7.9	23.9	65.8	8.1	48.7	65.9	5.2	68.6	0.65	2992	23221
LSD			2.7	8.3	1.9	NS	8.1	NS	1.2	NS	0.05	360	6843
LSD P >			0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
CV			20.1	20.1	1.7	8.6	9.6	9.6	13.7	4.2	4.5	6.9	17.0
F Test			0.0103	0.0029	<0.0001	0.1972	0.0151	0.3274	0.0292	0.0726	0.0224	0.0358	0.0225

<sup>†</sup> Sorghum Type: Conv = Conventional, BMR = Brown Midrib

**Table 17A. New Mexico 2009 Dryland Forage Sorghum Performance Test - Agricultural Science Center at Tucumcari**

**Investigators:** L.M. Lauriault, R.E. Kirksey, P.L. Cooksey, J. Box, C. Henson, J. Jennings, and S. Jennings

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																															
County/Area: Quay Longitude: -103.69 Latitude: 35.12 Elevation: 4091 ft. Soil Name: Canez Soil Texture: fine sandy loam Soil Depth: >60 in.	Previous Crop: Teff Planting Date: 29-May Harvest Date: 8-Oct  <b>Production Inputs</b> <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td style="padding-left: 20px;">Nitrogen</td> <td style="text-align: center;">50 lb/a</td> <td style="text-align: center;">22-May</td> </tr> <tr> <td colspan="3"><b>Herbicides:</b></td> </tr> <tr> <td style="padding-left: 20px;">Aatrex 80W</td> <td style="text-align: center;">2.5 lb/ac</td> <td style="text-align: center;">22-May</td> </tr> </tbody> </table>		Rate	Date	<b>Fertilizer:</b>			Nitrogen	50 lb/a	22-May	<b>Herbicides:</b>			Aatrex 80W	2.5 lb/ac	22-May	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td style="text-align: center;">67.0</td><td style="text-align: center;">1.08</td><td></td></tr> <tr><td>June</td><td style="text-align: center;">76.0</td><td style="text-align: center;">0.63</td><td></td></tr> <tr><td>July</td><td style="text-align: center;">80.0</td><td style="text-align: center;">2.30</td><td></td></tr> <tr><td>August</td><td style="text-align: center;">75.0</td><td style="text-align: center;">2.81</td><td></td></tr> <tr><td>September</td><td style="text-align: center;">68.0</td><td style="text-align: center;">0.20</td><td></td></tr> <tr><td>October</td><td style="text-align: center;">55.0</td><td style="text-align: center;">1.71</td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr><td colspan="4"><hr/></td></tr> <tr> <td style="padding-left: 20px;">Seasonal Precipitation</td> <td></td> <td style="text-align: center;">8.7 in.</td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Total Irrigation</td> <td></td> <td style="text-align: center;">0.0 in.</td> <td></td> </tr> <tr><td colspan="4"> </td></tr> <tr> <td style="padding-left: 20px;">Date of Last Spring Frost:</td> <td></td> <td style="text-align: center;">13-Apr</td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Date of First Fall Frost:</td> <td></td> <td style="text-align: center;">2-Oct</td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Frost Free Period:</td> <td></td> <td style="text-align: center;">172 days</td> <td></td> </tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	67.0	1.08		June	76.0	0.63		July	80.0	2.30		August	75.0	2.81		September	68.0	0.20		October	55.0	1.71		November				December				<hr/>				Seasonal Precipitation		8.7 in.		Total Irrigation		0.0 in.		 				Date of Last Spring Frost:		13-Apr		Date of First Fall Frost:		2-Oct		Frost Free Period:		172 days	
	Rate	Date																																																																																															
<b>Fertilizer:</b>																																																																																																	
Nitrogen	50 lb/a	22-May																																																																																															
<b>Herbicides:</b>																																																																																																	
Aatrex 80W	2.5 lb/ac	22-May																																																																																															
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																														
January																																																																																																	
February																																																																																																	
March																																																																																																	
April																																																																																																	
May	67.0	1.08																																																																																															
June	76.0	0.63																																																																																															
July	80.0	2.30																																																																																															
August	75.0	2.81																																																																																															
September	68.0	0.20																																																																																															
October	55.0	1.71																																																																																															
November																																																																																																	
December																																																																																																	
<hr/>																																																																																																	
Seasonal Precipitation		8.7 in.																																																																																															
Total Irrigation		0.0 in.																																																																																															
Date of Last Spring Frost:		13-Apr																																																																																															
Date of First Fall Frost:		2-Oct																																																																																															
Frost Free Period:		172 days																																																																																															
<b>Test Design:</b> Replications: 4 Plot Length: 20 ft. Rows per Plot: 2 Row Spacing: 30 in.  Seeding Rate: 5 lb/ac																																																																																																	

**Table 17B. New Mexico 2009 Dryland Forage Sorghum Performance Test - Agricultural Science Center at Tucumcari**

**Results**

Brand/Company Name	Hybrid/Variety Name	Stand %	Dry Forage t/a	Green Forage t/a	Moisture	CP %	ADF %	NDF %	NDFD %	TDN %	NEI Mcal/lb	RFV ---	RFQ ---
					at Harvest %								
Coffey Forage Seeds, Inc.	FS6810	62.5	0.39	1.37	71.4	11.10	28.8	51.9	69.5	69.7	0.72	119	147
Sorghum Partners, Inc.	HiKane II	46.3	0.30	1.02	70.9	11.60	30.5	54.1	64.5	67.8	0.70	112	137
Sorghum Partners, Inc.	NK300	52.5	0.57	2.07	72.7	11.90	29.4	53.4	64.3	69.1	0.71	115	135
Sorghum Partners, Inc.	SS405	40.0	0.39	1.49	74.8	11.50	31.1	53.9	65.8	67.1	0.69	112	132
	Trial Mean	50.3	0.41	1.49	72.4	11.53	29.9	53.3	66.0	68.4	0.71	115	138
	LSD	NS	NS	NS	NS	NS	1.3	NS	4.1	1.5	0.02	NS	NS
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	24.9	39.8	35.4	2.8	4.9	2.8	2.5	3.8	1.4	1.5	3.4	5.6
	F Test	0.1412	0.2029	0.0951	0.0897	0.3320	0.0131	0.1698	0.0572	0.0130	0.0130	0.0910	0.1396

**Table 18A. New Mexico 2009 Irrigated Sorghum x Sudan Performance Test - Agricultural Science Center at Artesia**

Investigators: F.E. Contreras-Govea and L. Carrasco

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>
County/Area: Eddy	Previous Crop: Cotton	Average
Longitude: -104.38	Planting Date: 15-May	Temp
Latitude: 32.75	Harvest Date: First Harvest 4-Aug	Precip. Irrigation
Elevation: 3348 ft	Second Harvest 6-Oct	F in. in.
Soil Name: Reagan	<u>Production Inputs:</u>	January 41.5 0.00
Soil Texture: loam	Rate Date	February 47.6 0.00
Soil Depth: >80 in.	Fertilizer:	March 53.2 0.46
	Nitrogen 100 lb/a 26-Jun	April 58.7 0.00
	64 lb/a 11-Aug	May 70.6 0.73 6.58
		June 77.8 1.16 5.43
<b>Test Design:</b>	Herbicides:	July 81.1 4.89 4.71
Replications: 4	Yukon 6 oz/ac 8-Jun	August 79.0 0.08 2.21
Plot Length: 25 ft.	Insecticides:	September 69.9 0.33
Rows per Plot 2	Cobal 6 oz/ac 14-Jul	October 59.9 1.54
Row Spacing 40 in.		Precipitation: 9.19
Seeding Rate: 104,000 seeds/a		Total Irrigation: 18.93
		Date of Last Spring Frost: 18-Apr
		Date of First Fall Frost: 30-Oct
		Frost Free Period: 195

**Table 18B. New Mexico 2009 Irrigated Sorghum x Sudangrass Performance Test - Agricultural Science Center at Artesia**

Brand/Company Name	Hybrid/Variety Name	Dry Forage			Green Forage			Moisture		Milk per Ton		Milk per Acre	
		1st Cut	2nd Cut	Total	1st Cut	2nd Cut	Total	1st Cut	2nd Cut	1st Cut	2nd Cut	1st Cut	2nd Cut
		t/a	t/a	t/a	t/a	t/a	t/a	%	%	lb/t	lb/t	lb/ac	lb/ac
Sorghum Partners, Inc.	Sordan 79	5.9	5.3	11.2	31.9	32.0	63.9	81.7	83.3	1349	1702	7893	9113
Dyna-Gro/UAP	DG Danny Boy	5.3	4.5	10.2	34.0	29.5	46.9	84.5	84.6	2088	2144	11015	9697
Coffey Forage Seed, Inc.	Exp 3017	5.1	5.1	9.8	23.1	23.8	63.5	78.0	78.7	2148	2400	10908	12199
Sorghum Partners, Inc.	Trudan 8	4.7	5.0	9.7	20.1	25.2	45.3	76.6	80.2	1402	2068	6591	10302
Sorghum Partners, Inc.	Sordan Headless	4.4	3.5	8.0	36.5	23.8	60.3	87.9	85.2	1559	1556	6925	5553
Sorghum Partners, Inc.	Sordan BMR	4.3	2.6	7.7	28.3	19.0	47.1	84.5	86.6	2002	2135	8631	5486
Sorghum Partners, Inc.	Trudan Headless	4.1	3.5	6.9	25.4	21.8	47.3	83.8	83.8	1600	1743	6608	6177
Coffey Forage Seed, Inc.	Exp 2017	3.5	3.3	6.8	21.0	20.1	41.1	83.1	83.6	2242	2478	7904	8182
Sorghum Partners, Inc.	Trudan BMR	3.0	3.0	6.0	22.0	20.4	42.4	86.4	85.3	2008	2192	5991	6607
	Trial Mean	4.49	3.93	8.42	27.82	23.91	51.72	83.35	83.68	1792	1994	7939	7848
	LSD	0.80	0.77	1.15	3.39	4.32	6.33	2.79	0.88	166	189	1376	1640
	LSD>	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	12.35	13.56	9.40	8.39	12.45	8.43	2.31	0.72	6.37	6.54	11.95	14.40
	F test	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**Table 18C. New Mexico 2009 Irrigated Sorghum x Sudangrass Performance Test - Agricultural Science Center at Artesia**

Brand/Company Name	Hybrid/Variety Name	Crude Protein		ADF		NDF		NDFD-48		TDN		Nel	
		1st Cut	2nd Cut	1st Cut	2nd Cut	1st Cut	2nd Cut	1st Cut	2nd Cut	1st Cut	2nd Cut	1st Cut	2nd Cut
		%	%	%	%	%	%	%	%	%	%	Mcal/lb	Mcal/lb
Sorghum Partners, Inc.	Sordan 79	8.4	8.6	52.2	48.0	75.6	71.6	46.5	48.1	42.4	47.1	0.42	0.47
Dyna-Gro/UAP	DG Danny Boy	9.6	9.6	48.0	47.7	70.9	71.2	57.6	57.7	51.2	52.0	0.52	0.52
Coffey Forage Seed, Inc.	Exp 3017	8.9	9.8	46.5	43.1	70.4	66.7	56.8	58.5	52.1	55.5	0.53	0.56
Sorghum Partners, Inc.	Trudan 8	7.7	10.0	52.1	44.1	76.5	66.0	46.6	51.0	43.1	51.8	0.43	0.52
Sorghum Partners, Inc.	Sordan Headless	9.5	8.4	50.0	52.1	72.8	75.0	48.6	50.6	45.0	44.7	0.45	0.44
Sorghum Partners, Inc.	Sordan BMR	10.7	10.9	47.1	46.8	68.5	68.7	56.2	58.0	50.2	51.8	0.50	0.52
Sorghum Partners, Inc.	Trudan Headless	9.0	10.1	50.9	50.4	73.7	73.5	49.7	51.7	45.5	47.2	0.45	0.47
Coffey Forage Seed, Inc.	Exp 2017	10.3	10.0	45.9	43.8	68.4	66.7	59.2	61.5	53.2	56.2	0.54	0.57
Sorghum Partners, Inc.	Trudan BMR	10.1	11.6	47.1	46.8	69.6	68.2	56.3	59.4	50.3	52.5	0.50	0.53
	Trial Mean	9.35	9.72	49.03	47.51	71.92	70.28	52.61	54.61	47.76	50.31	0.48	0.50
	LSD	0.73	1.58	1.90	2.34	2.28	3.43	1.86	2.15	2.08	2.41	0.02	0.03
	LSD>	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	5.36	11.22	2.68	3.40	2.19	3.36	2.44	2.71	3.00	3.30	3.27	3.58
	F test	<0.0001	0.0031	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**Table 19A. New Mexico 2009 Irrigated Sorghum x Sudangrass Performance Test - Agricultural Science Center at Los Lunas**

Investigators: M. Place and M.A. Marsalis

**Test Description**

Location:	Management Practices:	Growing Conditions:																																																																									
County/Area: Valencia Longitude: -106.45 Latitude: 34.46 Elevation: 4840 ft. Soil Name: Gila Loam Soil Texture: loam Soil Depth: 60 in.	Previous Crop: Alfalfa Planting Date: 13-May Harvest Date: 15-Sep  <hr/> Production Inputs <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3">Fertilizer:</td> </tr> <tr> <td style="text-align: center;">46-0-0</td> <td style="text-align: center;">100 lb/a</td> <td style="text-align: center;">25-Feb</td> </tr> <tr> <td style="text-align: center;">33-0-0-11</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">4-Jun</td> </tr> <tr> <td style="text-align: center;">46-0-0</td> <td style="text-align: center;">275 lb/a</td> <td style="text-align: center;">19-Jun</td> </tr> <tr> <td>Total:</td> <td style="text-align: center;">N   P   K   S</td> <td></td> </tr> <tr> <td style="text-align: center;">262</td> <td style="text-align: center;">0   0   0</td> <td style="text-align: center;">30</td> </tr> </tbody> </table> Herbicides:  Insecticides:		Rate	Date	Fertilizer:			46-0-0	100 lb/a	25-Feb	33-0-0-11	275 lb/a	4-Jun	46-0-0	275 lb/a	19-Jun	Total:	N   P   K   S		262	0   0   0	30	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td style="text-align: center;">37.5</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>February</td><td style="text-align: center;">42.4</td><td style="text-align: center;">0.00</td><td></td></tr> <tr><td>March</td><td style="text-align: center;">48.8</td><td style="text-align: center;">0.30</td><td></td></tr> <tr><td>April</td><td style="text-align: center;">55.0</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>May</td><td style="text-align: center;">68.2</td><td style="text-align: center;">0.96</td><td style="text-align: center;">3</td></tr> <tr><td>June</td><td style="text-align: center;">72.9</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>July</td><td style="text-align: center;">79.5</td><td style="text-align: center;">1.92</td><td style="text-align: center;">9</td></tr> <tr><td>August</td><td style="text-align: center;">75.3</td><td style="text-align: center;">0.98</td><td style="text-align: center;">6</td></tr> <tr><td>September</td><td style="text-align: center;">67.5</td><td style="text-align: center;">2.20</td><td></td></tr> <tr><td>October<sup>†</sup></td><td style="text-align: center;">55.1</td><td style="text-align: center;">1.31</td><td></td></tr> <tr><td>November</td><td style="text-align: center;">44.2</td><td style="text-align: center;">0.14</td><td></td></tr> <tr><td>December</td><td style="text-align: center;">38.0</td><td style="text-align: center;">0.15</td><td></td></tr> </tbody> </table> <hr/> <sup>†</sup> Oct. 1-8  Seasonal Precipitation      7.2 in. Total Irrigation                24.0 in.  Date of Last Spring Frost:    20-Apr Date of First Fall Frost:      2-Oct Frost Free Period:              165 days		Average Temp. °F	Precip. in.	Irrigation in.	January	37.5	0.00		February	42.4	0.00		March	48.8	0.30		April	55.0	0.14		May	68.2	0.96	3	June	72.9	0.98	6	July	79.5	1.92	9	August	75.3	0.98	6	September	67.5	2.20		October <sup>†</sup>	55.1	1.31		November	44.2	0.14		December	38.0	0.15	
	Rate	Date																																																																									
Fertilizer:																																																																											
46-0-0	100 lb/a	25-Feb																																																																									
33-0-0-11	275 lb/a	4-Jun																																																																									
46-0-0	275 lb/a	19-Jun																																																																									
Total:	N   P   K   S																																																																										
262	0   0   0	30																																																																									
	Average Temp. °F	Precip. in.	Irrigation in.																																																																								
January	37.5	0.00																																																																									
February	42.4	0.00																																																																									
March	48.8	0.30																																																																									
April	55.0	0.14																																																																									
May	68.2	0.96	3																																																																								
June	72.9	0.98	6																																																																								
July	79.5	1.92	9																																																																								
August	75.3	0.98	6																																																																								
September	67.5	2.20																																																																									
October <sup>†</sup>	55.1	1.31																																																																									
November	44.2	0.14																																																																									
December	38.0	0.15																																																																									
<b>Test Design:</b> Replications: 4 Plot Length: 10 ft. Rows per Plot: 2 Row Spacing: 30 in.  Seeding Rate: 69000 seed/a																																																																											

**Table 19B. New Mexico 2009 Irrigated Sorghum x Sudangrass Performance Test - Agricultural Science Center at Los Lunas**

**Results**

Brand/Company Name	Hybrid/Variety Name	Brown Midrib	Moisture			CP	NDF	NDFD 48hr	Ash	TDN	NE <sub>l</sub>	Milk/Ton	Milk/Acre
			Dry Forage t/a	Green Forage t/a	at Harvest %								
Sorghum Partners, Inc	Sordan Headless	N	9.7	39.9	75.7	8.0	60.4	66.3	7.2	63.5	0.58	2550.8	25076.8
Sorghum Partners, Inc	Trudan Headless	N	9.1	34.0	73.4	6.5	62.1	66.9	5.8	64.9	0.59	2640.5	23859.8
Sorghum Partners, Inc	Trudan BMR	Y	8.0	34.5	76.8	9.1	61.8	70.7	8.2	65.9	0.59	2659	21417
Sorghum Partners, Inc	Sordan 79	N	7.9	24.8	68.5	6.8	56.3	63.0	5.5	65.8	0.62	2791.5	21970.3
Sorghum Partners, Inc	Sordan BMR	Y	6.4	32.7	80.6	9.2	60.9	69.6	8.6	64.8	0.59	2594.8	16561.5
Sorghum Partners, Inc	Trudan 8	N	6.2	18.2	65.7	7.5	58.8	61.0	6.5	62.9	0.59	2586.5	16133.5
	Trial Mean		7.9	30.7	73.4	7.9	60.0	66.3	7.0	64.6	0.59	2637	20836
	LSD		1.4	4.2	3.9	0.9	2.6	4.4	0.9	NS	0.02	139	4199
	LSD P >		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV		12.0	9.1	3.5	7.3	2.9	4.4	8.1	2.5	2.2	3.5	13.4
	F Test		0.0004	<0.0001	<0.0001	<0.0001	0.0022	0.0018	<0.0001	0.1066	0.0066	0.0295	0.0013



**Table 20A. New Mexico 2009 Dryland Sorghum x Sudangrass Performance Test - Agricultural Science Center at Tucumcari**

**Investigators:** L.M. Lauriault, R.E. Kirksey, P.L. Cooksey, J. Box, C. Henson, J. Jennings, and S. Jennings

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																																							
County/Area: Quay Longitude: -103.69 Latitude: 35.12 Elevation: 4091 ft. Soil Name: Canez Soil Texture: fine sandy loam Soil Depth: >60 in.	Previous Crop: Teff Planting Date: 29-May Harvest Date: 8-Oct  <hr/> <b>Production Inputs</b> <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Rate</th> <th style="text-align: center;">Date</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>Fertilizer:</b></td> </tr> <tr> <td style="padding-left: 20px;">Nitrogen</td> <td style="text-align: center;">50 lb/a</td> <td style="text-align: center;">22-May</td> </tr> <tr> <td colspan="3"><b>Herbicides:</b></td> </tr> <tr> <td style="padding-left: 20px;">Aatrex 80W</td> <td style="text-align: center;">2.5 lb/ac</td> <td style="text-align: center;">22-May</td> </tr> </tbody> </table>		Rate	Date	<b>Fertilizer:</b>			Nitrogen	50 lb/a	22-May	<b>Herbicides:</b>			Aatrex 80W	2.5 lb/ac	22-May	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Average Temp. °F</th> <th style="text-align: center;">Precip. in.</th> <th style="text-align: center;">Irrigation in.</th> </tr> </thead> <tbody> <tr><td>January</td><td></td><td></td><td></td></tr> <tr><td>February</td><td></td><td></td><td></td></tr> <tr><td>March</td><td></td><td></td><td></td></tr> <tr><td>April</td><td></td><td></td><td></td></tr> <tr><td>May</td><td style="text-align: center;">67.0</td><td style="text-align: center;">1.08</td><td></td></tr> <tr><td>June</td><td style="text-align: center;">76.0</td><td style="text-align: center;">0.63</td><td></td></tr> <tr><td>July</td><td style="text-align: center;">80.0</td><td style="text-align: center;">2.30</td><td></td></tr> <tr><td>August</td><td style="text-align: center;">75.0</td><td style="text-align: center;">2.81</td><td></td></tr> <tr><td>September</td><td style="text-align: center;">68.0</td><td style="text-align: center;">0.20</td><td></td></tr> <tr><td>October</td><td style="text-align: center;">55.0</td><td style="text-align: center;">1.71</td><td></td></tr> <tr><td>November</td><td></td><td></td><td></td></tr> <tr><td>December</td><td></td><td></td><td></td></tr> <tr> <td style="padding-left: 20px;">Seasonal Precipitation</td> <td></td> <td style="text-align: center;">8.7 in.</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">Total Irrigation</td> <td></td> <td style="text-align: center;">0.0 in.</td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Date of Last Spring Frost:</td> <td></td> <td colspan="2" style="text-align: center;">13-Apr</td> </tr> <tr> <td style="padding-left: 20px;">Date of First Fall Frost:</td> <td></td> <td colspan="2" style="text-align: center;">2-Oct</td> </tr> <tr> <td style="padding-left: 20px;">Frost Free Period:</td> <td></td> <td colspan="2" style="text-align: center;">172 days</td> </tr> </tbody> </table>		Average Temp. °F	Precip. in.	Irrigation in.	January				February				March				April				May	67.0	1.08		June	76.0	0.63		July	80.0	2.30		August	75.0	2.81		September	68.0	0.20		October	55.0	1.71		November				December				Seasonal Precipitation		8.7 in.		Total Irrigation		0.0 in.		Date of Last Spring Frost:		13-Apr		Date of First Fall Frost:		2-Oct		Frost Free Period:		172 days	
	Rate	Date																																																																																							
<b>Fertilizer:</b>																																																																																									
Nitrogen	50 lb/a	22-May																																																																																							
<b>Herbicides:</b>																																																																																									
Aatrex 80W	2.5 lb/ac	22-May																																																																																							
	Average Temp. °F	Precip. in.	Irrigation in.																																																																																						
January																																																																																									
February																																																																																									
March																																																																																									
April																																																																																									
May	67.0	1.08																																																																																							
June	76.0	0.63																																																																																							
July	80.0	2.30																																																																																							
August	75.0	2.81																																																																																							
September	68.0	0.20																																																																																							
October	55.0	1.71																																																																																							
November																																																																																									
December																																																																																									
Seasonal Precipitation		8.7 in.																																																																																							
Total Irrigation		0.0 in.																																																																																							
Date of Last Spring Frost:		13-Apr																																																																																							
Date of First Fall Frost:		2-Oct																																																																																							
Frost Free Period:		172 days																																																																																							

**Table 20B. New Mexico 2009 Dryland Sorghum x Sudangrass Performance Test - Agricultural Science Center at Tucumcari**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture											
		Stand	Dry Forage	Green Forage	at Harvest	CP	ADF	NDF	NDFD	TDN	NEI	RFV	RFQ
		%	t/a	t/a	%	%	%	%	%	%	Mcal/lb	---	---
Coffey Forage Seeds, Inc.	EXP2017	36.3	0.74	2.17	65.5	11.4	28.6	53.0	68.3	70.0	0.73	117	148
Coffey Forage Seeds, Inc.	EXP3017	42.5	0.64	1.75	64.0	9.8	30.6	53.9	67.3	67.7	0.70	113	136
Sorghum Partners, Inc.	Sordan 79	51.3	0.83	2.43	66.2	10.5	31.1	55.0	63.3	67.1	0.69	109	133
Sorghum Partners, Inc.	Sordan BMR	67.5	0.78	2.42	67.9	11.1	30.4	54.3	64.0	67.9	0.70	112	136
Sorghum Partners, Inc.	Sordan Headless	62.5	1.10	3.47	68.6	9.7	30.9	55.0	63.3	67.4	0.70	110	130
Sorghum Partners, Inc.	Trudan 8	42.5	0.57	1.47	60.9	8.3	34.0	57.5	58.8	63.9	0.66	101	117
Sorghum Partners, Inc.	Trudan BMR	67.5	0.83	2.69	68.9	10.9	30.6	53.9	67.8	67.7	0.70	112	140
Sorghum Partners, Inc.	Trudan Headless	43.8	0.71	2.29	68.5	10.4	30.9	54.8	63.5	67.3	0.70	110	133
	Trial Mean	51.7	0.77	2.34	66.3	10.3	30.9	54.7	64.5	67.4	0.70	110	134
	LSD	18.6	NS	NS	3.3	1.6	1.1	1.6	2.6	1.3	0.01	4	8
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	24.4	38.1	37.4	3.3	10.7	2.4	2.0	2.7	1.3	1.4	2.6	4.0
	F Test	0.0072	0.3627	0.1175	0.0004	0.0172	0.0001	0.0005	0.0001	0.0001	0.0001	0.0001	0.0001

## Appendix A

### Companies and Contact Information for Participants in the Agricultural Science Center Fee-Test Program

## New Mexico 2009 Grain Corn Hybrid Performance Test

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Relative Maturity</b> (days)
<b>DOW/Mycogen Seeds</b>		
<b>Full Season:</b>		
8401 Shady Lake Dr.	2G847	116
Canyon, TX 79105	2W814	115
(806) 367-4521	2T832	115
Peter Hill	2T804	114
<hr/>		
<b>Eureka Seeds, Inc.</b>		
<b>Full Season:</b>		
P.O. Box 1866	X9032 VT3	116
Woodland, CA 95776	X9082 VT3	117
(530) 661-6995		
Craig Sharp		
<hr/>		
<b>Grand Valley Hybrids</b>		
<b>Full Season:</b>		
859 23 Road	X5T138	110
Grand Junction, CO 81503	23T51	112
(970) 243-3115	X6R136	111
Bill Rooks	X6RHX132	112
	X6GB147	114
<hr/>		
<b>Monsanto Company</b>		
<b>Full Season:</b>		
800 N. Lindbergh Blvd.	Dekalb DKC 64-79 (VT3)	114
St. Louis, MO 63137	Dekalb DKC 61-69 (VT3)	111
(815) 754-4809	Dekalb DKC 69-40 (VT3)	119
Diane Freeman	Dekalb DKC 46-60 (VT3)	96
	Dekalb DKC 50-44 (VT3)	100
	Dekalb DKC 50-66 (VT3)	100
	Dekalb DKC 52-59 (VT3)	102

## New Mexico 2009 Grain Corn Hybrid Performance Test (cont.)

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Relative Maturity</b> (days)
<b>Pioneer Hi-Bred International, Inc.</b>	<b>Early Season:</b>	
8100 S. 15th St.	PO541 HR	105
Lincoln, NE 68512	36V75	102
(402) 328-4055	PO125 HR	101
Bill McClure		
<hr/>		
<b>Triumph Seed Co., Inc.</b>	<b>Early Season:</b>	
P.O. Box 1050	1121 V	110
Ralls, TX 79357	5501 X	104
888-521-7333		
Ben Benton		

## New Mexico 2009 Forage Corn Hybrid Performance Test

Company/Brand Name	Hybrid/Variety Name	Relative Maturity
<b>DOW/Mycogen Seeds</b>	2L831	118
8401 Shady Lake Dr.	2N804	116
Canyon, TX 79105	2Q759	113
(806) 367-4521	2Q716	109
Peter Hill	2W814	115
<hr/>		
<b>Eureka Seeds, Inc.</b>	X8013 VT3	118
P.O. Box 1866	X9015 RR	118
Woodland, CA 95776	X9054 RR	118
(530) 661-6995	X9064 RR	117
Craig Sharp	ES-7654 RR	116
<hr/>		
<b>Golden Acres Genetics</b>	27Z07	117
P.O. Box 579	28Y47	118
Buchanan Dam, TX 78609	28Y97	118
(512) 793-5205		
James Allison		
<hr/>		
<b>Grand Valley Hybrids</b>	26T50	119
859 23 Road	25T57	116
Grand Junction, CO 81503	X7R145	118
(970) 243-3115		
Bill Rooks		
<hr/>		
<b>Monsanto Company</b>		
800 N. Lindbergh Blvd.	Dekalb DKC 67-87 (RR2/YGCB)	117
St. Louis, MO 63137		
(815) 754-4809		
Diane Freeman		
<hr/>		
<b>Triumph Seed Co., Inc.</b>		
P.O. Box 1050	1825V	119
Ralls, TX 79357	2288H	122
(888) 521-7333	8539R	118
Ben Benton		

## New Mexico 2009 Grain Sorghum Hybrid Performance Test

Company/Brand Name	Hybrid/Variety Name	Maturity Group*
<b>Dyna-Gro Seed (UAP Southwest)</b> 3492 Long Prairie Road, Suite 200 Flower Mound, TX 75022 (318) 282-9804 Shawn Carter	<b>Limited Irrigation:</b> DG 772 B	M
	<b>Dryland:</b> DG 771 B	M
<b>Sorghum Partners, Inc.</b> P.O. Box 189 New Deal, TX 79350 (806) 746-5566 David Thomas	<b>Limited Irrigation:</b> NK7633	ML
	SP 6680	M
	NK5418	M
	NK 4420	ME
	<b>Dryland:</b> NK 5418	M
	NK 4420	ME
	SP 3303	E
	<b>Full Irrigation:</b> NK 7829	ML
	NK 8831	L
	SP 6680	M
<b>Pioneer Hi-Bred International, Inc.</b> 8100 S. 15th St. Lincoln, NE 68512 (402) 328-4055 Bill McClure	<b>Dryland:</b> 86G32	ME
	85G46	M
	85G03	M
<b>Triumph Seed Co., Inc.</b> P.O. Box 1050 Ralls, TX 79357 (888) 521-7333 Ben Benton	<b>Limited Irrigation:</b> TRX 85001	ML
	TRX 95004	ML
	TR 481	ML

\* E=early, ME=medium early, ML=medium late, L=late or PS=photoperiod sensitive

## New Mexico 2009 Forage Sorghum Hybrid Performance Test

Company/Brand Name	Hybrid/Variety Name	Maturity Group*	Brown Midrib
<b>Coffey Forage Seeds, Inc.</b> 2106 South Date Street Plainview, TX 79072 (806) 293-5304 Brad Smith	<b>Irrigated:</b>		
	FS 6810	ML	Y
	EXP 2017	M	Y
	EXP 3017	M	Y
	<b>Dryland:</b>		
	FS 6810	ML	Y
	EXP 2017	M	Y
	EXP 3017	M	Y
<hr/>			
<b>Dyna-Gro Seed (UAP Southwest)</b> 3492 Long Prairie Road, Suite 200 Flower Mound, TX 75022 (318) 282-9804 Shawn Carter	<b>Irrigated:</b>		
	DG 712 F		N
	<hr/>		
	<b>Pioneer Hi-Bred International, Inc.</b>		
8100 South 15th St. Lincoln, NE 68512 (402) 328-4055 Bill McClure	<b>Irrigated:</b>		
	849F	M	N
	<hr/>		
	<b>Sorghum Partners, Inc.</b>		
P.O. Box 189 New Deal, TX 79350 (806) 746-5566 David Thomas	<b>Irrigated:</b>		
	NK 300	ME	N
	HIKANE II	M	N
	SS 405	L	N
	<b>Dryland:</b>		
	NK 300	ME	N
HIKANE II	M	N	
SS 405	L	N	

\* E=early, ME=medium early, ML=medium late, L=late or PS=photoperiod sensitive



## New Mexico 2009 Sorghum X Sudangrass Hybrid Performance Test

Company/Brand Name	Hybrid/Variety Name	Maturity Group*	Brown Midrib
<b>Coffey Forage Seeds, Inc.</b> 2106 South Date Street Plainview, TX 79072 (806) 293-5304 Brad Smith	<b>Irrigated:</b> EXP 2017 EXP 3017	M M	Y Y
<b>Dyna-Gro Seed UAP</b> 3492 Long Prairie Road, Suite 200 Flower Mound, TX 75022 (318) 282-9804 Shawn Carter	<b>Irrigated:</b> DG Danny Boy	PS	N
<b>Sorghum Partners, Inc.</b> P.O. Box 189 New Deal, TX 79350 (806) 746-5566 David Thomas	<b>Irrigated:</b> Sordan 79 Sordan Headless Sordan BMR Trudan BMR Trudan Headless Trudan 8		N N Y Y N N

\* E=early, ME=medium early, ML=medium late, L=late or PS=photoperiod sensitive

Appendix B  
Glossary of Terms

ADF (Acid Detergent Fiber): ADF consists primarily of cellulose, lignin and acid detergent fiber crude protein. In the past ADF was used as a predictor of indigestibility of forages, however in recent years, research has indicated that ADF is not as strongly correlated with decreased digestibility as once thought.

Ash: Ash is the percentage of residue (minerals) remaining after all organic matter in a sample has been completely incinerated.

CP (Crude Protein): CP is termed 'crude' because it is not a direct measurement of protein. CP is an estimation of total protein based on the nitrogen content of a sample. This fraction consists of non-protein nitrogen as well.

Days to Half Silk: Days to Half Silk is the number of days from planting until 50% of plants have begun to show silks.

Dry Forage: Dry Forage is green forage converted to a 100% dry matter basis by deducting the amount of Moisture at Harvest.

Ear Height: Ear Height is the average distance from the ground to the base of the ear.

Green Forage: Green Forage is the harvested yield from the entire plot area, except for the basal part of the stem and the roots, multiplied by a conversion factor to convert the harvested plot yield to a per acre equivalent.

Grain Yield: Grain Yield is the harvested grain yield adjusted to a standard moisture and a standard bushel weight then converted to a per acre equivalent. For grain corn, the standard moisture is 15.5% and the standard bushel weight is 56 pounds.

Lodging: Lodging is a visual estimate of the percentage of plants with stalks broken below the head or leaning at an angle in excess of 45 degrees.

Milk/acre (Milk production per acre): Milk/acre is Milk/ton multiplied by Dry Forage (ton/ac).

Milk/ton (Milk production per ton of dry matter forage): Milk/ton is an index of forage quality. Milk/ton is calculated from the Milk2006 Excel spreadsheet <http://www.uwex.edu/ces/forage/pubs/milk2006.xls>. This index uses forage analyses (CP, NDF, NDFD 48hr, Starch and non-fiber carbohydrate) to estimate energy content, and DMI and NDFD 48hr to predict milk/ton. Forage corn quality was predicted using the new Milk2006 program.

Moisture at Harvest: Moisture at Harvest is the percentage of the green forage sample or grain sample weight that is moisture at the time of harvest.

NDF (Neutral Detergent Fiber): NDF is an estimate of the total fiber content of the forage. The NDF or cell wall fraction contains cellulose, hemicellulose and lignin. NDF

gives the best estimate of the total fiber content of the feed and is associated with feed intake.

NDFD 48hr (Neutral Detergent Fiber Digestibility - 48hr): NDFD 48hr is a measure of 48 hr digestibility of the NDF component. The NDFD 48 hr procedure employs a 48-hour *in vitro* fermentation. NDFD 48hr is expressed as a percent of NDF.

NE<sub>L</sub> (Net Energy for Lactation): NE<sub>L</sub> is the energy value of feeds for lactating cows.

N Removal: N Removal is the total amount of nitrogen, in pounds per acre, that is removed from the field at harvest.  $N \text{ Removal} = \text{dry forage (t/a)} \times 2000 \times N (\%)$ ; where  $N (\%) = CP (\%) / 6.25$ .

Plant Height: Plant Height is the average height of the plant measured from the ground to the top of the canopy at harvest.

Population: Population is the number of plants per acre based on a count of the number of plants in a plot converted to a per-acre equivalent.

RFV (Relative Feed Value): RFV is an index that estimates the overall quality of the forage to a ruminant. The equation uses ADF to estimate the digestible dry matter content of the forage. This is then combined with an estimate of dry matter intake, which is an estimate of the amount of forage an animal will eat in a given time period. RFV is the most widely used forage quality index in the United States. It is scaled so that full-bloom alfalfa hay would score 100. Typically, hay must score above 150 RFV to be considered 'dairy quality' hay.

RFQ (Relative Forage Quality): RFQ is similar to RFV in that it is an estimate of overall quality of a forage, but it differs in the way it is calculated. It takes total digestible nutrients (TDN) into account rather than DDM calculated from ADF values. This TDN, combined with dry matter intake (DMI), is derived from *in vitro* estimates of digestible fiber. The RFQ value is considered an improved method over RFV and is rapidly becoming the new 'standard' in forage quality testing.

Silk Date: Silk Date is the date when 50% of plants have begun to show silks.

Starch: Starch is the percentage of starch in the forage.

TDN (Total Digestible Nutrients): TDN represents the sum of digestible crude protein, digestible carbohydrates, digestible nitrogen-free extract and digestible fat. TDN is highly correlated with the energy content of the feed and is used in calculations of net energy values.

Test Weight: Test Weight is the bushel weight equivalent of a sample of grain.