

**New Mexico  
2017  
Corn and Sorghum Performance Tests**

New Mexico State University  
Agricultural Science Centers  
at  
Artesia, Clovis, Farmington, Los Lunas, and Tucumcari

Department of Extension Plant Sciences

and

Department of Plant and Environmental Sciences

Agricultural Experiment Station/Cooperative Extension Service  
College of Agricultural, Consumer and Environmental Sciences  
New Mexico State University

Authors:

M.A. Marsalis<sup>1</sup>, R.P. Flynn<sup>2</sup>, L.M. Lauriault <sup>3</sup>, A. Mesbah<sup>4</sup>, and M.K. O'Neill<sup>5</sup>

Thanks to:

B. Niece and A. Scott, Senior Research Assistant and Farm/Ranch Manager,  
respectively, Agricultural Science Center at Clovis  
M.M. West, Agricultural Research Scientist, Agricultural Science Center at Farmington  
C. Havlik and M. Place, Senior Research Assistant and Farm/Ranch Manager,  
respectively, Agricultural Science Center at Los Lunas  
R. Pacheco and S. Bustillos, Research Assistant and Farm Supervisor, respectively,  
Agricultural Science Center at Artesia  
J. Box, A. Cunningham, P. Cooksey, J. Jennings, S. Jennings, and H. A. Williams,  
Farm/Ranch Manager, Sr. Research Assistant, Assoc. Admin. Assistant, and Senior  
Farm Laborers, respectively, Agricultural Science Center at Tucumcari

---

<sup>1</sup> Superintendent and Extension Forage Specialist, Agricultural Science Center at Los Lunas

<sup>2</sup> Associate Professor and Extension Agronomist, Agricultural Science Center at Artesia

<sup>3</sup> Superintendent and Forage Crop Management Scientist, Agricultural Science Center at Tucumcari

<sup>4</sup> Superintendent and Agronomist, Agricultural Science Center at Clovis

<sup>5</sup> Professor of Agronomy, Agricultural Science Center at Farmington

## **Table of Contents**

Introduction .....	1
Test Locations .....	3
Test Procedures .....	3
Results .....	4
Appendix A. Companies and Contact Information for Paid Participants in the Agricultural Science Center Fee-Test Program.....	35
Appendix B. Glossary of Terms.....	44

## **List of Tables**

Table 1. Historical average monthly precipitation (inches) and temperatures (°F) for cooperating agricultural science centers.....	2
Table 2A-B. New Mexico 2017 grain corn performance test - Agricultural Science Center at Clovis .....	5
Table 3A-B. New Mexico 2017 early season grain corn performance test – Agricultural Science Center at Farmington.....	7
Table 4A-B. New Mexico 2017 full season grain corn performance test – Agricultural Science Center at Farmington.....	9
Table 5A-B. New Mexico 2017 grain corn performance test - Agricultural Science Center at Tucumcari.....	11
Table 6A-B. New Mexico 2017 forage corn performance test - Agricultural Science Center at Artesia .....	13
Table 7A-B. New Mexico 2017 forage corn performance test - Agricultural Science Center at Clovis.....	15
Table 8A-B. New Mexico 2017 forage corn performance test - Agricultural Science Center at Farmington .....	17
Table 9A-B. New Mexico 2017 dryland grain sorghum performance test - Agricultural Science Center at Clovis .....	19
Table 10A-B. New Mexico 2017 irrigated forage sorghum (single cut) performance test - Agricultural Science Center at Artesia.....	21
Table 11A-C. New Mexico 2017 irrigated forage sorghum (multi-cut) performance test - Agricultural Science Center at Artesia.....	23
Table 12A-B. New Mexico 2017 irrigated forage sorghum (single-cut) performance test - Agricultural Science Center at Clovis .....	26
Table 13A-B. New Mexico 2017 dryland forage sorghum (single-cut) performance test - Agricultural Science Center at Clovis .....	28
Table 14A-C. New Mexico 2017 irrigated forage sorghum (single-cut) performance test - Agricultural Science Center at Los Lunas .....	30
Table 15A-B. New Mexico 2017 irrigated forage sorghum (single-cut) performance test - Agricultural Science Center at Tucumcari .....	33

## **List of Figures**

Figure 1. Corn and sorghum testing locations .....	1
Figure 2. Climate zones in New Mexico .....	1


## New Mexico 2017 Corn and Sorghum Performance Tests

### INTRODUCTION

Performance tests for grain corn, grain sorghum, forage corn, forage sorghum and sorghum sudangrass were conducted at the Agricultural Science Centers at Artesia, Clovis, Farmington, Los Lunas, and Tucumcari New Mexico in 2017 (Figure 1). This report contains information from all Agricultural Science Center corn and sorghum tests; however, it is possible that not all locations contain every test listed above.

The New Mexico corn and sorghum performance testing program is part of an ongoing program to provide farmers, Extension workers and seed industry personnel with reliable, unbiased, information that will allow a valid comparison of corn and sorghum varieties/hybrids at various locations throughout the state. The state of New Mexico encompasses eight climate zones, all of which have some form of agricultural production (Figure 2). Variability in climate, soils, water and local production practices contribute to the need for crop performance tests throughout the state. Climate data for the Agricultural Science Center testing locations are shown in Table 1. Growers who use this report to make cropping decisions should rely primarily on results from tests near their location or in comparable climate zones.

Figure 1. Corn and sorghum testing locations.



1. Agricultural Science Center at Artesia
2. Agricultural Science Center at Clovis
3. Agricultural Science Center at Farmington
4. Agricultural Science Center at Los Lunas
5. Agricultural Science Center at Tucumcari

Figure 2. Climate zones in New Mexico.




Table 1. Historical average monthly precipitation (inches) and temperatures (°F) for cooperating agricultural science centers.

	Artesia	Clovis	Farmington	Los Lunas	Tucumcari
<b>Precipitation (inches)</b>					
January	0.39	0.35	0.53	0.36	0.37
February	0.42	0.38	0.56	0.41	0.47
March	0.43	0.72	0.71	0.50	0.75
April	0.62	0.81	0.63	0.46	1.10
May	1.20	1.93	0.55	0.46	1.97
June	1.40	2.39	0.20	0.61	1.87
July	1.76	2.75	0.87	1.25	2.62
August	1.67	3.03	1.06	1.70	2.70
September	1.81	1.84	1.02	1.17	1.53
October	1.16	1.66	0.92	1.04	1.28
November	0.53	0.52	0.72	0.46	0.66
December	0.51	0.50	0.48	0.52	0.57
Total	11.88	16.89	8.25	8.93	15.90
<b>Average Temperature (°F)</b>					
January	40.5	37.7	30.3	34.3	38.5
February	45.2	41.3	36.2	40.2	42.3
March	52.0	48.0	44.0	47.2	49.4
April	60.5	56.2	51.0	54.8	57.7
May	69.1	64.5	60.0	63.4	66.3
June	77.7	74.0	70.5	72.7	75.8
July	79.8	76.5	75.7	76.9	79.2
August	78.4	74.8	73.3	74.8	77.4
September	71.7	68.5	66.0	67.4	70.7
October	61.1	58.3	54.0	55.9	59.7
November	48.9	46.5	42.0	43.6	47.7
December	40.8	38.8	31.3	35.1	39.4
Average	60.4	57.0	52.8	55.7	58.7

Source: Western Region Climate Center: <http://www.wrcc.dri.edu/summary/climsnnm.html>

## TEST LOCATIONS

The New Mexico corn and sorghum performance testing program is supported by paid fees from the cooperating companies. Personnel at each location determine which tests will be conducted at their site and seed companies are invited to participate in those tests. Because seed company participation in individual tests and locations is voluntary, many of the hybrids/varieties that are grown in the state are not included in the tests, and different groups of hybrids/varieties are evaluated at the different locations.

A list of seed companies that participated in the 2017 fee-test program and relevant contact information are presented in Appendix A\*. Additional company names and contacts may be added to the list of prospective companies by contacting the Agricultural Science Center at Los Lunas, 1036 Miller Rd, Los Lunas, NM 87031, (505) 865-7340, <http://loslunassc.nmsu.edu/>. Entry forms for the 2018 Corn and Sorghum Performance Tests will be mailed to seed companies in February 2018. Additional 2018 entry forms can be obtained from the address above.

## TEST PROCEDURES

In an effort to provide readers with easily accessible information, procedural data for individual tests are presented in the 'Test Description' tables that immediately precede the summary tables of results for the tests. The 'Test Description' tables contain information on location, test design, management practices and growing conditions. Test description tables are designated with an 'A' suffix.

All of the Agricultural Science Center performance tests were replicated randomized complete block designs (RBD). Where appropriate, statistical analyses were used to calculate measures of least significant difference (LSD), coefficient of variation (CV) and F test values. All LSD's are reported at the 95% probability level. If the F test value is greater than 0.05 the LSD is not used. When the F test value is less than 0.05, it is appropriate to use the LSD value as a measure of the magnitude by which one entry must differ from another to be considered significantly different. The CV is a measure of variability relative to the mean. A CV below 10 generally indicates reliable data or methodology. CV's of 10 to 20 are indicators of normal variability for grain and forage tests.

Yields for the grain tests are presented on a bushel-per-acre or pound-per-acre basis, adjusted to a standard moisture content and bushel weight. Corn yields are calculated at a standard moisture of 15.5% and a bushel weight of 56 lb. Grain sorghum yields are calculated at a standard moisture of 14% and a bushel weight of 56 lb.

Dry and green (fresh) forage yields reported for the forage tests are in tons per acre. Moisture at harvest was calculated from a representative sample (approximately 1 lb.) from harvested plots. Samples from variety tests at the Agricultural Science Centers were dried in a forced air oven (150°F) for determination of moisture content. Moisture content determinations at Farmington were derived from air-dried samples. Sub-samples of the dried material from all locations were submitted to an NFTA-certified forage testing laboratory for nutrient composition analysis using near infrared

reflectance spectroscopy (NIRS). For these trials, milk production estimates were calculated using the University of Wisconsin Milk2000 and Milk2006 spreadsheet programs.

## RESULTS

Results for the 2017 corn and sorghum variety tests are shown in Tables 2-15 below. Test procedures for each test are presented in tables designated with an 'A' at each location. Results are presented in tables designated with 'B' or 'C' suffixes. Within tables, hybrids and varieties are ranked according to grain yield or total dry forage yield. A glossary of terms used in the tables is presented in Appendix B.

**The grain sorghum test at Tucumcari was not harvested due to extensive bird damage; the multi-cut forage sorghum/sorghum x sudangrass test at Tucumcari was not harvested due to poor plant establishment.**

**Table 2A. New Mexico 2017 Grain Corn Performance Test - Agricultural Science Center at Clovis**

**Investigators:** A. Mesbah, A. Scott, and B. Niece

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Curry	Previous Crop:	fallow	Average		
Longitude:	-103.22	Planting Date:	18-May	Temp.	Precip.	Irrigation
Latitude:	34.60	Harvest Date:	30-Oct	°F	in.	in.
Elevation:	4435 ft.					
Soil Name:	Olton	<u>Production Inputs</u>		January	36.5	
Soil Texture:	clay loam			February	45.8	
Soil Depth:	>60 in.	Rate	Date	March	51.7	
<b>Test Design:</b>		Fertilizer:		April	55.5	
Replications:	3	Nitrogen	36 lb/a	May 1-18	61.4	1.24
Plot Length:	20 ft.	Nitrogen	15 lb/a	June	74.1	1.02
Rows per Plot:	2	P <sub>2</sub> O <sub>5</sub>	50 lb/a	July	77.0	2.18
Row Spacing:	30 in.	Zn	3 qt/ac	August	71.0	7.87
Seeding Rate:	27,000 seed/a	Nitrogen	152 lb/ac	September	67.0	4.13
		S	27.5 lb/ac	October	56.5	2.04
		Nitrogen	50 lb/ac	November	50.0	0.00
		S	9 lb/ac	December	38.0	
		Herbicides:		Seasonal Precipitation: 18.5 in.		
		Atrazine	1 pt/a	Total Irrigation: 9.4 in.		
		Balance Flex	2 oz/ac			
		Diflex	8 oz/ac			
		Charger Basic	1 pt/ac	Date of Last Spring Frost:	1-May	
		Glyphosate	40 oz/ac	Date of First Fall Frost:	10-Oct	
		Diflex	10 oz/ac	Frost Free Period:	162 days	
		Brawl	1 pt/ac			
		Insecticides:				
		Onager	14 oz/ac			
		Belt SC	3 oz/ac			
		Oberon	8 oz/ac			

**Table 2B. New Mexico 2017 Grain Corn Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Grain Yield	Moisture at Harvest	Test Weight	Plant Height	Ear Height	Silk Date
		bu/a	%	lb/bu	in	in	
Syngenta Seeds	G15Q98-3000 GT	289.3	16.0	60.6	120.1	53.2	25-Jul
Dyna-Gro Seed	D55VP77 RIB	274.8	16.0	61.8	105.4	53.4	21-Jul
Pioneer	1197	274.4	15.8	60.9	114.6	52.1	26-Jul
Syngenta Seeds	G11B63	272.2	16.0	60.6	106.8	47.2	24-Jul
Pioneer	1151	265.6	16.0	62.8	121.0	46.4	24-Jul
Dyna-Gro Seed	D58VC37 RIB	262.5	16.0	62.1	120.1	49.6	22-Jul
Dyna-Gro Seed	D57VP51 RIB	260.0	15.8	62.9	120.7	46.7	19-Jul
Syngenta Seeds	N76A-3000 GT	251.0	15.9	58.8	107.5	44.0	25-Jul
Pioneer	1602	246.4	16.0	62.8	121.4	51.2	23-Jul
Pioneer	1625	244.8	16.1	62.4	116.1	47.6	22-Jul
Dyna-Gro Seed	D54VC52 RIB	243.4	15.8	62.9	115.4	52.4	19-Jul
Dyna-Gro Seed	D52SS91	243.1	15.9	61.5	104.5	55.9	22-Jul
Dyna-Gro Seed	D57VP75VT3P	242.8	16.0	60.9	115.2	53.5	22-Jul
Syngenta Seeds	G18 D87-3111	241.1	16.1	62.3	113.0	52.2	22-Jul
Syngenta Seeds	N73Y-3111	238.6	15.9	58.4	112.3	49.2	24-Jul
Dyna-Gro Seed	D58QC72 RIB	227.6	16.2	62.5	119.2	42.3	25-Jul
		Trial Mean	254.8	15.9	61.4	114.6	49.8
		LSD (P > 0.05)	34.8	0.3	0.6	2.8	2.3
		CV	8.2	1.3	0.6	1.4	2.7
		F Test	0.0500	<.0001	<.0001	<.0001	0.0056

**Table 3A. New Mexico 2017 Early Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Investigators:** O'Neill, M.K., M.M. West, and D. Begay

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>		<b>Growing Conditions:</b>		
			Average	Precip.	Irrigation
		Temp. °F	in.	in.	
County/Area: San Juan	Previous Crop: 2016 fallow, 2015 W. Wheat				
Longitude: -108.306	Planting Date: 15-May				
Latitude: 36.6812	Harvest Date: 16-Nov				
Elevation: 5,640 ft.					
Soil Name: Wall					
Soil Texture: sandy loam					
Soil Depth: > 75 in.					
<b>Test Design:</b>	<u>Production Inputs</u>				
Replications: 4		<u>Rate</u>	<u>Date</u>		
Plot Length: 20 ft.	Fertilizer:				
Rows per Plot: 4	Dry Nitrogen	12.5 lb/a	1-May	May	58.3
Row Spacing: 30 in.	Nitrogen	17.5 lb/a	17-May	June	73.4
Seeding Rate: 36,590 seeds/a	Nitrogen	17.5 lb/a	2-Jun	July	77.4
Harvest area: 2 row 20 feet long	Nitrogen	17.5 lb/a	9-Jun	August	73.4
	Nitrogen	25.0 lb/a	19-Jun	September	66.7
	Nitrogen	25.0 lb/a	22-Jun	October	54.6
	Nitrogen	25.0 lb/a	6-Jul	November	
	Nitrogen	25.0 lb/a	13-Jul	December	
	Nitrogen	12.5 lb/a	19-Jul		
	Nitrogen	12.5 lb/a	20-Jul		
	Nitrogen	12.5 lb/a	27-Jul		
	Nitrogen	12.5 lb/a	28-Jul		
	Nitrogen	25.0 lb/a	4-Aug		
	Total Nitrogen	240.0 lb/a			
	Dry P <sub>2</sub> O <sub>5</sub>	59 lb/a	1-May		
	Dry K <sub>2</sub> O	68 lb/a	1-May		
	ZnSO <sub>4</sub>	0 lb/a	1-May		
	Herbicides:				
	DiFlexx	16 oz/a	18-Jun	Date of Last Spring Frost:	19-May
	Aatrex 4L	1 qt/a	18-Jun	Date of First Fall Frost:	25-Sep
	Super Spread MSO	12.8 oz/a	18-Jun	Frost Free Period:	129 days

**Table 3B. New Mexico 2017 Early Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

Results								
Brand/Company Name	Hybrid/Variety Name	Moisture at Harvest						
		Grain Yield	%	Test Weight	Plant Height	Ear Height	Silk Date	Plant Population
		bu/a	%	lb/bu	in	in		#/ac
Dyna-Gro Seed	D39DC43 RIB	235.8	11.0	59.1	99	38	25-Jul	34,521
Syngenta Seeds	G03C84-3120	231.6	10.6	58.2	102	45	28-Jul	33,650
DuPont Pioneer	P0157AM	231.0	11.5	60.2	106	42	28-Jul	31,254
Syngenta Seeds	G05B91-3010	226.4	11.0	59.1	106	46	27-Jul	31,037
Mycogen Seeds Dow AgroSciences	MY04Y97	215.2	10.9	57.7	100	41	28-Jul	31,363
DuPont Pioneer	P0365AM	213.6	11.2	59.3	108	42	28-Jul	29,948
Dyna-Gro Seed	D41SS71 RIB	213.2	10.9	59.2	104	47	28-Jul	33,759
Mycogen Seeds Dow AgroSciences	MY00J47	212.4	11.4	59.3	101	42	26-Jul	34,848
Syngenta Seeds	G97N86-3110	211.7	10.5	59.8	103	48	24-Jul	33,106
DuPont Pioneer	P9608AM	211.0	10.8	60.0	103	39	26-Jul	33,432
Mycogen Seeds Dow AgroSciences	MY97R57	210.5	11.3	59.1	98	38	25-Jul	32,017
Syngenta Seeds	G01D24-3120	209.9	11.1	57.6	104	44	26-Jul	33,541
Mycogen Seeds Dow AgroSciences	MY01D87	206.5	11.6	60.4	101	43	24-Jul	32,997
DuPont Pioneer	P9998AM	204.1	10.9	59.3	100	39	27-Jul	32,452
Dyna-Gro Seed	D44VC36 RIB	203.8	10.9	59.0	104	43	28-Jul	33,759
AgVenture	EXP157997AM	199.6	10.8	58.9	105	45	28-Jul	31,363
AgVenture	EXP163027YHB	198.7	10.8	59.7	104	42	27-Jul	32,126
Syngenta Seeds	G96V99-3120	196.9	11.0	59.1	108	45	26-Jul	33,323
DuPont Pioneer	P9697AM	196.7	10.8	59.3	104	39	25-Jul	30,601
Rob See Co	IC5203-3120	196.3	10.8	60.6	108	49	27-Jul	32,126
AgVenture	EXP167047CYXR	194.5	10.8	59.6	104	42	27-Jul	26,136
Rob See Co	IC4848-3000GT	193.5	10.7	57.6	102	40	27-Jul	32,997
Syngenta Seeds	G95D32-3110	192.7	11.0	60.1	106	41	25-Jul	34,195
Syngenta Seeds	G98L17-3000GT	192.1	11.0	57.6	107	46	27-Jul	34,086
DuPont Pioneer	P0589AM	192.1	10.9	59.4	100	40	27-Jul	32,452
Syngenta Seeds	G06Z97-3102	185.1	10.8	59.2	101	43	26-Jul	32,561
Mycogen Seeds Dow AgroSciences	MY05C67	183.9	11.0	58.9	110	49	29-Jul	33,323
Rob See Co	IC5296-3120	181.0	11.2	57.9	105	42	27-Jul	32,670
DuPont Pioneer	P0657AM	180.0	11.5	60.1	109	43	28-Jul	29,839
Dyna-Gro Seed	D45SS65 RIB	179.5	10.8	60.7	104	50	25-Jul	34,086
Rob See Co	RC5112-3011A	176.8	11.0	59.0	111	44	27-Jul	32,561
Mycogen Seeds Dow AgroSciences	MY02J57	174.0	11.2	58.4	109	42	25-Jul	32,126
Rob See Co	IC4570-3110	169.2	10.9	60.9	104	39	24-Jul	32,561
		Trial Mean	200.6	11.0	59.2	104	43	26-Jul
		LSD	NS	0.3	1.0	NS	7	-
		LSD P >	0.05	0.05	0.05	0.05	-	0.05
		CV	20.0	2.2	1.2	5.5	12.1	-
		F Test	0.7220	0.0001	0.0001	0.1299	0.0493	-
								0.0001

**Table 4A. New Mexico 2017 Full Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Investigators:** O'Neill, M.K., M.M. West, and D. Begay

## Test Description

**Table 4B. New Mexico 2017 Full Season Grain Corn Performance Test - Agricultural Science Center at Farmington**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture							Plant Population #/ac
		Grain Yield bu/a	at Harvest %	Test Weight lb/bu	Plant Height in	Ear Height in	Silk Date		
Dyna-Gro Seed	D52SS91 RIB	237.5	13.0	58.3	103	42	30-Jul	33,759	
Dyna-Gro Seed	D54DC94 RIB	237.2	12.0	57.0	110	49	29-Jul	31,581	
DuPont Pioneer	P1306 WHR	230.0	11.4	60.9	115	44	30-Jul	34,739	
Dyna-Gro Seed	D57VP51 RIB	228.1	14.4	57.2	106	45	31-Jul	34,848	
Warner Seeds, Inc.	W4409 VT2PRIB	218.8	11.9	57.9	113	45	28-Jul	31,254	
DuPont Pioneer	P0805AM	206.2	11.8	60.8	108	42	29-Jul	32,017	
Dyna-Gro Seed	D55VP77 RIB	204.6	13.4	56.7	103	43	31-Jul	33,868	
Warner Seeds, Inc.	W4622 VT2PRIB	201.4	13.2	56.9	106	44	31-Jul	32,888	
Dyna-Gro Seed	D58VC37 RIB	198.1	13.7	57.9	107	43	30-Jul	32,997	
DuPont Pioneer	P0801AM	196.3	11.1	58.8	115	45	31-Jul	34,086	
Dyna-Gro Seed	D49VC39 RIB	194.2	11.8	57.4	105	43	30-Jul	28,423	
Dyna-Gro Seed	D58QC72 RIB	168.1	16.6	56.9	117	45	31-Jul	33,868	
		Trial Mean	210.0	12.8	58.0	109	44	30-Jul	32,861
		LSD	39.6	0.7	1.0	7	NS	-	2,073
		LSD P >	0.05	0.05	0.05	0.05	0.05	-	0.05
		CV	13.1	3.9	1.2	4.8	8.7	-	4.4
		F Test	0.0328	0.0001	0.0001	0.0035	0.4703	-	0.0001

**Table 5A. New Mexico 2017 Grain Corn Performance Test - Agricultural Science Center at Tucumcari**

**Investigators:** L.M. Lauriault, A. Cunningham, J. Box, P.L. Cooksey, S. Jennings, J. Jennings, A. Williams, and A. McGeachy

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Quay	Previous Crop:	Small grain forage	Average		
Longitude:	-103.68	Planting Date:	5/31/17	Temp.	Precip.	Irrigation
Latitude:	35.20	Harvest Dates:	10/24/17	°F	in.	in.
Elevation:	4086 ft.			January	38	1.02
Soil Name:	Redona			February	48	0.17
Soil Texture:	Fine sandy loam			March	56	2.16
Soil Depth:	>60 in.			April	58	2.73
		<u>Production Inputs</u>		May	64	1.82
		Rate	Date	June	77	0.98
		Fertilizer:		July	82	1.58
		Nitrogen	lb/a	August	75	6.48
		Nitrogen	lb/a	September	70	2.65
		P2O5	lb/a	October	60	3.62
		Nitrogen	lb/a	November		0.00
				December		0.00
<b>Test Design:</b>						
Replications:	4					
Plot Length:	20 ft.					
Rows per Plot:	2					
Row Spacing:	30 in.					
Seeding Rate:	29,000 seeds/ac					
		<u>Pesticides (herbicides and insecticides):</u>		Seasonal Precipitation	17.1 in.	
		Gramoxone	3 pt/a	12-May	Total Seasonal Irrigation	13.8 in.
		Roundup	77 oz/a	1-Jun		
		Starane Ultra	7.29 oz/a	24-Jun	Date of Last Spring Frost:	30-Apr
					Date of First Fall Frost:	10-Oct
					Frost Free Period:	163 days

**Table 5B. New Mexico 2017 Grain Corn Performance Test - Agricultural Science Center at Tucumcari**

**Results**

Brand/Company Name	Hybrid/Variety Name	CRM	Plant Population	Grain Yield	Grain Yield	Moisture at Evaluation		Test wt.
						%	lb/bu	
Dyna-GroSeed	D58VC37RIB	118	26281	8351	149	11.6	58.0	
Dyna-GroSeed	D55VP77RIB	115	26681	7748	138	12.1	57.6	
Syngenta Seeds	G11B63	111	25591	7428	133	12.6	55.6	
Syngenta Seeds	G06Z97-3102	106	26245	7135	127	11.3	56.9	
Dyna-GroSeed	D57VP51RIB	117	27334	7120	127	12.4	56.9	
Dyna-GroSeed	D52SS91	112	27552	6520	116	12.4	58.1	
Mycogen Seeds/Dow AgroSciences	MY04Y97	104	25265	6496	116	10.6	53.9	
Rob See Co	IC5296-3120	102	24684	6394	114	10.9	53.0	
Dyna-GroSeed	D49VC39RIB	109	20909	6370	114	10.8	56.3	
DuPont Pioneer	P9697AM	96	26681	6169	110	10.4	57.0	
Syngenta Seeds	G95D32-3110	95	24720	6031	108	10.1	57.3	
DuPont Pioneer	P0365AM	103	26027	5625	100	11.7	56.5	
Syngenta Seeds	N76A-3000GT	114	24067	5503	98	11.4	51.6	
DuPont Pioneer	P0589AM	105	25156	5442	97	10.9	56.4	
DuPont Pioneer	P0801AM	108	25156	5175	92	10.4	53.4	
Rob See Co	IC4848-3000GT	98	24103	5107	91	10.9	54.7	
Mycogen Seeds/Dow AgroSciences	MY00J47	100	26354	5074	91	10.8	54.8	
Rob See Co	RC5112-3011A	101	24067	4397	79	10.7	55.8	
		Trial Mean	25463	6208	111	11.2	88.5	
		LSD P < 0.05	NS	2051	37	1.2	1.8	
		CV	8.6	23.2	23.2	7.7	2.3	
		F Test	0.1063	0.0244	0.0244	0.0009	0.0001	

CRM = comparative relative maturity.

Moisture at Evaluation was measured after the corn was shelled, when it was weighed and evaluated for test weight, approximately 80 d after ears had been harvested

**Table 6A. New Mexico 2017 Irrigated Forage Corn Performance Test - Agricultural Science Center at Artesia**

**Investigators:** R. Flynn, R. Pacheco, S. Bustillos, M. Lopez

## Test Description

Location:		Management Practices:		Growing Conditions:			
County/Area:	Eddy	Previous Crop:	cotton	Average			
Longitude:	-104.38	Planting Date:	25-May	Temp.	Precip.	Irrigation	
Latitude:	32.75	Harvest Date:	9-Sep	°F	in.	in.	
Elevation:	3360 ft.						
Soil Name:	Pima						
Soil Texture:	silt loam/scl	<u>Production Inputs</u>					
Soil Depth:	60 in.						
<b>Test Design:</b>							
Replications:	3						
Plot Length:	20 ft.						
Rows per Plot:	2						
Row Spacing:	40 in.						
Seeding Rate:	32,000 seed/a	Cultivation:					
				17- Jun			
		Herbicides:					
			Prowl H2O	2 pts/a			
		Insecticides:					
		None					
				Seasonal Precipitation	7.88 in.		
				Total Irrigation	27.00 in.		
				Date of Last Spring Frost:	30-Apr		
				Date of First Fall Frost:	28-Oct		
				Frost Free Period:	181 days		

**Table 6B. New Mexico 2017 Irrigated Forage Corn Performance Test - Agricultural Science Center at Artesia**

**Results**

Brand/Company Name	Hybrid/Variety Name	Dry Forage	65% Adj Green Forage	Moisture at Harvest	NDFD			Milk/NE <sub>i</sub>			Milk/Ton	Milk/Acre
		t/a	t/a	%	%	%	%	%	%	Mcal/lb	lb/t	lb/a
Golden Acres Genetics	G7848 VT2PRO	8.1	23.1	58.5	7.7	60.5	69.6	6.6	61.0	0.535	2282	19487
Dyna-Gro Seed	D58SS65 RIB	8.0	22.9	60.0	7.8	61.1	72.0	5.9	64.1	0.565	2493	21360
Dyna-Gro Seed	D54VC52 RIB	7.8	22.3	60.2	8.3	61.9	72.0	5.6	64.4	0.569	2513	20703
Dyna-Gro Seed	D53VC47 RIB	7.6	21.7	58.0	7.3	58.8	69.2	6.3	60.3	0.529	2245	19801
Dyna-Gro Seed	D55VP77 RIB	7.5	21.4	54.1	7.8	59.9	69.8	6.0	61.9	0.546	2356	18022
Dyna-Gro Seed	D58QC72 RIB	7.5	21.4	61.8	7.4	62.1	68.6	5.8	61.3	0.541	2318	16683
Golden Acres Genetics	G7601	7.5	21.4	62.2	8.3	62.0	69.0	5.8	63.2	0.563	2464	19418
Golden Acres Genetics	G8738	7.2	20.6	62.9	8.5	61.2	66.9	5.8	61.1	0.545	2335	15977
Golden Acres Genetics	G6832 STX	6.9	19.7	62.9	7.8	60.5	67.7	5.8	60.8	0.539	2300	14994
	Trial Mean	6.1	17.4	60.1	7.9	60.4	68.5	7.8	65.3	0.583	2367	18494
	LSD	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	18.2	17.5	8.6	9.3	3.1	4.3	30.8	9.1	3.7	3.8	6.1
	F Test	0.9555	0.8567	0.3210	0.4657	0.4833	0.4708	0.9325	0.4942	0.3104	0.2543	0.2740

**Table 7A. New Mexico 2017 Forage Corn Performance Test - Agricultural Science Center at Clovis**

**Investigators:** A. Mesbah, A. Scott, and B. Niece

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Curry	Previous Crop:	fallow	Average		
Longitude:	-103.22	Planting Date:	18-May	Temp.	Precip.	Irrigation
Latitude:	34.60	Harvest Date:	5-Sep	°F	in.	in.
Elevation:	4435 ft.					
Soil Name:	Olton			January	36.5	
Soil Texture:	clay loam			February	45.8	
Soil Depth:	>60 in.			March	51.7	
		<u>Production Inputs</u>		April	55.5	
		Rate	Date	May 1-18	61.4	1.24
		Fertilizer:		June	74.1	1.02
		Nitrogen	36 lb/a	July	77.0	2.18
		Nitrogen	15 lb/a	August	71.0	7.87
		P <sub>2</sub> O <sub>5</sub>	50 lb/a	September 1-5	67.0	0.00
		Zn	3 qt/ac	October	56.5	
		Nitrogen	152 lb/ac	November	50.0	
		S	27.5 lb/ac	December	38.0	
		Nitrogen	50 lb/ac			
		S	9 lb/ac			
		Herbicides:				
		Atrazine	1 pt/a	Seasonal Precipitation:	12.3 in.	
		Balance Flex	2 oz/ac	Total Irrigation:	8.6 in.	
		Diflex	8 oz/ac			
		Charger Basic	1 pt/ac	Date of Last Spring Frost:	1-May	
		Glyphosate	40 oz/ac	Date of First Fall Frost:	10-Oct	
		Diflex	10 oz/ac	Frost Free Period:	162 days	
		Brawl	1 pt/ac			
		Insecticides:				
		Onager	14 oz/ac			
		Belt SC	3 oz/ac			
		Oberon	8 oz/ac			

**Table 7B. New Mexico 2017 Forage Corn Performance Test - Agricultural Science Center at Clovis**

Results														
Brand/Company Name	Hybrid/Variety Name	Moisture												
		Dry Forage	Green Forage	at Harvest	CP	NDF	NDFD			Ash	TDN	Milk/NE <sub>i</sub>	Milk/Ton	
		t/a	t/a	%	%	%	48hr	Starch	%	%	%	Mcal/lb	lb/t	
B-H Genetics	X17015 SS	9.3	29.7	68.8	10.0	44.2	58.9	25.3	3.6	65.0	0.667	3084	28568	
Dyna-Gro Seed	D53VC47 RIB	9.0	28.3	68.2	9.4	43.3	62.8	29.7	4.2	67.2	0.692	3281	29470	
Golden Acres Genetics	G7848 VT2 PRO	8.9	27.0	67.2	9.9	41.8	63.8	30.9	3.4	68.6	0.708	3384	29994	
B-H Genetics	BH 8907 VT2P	8.8	29.8	70.4	9.5	46.5	61.0	25.6	3.7	66.0	0.679	3179	28054	
Blue River Hybrids	70A47	8.8	29.3	70.0	10.1	43.8	61.8	28.3	4.1	66.5	0.685	3221	28317	
Dyna-Gro Seed	D54VC52 RIB	8.7	25.8	66.3	9.6	41.2	60.3	32.0	3.4	66.9	0.689	3235	28046	
B-H Genetics	BH 8636 SS	8.6	27.1	68.1	10.3	45.0	62.0	25.9	3.9	67.0	0.690	3255	28140	
Dyna-Gro Seed	D58QC72 RIB	8.6	29.7	71.2	9.9	46.4	61.3	24.8	3.8	66.4	0.683	3206	27524	
Master's Choice	MCT 6754	8.6	27.4	68.6	9.6	43.6	61.3	29.0	3.6	66.6	0.686	3225	27604	
Syngenta Seeds	G15Q98-3000 GT	8.6	27.7	69.2	9.3	43.7	61.7	29.6	3.9	66.6	0.685	3226	27627	
Syngenta Seeds	G14H66-3010A	8.5	27.8	69.5	9.1	42.4	63.2	30.7	3.8	67.6	0.697	3312	28063	
Syngenta Seeds	G14V04-3000 GT	8.4	26.1	67.8	9.1	43.5	61.0	30.7	3.4	66.4	0.683	3203	27046	
B-H Genetics	BH 8590 VT2P	8.4	26.4	68.1	9.1	43.3	59.8	30.5	3.2	66.4	0.684	3199	26895	
Dyna-Gro Seed	D55VP77 RIB	8.4	28.8	70.8	9.9	42.6	61.0	29.2	3.7	67.0	0.689	3246	27286	
Master's Choice	MCT 6733	8.4	27.3	69.3	9.5	44.3	61.9	27.4	3.9	66.8	0.687	3241	27094	
B-H Genetics	BH 8732 VTTP	8.4	27.1	69.2	9.4	43.9	62.7	28.9	3.2	67.6	0.696	3303	27600	
Golden Acres Genetics	G8738	8.4	27.8	69.8	10.1	43.6	61.1	27.6	3.6	66.8	0.687	3232	26986	
Blue River Hybrids	66G25	8.3	27.5	69.7	9.9	42.8	61.5	28.3	3.9	67.2	0.692	3268	27312	
Golden Acres Genetics	G6832 STX	8.3	28.2	70.5	9.4	45.5	60.1	27.3	3.6	65.9	0.677	3162	26413	
Golden Acres Genetics	G7601	8.2	26.7	69.1	9.7	42.0	62.7	29.5	3.7	67.7	0.697	3312	27278	
B-H Genetics	BH 8988 W/GT	8.2	28.1	70.9	9.7	45.9	61.8	25.0	3.5	66.7	0.686	3233	26431	
Syngenta Seeds	G18D87-3111	8.1	27.0	69.7	9.3	42.3	62.1	30.2	3.3	67.5	0.695	3291	26803	
B-H Genetics	BH 8721 VT2P	8.1	27.1	70.2	9.8	43.3	62.6	28.5	3.8	67.4	0.694	3292	26567	
Syngenta Seeds	G13N18-3111	7.8	27.9	72.1	9.4	44.5	62.2	28.8	3.8	66.7	0.687	3241	25316	
Dyna-Gro Seed	D58SS65 RIB	7.8	27.5	71.6	9.4	45.9	60.7	27.4	3.4	66.4	0.684	3205	25022	
Master's Choice	MCT 6583	7.7	26.7	71.0	9.2	44.4	61.2	27.9	4.2	66.0	0.679	3181	24575	
Blue River Hybrids	62G22	7.5	25.4	70.7	9.7	44.0	61.8	28.8	3.8	67.0	0.690	3258	24306	
		Trial Mean	8.4	27.6	69.5	9.6	43.8	61.6	28.4	3.7	66.8	0.688	3240	27197
		LSD	1.1	3.3	0.0	0.6	3.6	1.8	4.0	0.8	1.3	0.014	106	3770
		LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.050	0.05	0.05
		CV	7.9	7.3	2.4	3.8	5.0	1.8	8.6	12.6	1.2	1.3	2.0	8.5
		F Test	0.3778	0.4981	0.0150	0.0018	0.2719	0.0005	0.0279	0.4220	0.0077	0.0064	0.0036	0.5004

**Table 8A. New Mexico 2017 Forage Corn Performance Test - Agricultural Science Center at Farmington**

**Investigators:** O'Neill, M.K., M.M. West, and D. Begay

**Test Description**

<b>Location:</b>	<b>Management Practices:</b>	<b>Growing Conditions:</b>																																																																									
		Average Temp. °F	Precip. in.	Irrigation in.																																																																							
County/Area: San Juan Longitude: -108.306 Latitude: 36.6812 Elevation: 5,640 ft. Soil Name: Wall Soil Texture: sandy loam Soil Depth: > 75 in.	Previous Crop: 2016 fallow, 2015 W. Wheat Planting Date: 15-May Harvest Date: 11-Sep	January February March April May June July August September October November December																																																																									
<b>Test Design:</b> Replications: 4 Plot Length: 20 ft. Rows per Plot: 4 Row Spacing: 30 in.  Seeding Rate: 36,569 seeds/a Harvest area: 1 row 10 feet long	<u>Production Inputs</u> <table> <thead> <tr> <th></th> <th>Rate</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Fertilizer:</td> <td></td> <td></td> </tr> <tr> <td>Dry Nitrogen</td> <td>12.5 lb/a</td> <td>1-May</td> </tr> <tr> <td>Nitrogen</td> <td>17.5 lb/a</td> <td>17-May</td> </tr> <tr> <td>Nitrogen</td> <td>17.5 lb/a</td> <td>2-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>17.5 lb/a</td> <td>9-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>25 lb/a</td> <td>19-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>25 lb/a</td> <td>22-Jun</td> </tr> <tr> <td>Nitrogen</td> <td>25 lb/a</td> <td>6-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>25 lb/a</td> <td>13-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>12.5 lb/a</td> <td>19-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>12.5 lb/a</td> <td>20-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>12.5 lb/a</td> <td>27-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>12.5 lb/a</td> <td>28-Jul</td> </tr> <tr> <td>Nitrogen</td> <td>25 lb/a</td> <td>4-Aug</td> </tr> <tr> <td>Total Nitrogen</td> <td>240 lb/a</td> <td></td> </tr> <tr> <td>Dry P<sub>2</sub>O<sub>5</sub></td> <td>59 lb/a</td> <td>1-May</td> </tr> <tr> <td>Dry K<sub>2</sub>O</td> <td>68 lb/a</td> <td>1-May</td> </tr> <tr> <td>ZnSO<sub>4</sub></td> <td>0 lb/a</td> <td>1-May</td> </tr> <tr> <td>Herbicides:</td> <td></td> <td></td> </tr> <tr> <td>DiFlexx</td> <td>16 oz/a</td> <td>18-Jun</td> <td>Date of Last Spring Frost: 19-May</td> </tr> <tr> <td>Aatrex 4L</td> <td>1 qt/a</td> <td>18-Jun</td> <td>Date of First Fall Frost: 25-Sep</td> </tr> <tr> <td>Super Spread M</td> <td>12.8 oz/a</td> <td>18-Jun</td> <td>Frost Free Period: 129 days</td> </tr> </tbody> </table>		Rate	Date	Fertilizer:			Dry Nitrogen	12.5 lb/a	1-May	Nitrogen	17.5 lb/a	17-May	Nitrogen	17.5 lb/a	2-Jun	Nitrogen	17.5 lb/a	9-Jun	Nitrogen	25 lb/a	19-Jun	Nitrogen	25 lb/a	22-Jun	Nitrogen	25 lb/a	6-Jul	Nitrogen	25 lb/a	13-Jul	Nitrogen	12.5 lb/a	19-Jul	Nitrogen	12.5 lb/a	20-Jul	Nitrogen	12.5 lb/a	27-Jul	Nitrogen	12.5 lb/a	28-Jul	Nitrogen	25 lb/a	4-Aug	Total Nitrogen	240 lb/a		Dry P <sub>2</sub> O <sub>5</sub>	59 lb/a	1-May	Dry K <sub>2</sub> O	68 lb/a	1-May	ZnSO <sub>4</sub>	0 lb/a	1-May	Herbicides:			DiFlexx	16 oz/a	18-Jun	Date of Last Spring Frost: 19-May	Aatrex 4L	1 qt/a	18-Jun	Date of First Fall Frost: 25-Sep	Super Spread M	12.8 oz/a	18-Jun	Frost Free Period: 129 days	Seasonal Precipitation Total Irrigation	3.0 in. 21.4 in.
	Rate	Date																																																																									
Fertilizer:																																																																											
Dry Nitrogen	12.5 lb/a	1-May																																																																									
Nitrogen	17.5 lb/a	17-May																																																																									
Nitrogen	17.5 lb/a	2-Jun																																																																									
Nitrogen	17.5 lb/a	9-Jun																																																																									
Nitrogen	25 lb/a	19-Jun																																																																									
Nitrogen	25 lb/a	22-Jun																																																																									
Nitrogen	25 lb/a	6-Jul																																																																									
Nitrogen	25 lb/a	13-Jul																																																																									
Nitrogen	12.5 lb/a	19-Jul																																																																									
Nitrogen	12.5 lb/a	20-Jul																																																																									
Nitrogen	12.5 lb/a	27-Jul																																																																									
Nitrogen	12.5 lb/a	28-Jul																																																																									
Nitrogen	25 lb/a	4-Aug																																																																									
Total Nitrogen	240 lb/a																																																																										
Dry P <sub>2</sub> O <sub>5</sub>	59 lb/a	1-May																																																																									
Dry K <sub>2</sub> O	68 lb/a	1-May																																																																									
ZnSO <sub>4</sub>	0 lb/a	1-May																																																																									
Herbicides:																																																																											
DiFlexx	16 oz/a	18-Jun	Date of Last Spring Frost: 19-May																																																																								
Aatrex 4L	1 qt/a	18-Jun	Date of First Fall Frost: 25-Sep																																																																								
Super Spread M	12.8 oz/a	18-Jun	Frost Free Period: 129 days																																																																								

**Table 8B. New Mexico 2017 Forage Corn Performance Test - Agricultural Science Center at Farmington**

**Results**

Brand/Company Name	Hybrid/Variety Name	Moisture										Milk/Ton	Milk/Acre	
		Dry Forage t/a	Green Forage t/a	at Harvest %	Plant Height in	Ear Height in	CP %	NDF %	NDFD 48hr %	Starch %	Ash %			
Dyna-Gro Seed	D58QC72 RIB	17.1	41.0	58.0	124	49	8.0	43.5	63.7	23.6	5.8	63.4	3,013	51,725
Dyna-Gro Seed	D53VC47 RIB	14.7	36.9	60.2	109	39	8.0	41.8	65.1	26.0	5.7	64.9	3,135	46,458
Syngenta Seeds	G07B39-3111A	14.5	38.1	61.9	116	50	7.9	44.3	65.6	22.8	6.3	64.1	3,080	44,902
Syngenta Seeds	G01D24-3120	13.1	35.1	62.5	104	39	6.9	42.0	62.0	23.5	5.8	60.8	2,811	36,964
Syngenta Seeds	G11B63-3010A	13.0	31.9	59.6	112	42	7.9	43.0	66.8	23.7	6.0	64.3	3,100	40,859
Syngenta Seeds	G13N18-3111	12.9	37.1	65.6	107	45	8.3	39.8	66.3	26.8	5.5	65.2	3,161	41,405
Dyna-Gro Seed	D54DC94 RIB	12.6	31.9	60.6	107	43	7.7	44.5	64.7	23.3	6.2	63.9	3,056	38,793
Dyna-Gro Seed	D58SS65 RIB	12.5	35.6	64.6	107	46	7.7	47.0	62.6	20.0	6.3	61.7	2,881	35,896
Syngenta Seeds	G07H81-3010A	12.3	28.7	57.2	106	42	7.7	41.8	63.8	26.0	5.7	64.2	3,070	37,712
Dyna-Gro Seed	D55VP77 RIB	10.8	29.4	62.8	102	43	8.4	41.1	65.1	27.1	5.6	65.9	3,201	34,418
	Trial Mean	13.3	34.1	60.9	109	44	7.9	42.9	64.7	24.5	5.9	64.1	3,070	40,969
	LSD	NS	NS	10.5	20	NS	NS	NS	NS	NS	NS	NS	NS	NS
	LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CV	23.4	20.1	5.9	6.2	11.3	9.4	7.9	3.0	16.0	8.5	3.6	5.7	26.1
	F Test	0.2776	0.1754	0.0316	0.0073	0.0959	0.7478	0.1784	0.0913	0.2950	0.1889	0.4443	0.4126	0.4465

**Table 9A. New Mexico 2017 Dryland Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

**Investigators:** A. Mesbah, A. Scott, and B. Niece

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Curry	Previous Crop:	fallow	Average		
Longitude:	-103.22	Planting Date:	20-Jun	Temp.	Precip.	Irrigation
Latitude:	34.60	Harvest Date:	8-Nov	°F	in.	in.
Elevation:	4435 ft.					
Soil Name:	Olton			January	36.5	
Soil Texture:	clay loam			February	45.8	
Soil Depth:	>60 in.			March	51.7	
<b>Test Design:</b>		<u>Production Inputs</u>		April	55.5	
Replications:	3	Rate	Date	May	61.4	
Plot Length:	20 ft.	Fertilizer:		June 20-30	74.1	0.74
Rows per Plot:	2	Nitrogen	38 lb/a			1.0
Row Spacing:	30 in.	Nitrogen	30 lb/ac	July	77.0	2.18
Seeding Rate:	29000 seed/ac	P <sub>2</sub> O <sub>5</sub>	20 lb/ac	August	71.0	7.87
		S	4.4 lb/ac	September	67.0	4.13
		Nitrogen	46 lb/ac	October	56.5	2.04
		Herbicides:		November 1-8	50.0	0.00
		Sharpen	1.5 oz/ac	December	38.0	
		Atrazine	1.5 pt/ac			
		Glyphosate	48 oz/ac			
		Brawl	1.5 pt/ac			
		Insecticides:		Seasonal Precipitation:	17.0 in.	
		Sivanto	7 oz/ac	Total Irrigation:	1.0 in.	
		Dimilin	2 oz/ac			
				Date of Last Spring Frost:	1-May	
				Date of First Fall Frost:	10-Oct	
				Frost Free Period:	162 days	

**Table 9B. New Mexico 2017 Dryland Grain Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Grain Yield bu/a	Moisture at Harvest		Test Weight lb/bu	Plant Height in	Head Exertion in	Lodging %	Heading Date	
			Grain Yield lb/a	%						
Pioneer	85P05	143.4 ***	8033 ***	19.8 ***	53.9 *	17.6 *	5.8	0	14-Aug *	
DeKalb	37-07	134.9 *	7558 *	18.3 *	51.7 *	22.7	8.0 *	0	15-Aug *	
NuTech Seed, LLC	GS 663	133.6 *	7485 *	18.1 *	53.4 *	26.3 *	7.2	0	13-Aug *	
Alta Seeds	ADV G1150	133.5 *	7475 *	18.0 *	50.2	24.9	8.7 *	0	17-Aug *	
Dyna-Gro Seed	M60GB31	132.8 *	7438 *	17.9 *	54.3 *	25.5	8.3 *	0	15-Aug *	
Dyna-Gro Seed	GX17818	132.4 *	7418 *	17.8 *	52.1 *	29.2 ***	7.5 *	0	21-Aug *	
Dyna-Gro Seed	M60GB88	130.5 *	7310 *	17.5 *	50.5	26.7 *	7.5 *	0	6-Jul	
NuTech Seed, LLC	GS 693	129.9 *	7271 *	17.4	54.2 *	27.0 *	6.8	0	19-Aug *	
Chromatin, Inc.	SP 68M57	129.1 *	7229 *	17.3	52.6 *	23.6	5.9	0	16-Aug *	
NuTech Seed, LLC	GS 636	128.7 *	7208 *	17.2	53.6 *	24.1	8.2 *	0	19-Aug *	
Alta Seeds	AG 1203	124.6	6976	16.5	53.8 *	24.5	7.9 *	0	19-Aug *	
Dyna-Gro Seed	M60GB31	124.4	6966	16.5	53.5 *	24.0	6.8	0	16-Aug *	
Dyna-Gro Seed	GX16535	124.2	6958	16.5	52.0 *	27.3 *	8.7 *	0	18-Aug *	
Dyna-Gro Seed	M74GB17	115.9	6490	15.1	54.1 *	27.4 *	7.6 *	0	21-Aug ***	
Chromatin, Inc.	SP 34A19	114.5	6413	14.9	45.6	19.8	7.8 *	0	13-Aug *	
Chromatin, Inc.	SP 31A15	113.6	6364	14.8	44.3	23.3	7.3	0	11-Aug *	
NuTech Seed, LLC	GS 725	113.4	6350	14.8	54.4 ***	25.7 *	7.1	0	20-Aug *	
Chromatin, Inc.	SP 33S40	112.2	6284	14.6	53.9 *	22.5	9.7 *	0	17-Aug *	
Dyna-Gro Seed	M59GB57	106.6	5973	13.7	50.9	20.1	7.1	0	11-Aug *	
Chromatin, Inc.	CHR0163	99.1	5551	12.5	48.0	19.5	4.2	0	13-Aug *	
Chromatin, Inc.	SP 25C10	83.4	4669	10.3	49.1	14.7	8.5 *	0	8-Aug *	
Chromatin, Inc.	CHR0039	83.4	4669	10.3	47.0	15.7	9.8 ***	0	9-Aug *	
		Trial Mean	119.8	6709	15.8	51.4	23.7	7.6	-	13-Aug
		LSD (P > 0.05)	15.0	842	2.4	3.2	4.2	2.5	-	22
		CV	7.6	7.6	9.2	3.7	10.8	19.7	-	6.0
		F Test	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.02	-	0.1859

\*\*\* Highest numerical value in the column.

\* Not significantly different from the highest numerical value in the column based on the 5% LSD.

**Table 10A. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Artesia**

**Investigators:** R. Flynn, R. Pacheco, S. Bustillos, M. Lopez

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Eddy	Previous Crop:	fallow	Average		
Longitude:	-104.38	Planting Date:	18-May	Temp.	Precip.	Irrigation
Latitude:	32.75	Harvest Date:	21-Sep	°F	in.	in.
Elevation:	3360 ft.			January	43.9	0.89
Soil Name:	Pima			February	50.4	0.41
Soil Texture:	silt loam/scl	<u>Production Inputs</u>		March	57.7	0.02
Soil Depth:	60 in.	<u>Rate</u>		April	62.8	1.09
<b>Test Design:</b>		Fertilizer:		May	67.3	0.30
Replications:	3	Nitrogen	100 lb/a	June	79.6	1.83
Plot Length:	22 ft.	P <sub>2</sub> O <sub>5</sub>	80 lb/a	July	81.1	1.49
Rows per Plot:	2	K <sub>2</sub> O	0 lb/a	August	77.9	3.15
Row Spacing:	40 in.	Zn	1 lb/a	September	73.4	1.92
Seeding Rate:	80,000 seed/a	Cultivation:		October	61.6	0.43
		Herbicides:		November		
		none		December		
		Insecticides:				
		None				
				Seasonal Precipitation	9.80	in.
				Total Irrigation	23.00	in.
						in.
				Date of Last Spring Frost:	30-Apr	
				Date of First Fall Frost:	28-Oct	
				Frost Free Period:	181	days

**Table 10B. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Artesia**

Results																	
Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Maturity <sup>§</sup> Group	65% Adj Dry Matter												Milk/ Ton	Milk/ Acre
				Brown Midrib	Dry Forage	Green Forage	at Harvest	CP	NDF	ND <sup>¶</sup> FD 30hr	Ash	TDN	NE <sub>i</sub>	%	Mcal/lb	lb/t	lb/a
Dyna-Gro Seed	705F	FS	ME	N	8.0	22.9	35.5	5.6	61.7	57.3	6.1	61.0	0.533	3330	25680		
Dyna-Gro Seed	F74FS23BMR	FS	M	Y	7.6	21.7	30.3	6.3	52.9	72.7	6.6	69.7	0.670	3923	29954		
Alta Seeds	ADV 6504	SxS	PS	Y	7.1	20.3	26.8	6.4	61.2	70.3	8.3	64.7	0.573	3550	25175		
Alta Seeds	AF-7401	FS	L	Y	6.3	18.0	29.5	8.3	62.8	71.0	8.7	65.7	0.570	3554	21305		
Dyna-Gro Seed	F76FS77BMR	FS	ML	Y	6.2	17.7	29.0	8.0	63.7	69.7	8.7	64.3	0.553	3494	21222		
Alta Seeds	XF7302	FS	M	Y	6.0	17.1	30.0	7.4	59.1	71.0	8.2	66.7	0.607	3671	22724		
Alta Seeds	XF-7303	FS	M	Y	5.9	16.9	33.0	8.7	63.2	70.7	9.0	64.7	0.557	3524	18588		
Dyna-Gro Seed	Dual Forage SCA	GS	ML	N	5.1	14.6	35.3	6.8	60.1	64.3	7.5	64.7	0.583	3461	15905		
Alta Seeds	XF7103	FS	E	Y	3.2	9.1	36.3	5.6	59.0	69.7	7.4	66.3	0.600	3665	13337		
				Trial Mean	6.1	17.4	31.7	7.0	60.4	68.5	7.8	65.3	0.583	3575	21543		
				LSD	1.9	5.6	3.7	1.9	NS	3.6	1.9	4.0	0.087	273	9426		
				LSD P >	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
				CV	20.7	19.2	7.9	16.0	7.4	3.0	14.0	3.6	8.7	4.4	25.3		
				F Test	0.0008	0.0001	0.0001	0.0245	0.1879	0.0001	0.0540	0.0290	0.1312	0.0191	0.0424		

<sup>†</sup> Sorghum Type: FS=Forage Sorghum, BD = Brachytic Dwarf, SxS = Sorghum-Sudangrass Hybrid

<sup>§</sup>Maturity Group: E = Early, M = Medium, L = Late, PS = Photoperiod Sensitive

Brown Midrib Trait: BMR = Brown Midrib, Conv = Conventional

**Table 11A. New Mexico 2017 Irrigated Forage Sorghum & Sorghum Sudangrass (Multi-Cut) Performance Test - Agricultural Science Center at Artesia**

**Investigators:** R. Flynn, R. Pacheco, S. Bustillos, M. Lopez

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>			
County/Area:	Eddy	Previous Crop:	fallow	Average			
Longitude:	-104.38	Planting Date:	19-May	Temp.	Precip.	Irrigation	
Latitude:	32.75	Harvest Dates:	24-Jul      20-Sep	°F	in.	in.	
Elevation:	3360 ft.						
Soil Name:	Pima			January	43.9	0.89	
Soil Texture:	silt loam/scl	<u>Production Inputs</u>		February	50.4	0.41	
Soil Depth:	60 in.	Rate		March	57.7	0.02	
<b>Test Design:</b>		Fertilizer:		April	62.8	1.09	
Replications:	3	Nitrogen	100 lb/a	May	67.3	0.30	4.00
Plot Length:	22 ft.	P <sub>2</sub> O <sub>5</sub>	80 lb/a	June	79.6	1.83	2.00
Rows per Plot:	2	K <sub>2</sub> O	0 lb/a	July	81.1	1.49	6.00
Row Spacing:	14 in.	Zn	1 lb/a	August	77.9	3.15	6.00
Seeding Rate:	80,000 seed/a	Cultivation:	hand	September	73.4	1.92	4.00
		Herbicides:	none	October	61.6	0.43	
			pts/a	November			
		Insecticides:		December			
		None					
				Seasonal Precipitation	9.80 in.		
				Total Irrigation	22.00 in.		
					32		
				Date of Last Spring Frost:	30-Apr		
				Date of First Fall Frost:	28-Oct		
				Frost Free Period:	181 days		

**Table 11B. New Mexico 2017 Irrigated Forage Sorghum & Sorghum Sudangrass (Multi-Cut) Performance Test - Agricultural Science Center at Artesia**

**Results**

Brand/Company Name	Hybrid/Variety Name	Type <sup>1</sup>	Harvest 1					Harvest 2					Total		
			Dry Forage	Green Forage	Harvest Moisture	Milk/ Ton	Milk/ Acre	Dry Forage	Green Forage	Harvest Moisture	Milk/ Ton	Milk/ Acre	Dry Forage	Milk/ Acre	
			t/a	t/a	%	lb/t	lb/a	t/a	t/a	%	lb/t	lb/a	t/a	lb/a	
Blue River Hybrids	Seahawk	SxS	5.5	23.4	76.2	3711	19527	8.1	29.8	73.0	3672	34977	13.6	54504	
Alta Seeds	AS-6401	SxS	3.7	19.5	81.0	3743	13275	8.4	36.3	77.0	3734	29667	12.1	42941	
Blue River Hybrids	Blackhawk	SxS	4.8	19.6	75.5	3734	18863	7.3	29.6	75.2	3708	33795	12.1	52658	
Blue River Hybrids	Pelican	SxS	4.3	18.7	76.7	3844	15481	7.6	28.4	73.5	3722	29356	11.9	44837	
Dyna-Gro Seed	Dannyboy BMR	SxS	3.7	18.0	79.0	3777	15203	7.2	30.1	75.7	3738	31702	10.9	46905	
Blue River Hybrids	Nighthawk	SxS	3.7	17.1	78.0	3695	13010	6.5	24.9	74.0	3663	24403	10.2	37412	
Alta Seeds	AS-6402	SxS	3.7	15.6	76.5	3707	12001	6.1	22.9	73.5	3608	25263	9.8	37264	
Dyna-Gro Seed	Fullgraze BMR	SxS	3.6	16.7	78.0	3700	12400	6.0	24.9	75.5	3677	26438	9.6	38838	
			Trial Mean	4.0	18.6	77.6	3739	14970	7.1	28.4	74.7	3690	29450	11.3	44420
			LSD	1.0	4.6	2.9	81	3407	NS	NS	2.0	83	4290	2.7	5719
			CV	16.0	17.0	8.8	1.2	13.0	21.7	20.9	5.3	1.3	8.3	16.4	7.4
			F Test	0.0034	0.0678	0.0179	0.0207	0.0014	0.3089	0.1022	0.0043	0.0664	0.0007	0.0731	0.0001

<sup>1</sup>FS and SxS signify forage sorghum and sorghum x sudangrass, respectively.

**Table 11C. New Mexico 2017 Irrigated Forage Sorghum & Sorghum Sudangrass (Multi-Cut) Performance Test - Agricultural Science Center at Artesia**

**Results**

Brand/Company Name	Hybrid/Variety Name	Type <sup>1</sup>	Harvest 1						Harvest 2						
			NDFD			TDN	NE <sub>i</sub>	NDFD			TDN	NE <sub>i</sub>	TDN	NE <sub>i</sub>	
			CP	NDF	48hr			CP	NDF	48hr					
			%	%	%	%	% Mcal/lb	%	%	%	%	%	%	Mcal/lb	
BlueRiver	Seahawk	SxS	8.1	59.8	74.0	142	67.7	0.610	8.1	61.5	74.0	138	64.7	0.573	
Advanta_Alta	AS-6401	SxS	8.4	61.6	79.3	149	66.3	0.587	9.3	59.6	77.0	147	64.0	0.577	
BlueRiver	Blackhawk	SxS	7.3	61.2	72.7	141	68.0	0.607	8.9	61.6	74.7	143	64.0	0.567	
BlueRiver	Pelican	SxS	7.6	59.1	76.7	152	68.3	0.620	9.2	61.1	76.0	145	65.0	0.580	
DynaGro	Dannyboy BMR	SxS	7.2	60.8	77.7	152	66.3	0.593	8.9	59.9	77.3	146	64.7	0.583	
BlueRiver	Nighthawk	SxS	6.5	63.8	76.7	144	66.3	0.573	10.0	61.9	75.7	144	63.0	0.560	
Advanta_Alta	AS-6402	SxS	6.1	61.4	75.7	145	67.3	0.597	9.7	60.8	73.3	140	63.3	0.567	
DynaGro	Fullgraze BMR	SxS	6.0	61.3	73.3	144	67.0	0.597	9.3	60.9	74.7	143	63.7	0.570	
Trial Mean			7.1	61.1	75.8	146	67.2	0.598	9.2	60.9	75.3	143	64.0	0.572	
LSD			NS	2.7	2.4	NS	1.6	NS	1.1	NS	1.8	7	1.6	NS	
CV			21.7	2.5	1.7	3.9	1.4	2.9	7.0	2.2	1.0	2.8	1.4	2.7	
F Test			0.3089	0.0722	0.0004	0.1733	0.0946	0.1058	0.0896	0.4228	0.0029	0.1535	0.1619	0.6292	

<sup>1</sup>FS and SxS signify forage sorghum and sorghum x sudangrass, respectively.

**Table 12A. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Investigators:** A. Mesbah, A. Scott, and B. Niece

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Curry	Previous Crop:	fallow	Average		
Longitude:	-103.22	Planting Date:	31-May	Temp.	Precip.	Irrigation
Latitude:	34.60	Harvest Date:	13-Oct	°F	in.	in.
Elevation:	4435 ft.			January	36.5	
Soil Name:	Olton			February	45.8	
Soil Texture:	clay loam	<u>Production Inputs</u>		March	51.7	
Soil Depth:	>60 in.	Rate	Date	April	55.5	
<b>Test Design:</b>		Fertilizer:		May	61.4	
Replications:	3	Nitrogen	81 lb/ac	June	74.1	1.02
Plot Length:	20 ft.	Nitrogen	100 lb/ac	July	77.0	2.18
Rows per Plot:	2	P <sub>2</sub> O <sub>5</sub>	35 lb/ac	August	71.0	7.87
Row Spacing:	30 in.	S	16 lb/ac	September	67.0	4.13
Seeding Rate:	75000 seed/a	Zn	1 qt/ac	October 1-13	56.5	2.01
				November	50.0	0.06
				December	38.0	
		Herbicides:				
		Atrazine	1.5 pt/ac			
		Huskie	1 pt/ac			
		Brawl	12 oz/ac			
		Atrazine	8 oz/ac			
				Seasonal Precipitation:	17.2 in.	
				Total Irrigation:	9.5 in.	
		Insecticides:				
		Sivanto	7 oz/ac	Date of Last Spring Frost:	1-May	
		Sivanto	7 oz/ac	Date of First Fall Frost:	10-Oct	
				Frost Free Period:	162 days	

**Table 12B. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

Results																	
Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Maturity <sup>§</sup> Group	Brown Midrib	Moisture												
					Dry Forage	Green Forage	at Harvest	CP	NDF	NDFD 48hr	Ash	TDN	NE <sub>i</sub>	%	Mcal/lb	Milk/Ton	Milk/Acre
					t/a	t/a	%	%	%	%	%	%	%	%	lb/t	lb/a	
NuTech Seed, LLC	FS300	FS	ML	Conv	7.6	19.5	60.9	8.4	52.2	61.6	5.5	62.3	0.638	3085	23527		
Dyna-Gro Seed	705F	FS	ME	Conv	7.4	19.2	61.5	8.4	49.5	62.1	6.1	61.5	0.629	3017	22367		
Dyna-Gro Seed	F74FS23 BMR	FS	M	BMR	6.8	21.2	68.1	8.4	51.2	68.8	6.5	62.7	0.643	2965	20102		
NuTech Seed, LLC	FSB310	FS	ML	BMR	6.6	23.6	71.7	9.7	48.7	68.6	6.9	64.4	0.662	2972	19711		
Blue River Hybrids	Seahawk	SxS	ML	BMR	6.5	16.8	61.4	7.6	54.8	60.0	5.5	60.5	0.618	3119	20248		
NuTech Seed, LLC	PrimeCut	SxS	PS	Conv	6.4	31.1	79.4	7.9	59.3	62.5	6.7	57.1	0.580	3240	20724		
Alta Seeds	AF7401	FS	L	BMR	6.3	23.2	73.0	9.1	47.3	71.3	6.8	66.2	0.681	2973	18532		
Alta Seeds	XF7302	FS	M	BMR	6.2	20.9	70.0	9.0	52.9	70.1	7.4	64.6	0.664	3050	18915		
Blue River Hybrids	Nighthawk	SxS	L	BMR	5.9	19.4	69.4	9.2	52.9	68.5	7.0	63.4	0.650	2936	17319		
Blue River Hybrids	Blackhawk	SxS	ML	BMR	5.7	17.6	67.3	7.9	55.5	64.3	5.7	61.8	0.633	2982	17109		
Alta Seeds	XF7303	FS	M	BMR	5.5	16.2	65.9	8.6	51.9	67.8	7.2	64.4	0.661	3067	16771		
Dyna-Gro Seed	F76FS77 BMR	FS	ML	BMR	5.3	18.0	70.8	8.2	52.1	71.9	6.9	65.2	0.670	2976	15570		
Blue River Hybrids	Pelican	SxS	ML	BMR	5.3	13.9	61.7	8.8	51.1	66.2	6.3	62.6	0.642	2847	15148		
Dyna-Gro Seed	Fullgraze BMR	SxS	M	BMR	5.3	22.4	76.4	8.3	53.4	69.8	5.9	60.4	0.617	3069	16162		
Dyna-Gro Seed	Dual Forage SCA	GS	ML	Conv	4.0	8.0	49.6	8.2	46.7	64.7	5.6	65.7	0.676	2870	11483		
Alta Seeds	XF7103	FS	E	BMR	3.2	7.9	57.8	8.7	42.3	68.5	5.7	66.3	0.682	3044	9657		
Trial Mean					5.9	18.7	66.6	8.5	51.4	66.7	6.4	63.1	0.647	3013	14211		
LSD					1.5	5.0	4.8	1.0	5.0	4.6	1.3	2.5	0.027	192	3736		
LSD P >					0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05		
CV					15.7	16.2	4.3	7.2	5.9	4.1	11.9	2.3	2.5	3.8	15.8		
F Test					0.0002	<.0001	<.0001	0.0263	<.0001	<.0001	0.0250	<.0001	<.0001	<.0001	0.0735		

<sup>†</sup> Sorghum Type: FS = Forage Sorghum, BD = Brachytic Dwarf, SxS = Sorghum-Sudangrass Hybrid, GS = Grain Sorghum

<sup>§</sup>Maturity Group: E = Early, M = Medium, L = Late, PS = Photoperiod Sensitive

Brown Midrib Trait: BMR = Brown Midrib, Conv = Conventional

**Table 13A. New Mexico 2017 Dryland Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Investigators:** A. Mesbah, A. Scott, and B. Niece

## Test Description

Location:		Management Practices:		Growing Conditions:		
		Previous Crop:	fallow	Average		
		Planting Date:	20-Jun	Temp.	Precip.	Irrigation
		Harvest Date:	25-Oct	°F	in.	in.
<b>Test Design:</b>		<u>Production Inputs</u>				
				<u>Rate</u>	<u>Date</u>	
		Fertilizer:				
		Nitrogen	46 lb/a	carryover		
		Nitrogen	30 lb/ac	18-Apr		
		P <sub>2</sub> O <sub>5</sub>	20 lb/ac	18-Apr		
		S	4.4 lb/ac	18-Apr		
		Zn	1 qt/ac	18-Apr		
		Nitrogen	45 lb/ac	at plant		
		S	8 lb/ac	at plant		
		Herbicides:				
		Glyphosate	48 oz/ac	30-Apr		
		Detonate	8 oz/ac	30-Apr		
		Sharpen	1.5 oz/ac	19-Jun		
		Atrazine	1.5 pt/ac	19-Jun		
		Glyphosate	48 oz/ac	19-Jun		
		Insecticides:				
		Sivanto	7 oz/ac	30-Aug		
		Dimilin	2 oz/ac	at plant		
			Seasonal Precipitation:		17.0 in.	
			Total Irrigation:		1.0 in.	
			Date of Last Spring Frost:		1-May	
			Date of First Fall Frost:		10-Oct	
			Frost Free Period:		162 days	

**Table 13B. New Mexico 2017 Dryland Forage Sorghum Performance Test - Agricultural Science Center at Clovis**

**Results**

Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Maturity <sup>§</sup> Group	Brown Midrib	Moisture							NDFD 48hr	Ash	TDN	NE <sub>I</sub>	Milk/Ton Mcal/lb	Milk/Acre lb/t
					Dry Forage	Green Forage	at Harvest	CP	NDF	%	%						
					t/a	t/a	%	%	%	%	%						
Dyna-Gro Seed	705F	FS	ME	Conv	5.8	18.6	68.6	8.4	49.5	62.1	6.1	61.5	0.629	2864	16774		
NuTech Seed, LLC	FS300	FS	ML	Conv	5.6	17.5	68.1	8.4	52.2	61.6	5.5	62.3	0.638	2916	16344		
NuTech Seed, LLC	PrimeCut	SxS	PS	Conv	5.6	23.1	75.8	7.9	59.3	62.5	6.7	57.1	0.580	2549	14180		
Dyna-Gro Seed	F74FS23 BMR	FS	M	BMR	5.3	18.2	71.1	8.4	51.2	68.8	6.5	62.7	0.642	3005	16017		
Alta Seeds	AF7401	FS	L	BMR	5.2	17.8	70.5	9.1	47.3	71.3	6.8	66.2	0.681	3270	17160		
Blue River Hybrids	Blackhawk	SxS	ML	BMR	5.0	15.9	68.7	7.9	55.5	64.4	5.7	61.8	0.633	2906	14489		
Blue River Hybrids	Seahawk	SxS	ML	BMR	4.9	12.6	61.0	7.6	54.8	60.0	5.5	60.5	0.618	2775	13617		
NuTech Seed, LLC	FSB310	FS	ML	BMR	4.8	16.8	71.4	9.7	48.7	68.6	6.9	64.4	0.662	3126	14924		
Alta Seeds	XF7103	FS	E	BMR	4.6	11.0	58.4	8.7	42.3	68.5	5.7	66.3	0.682	3256	14982		
Dyna-Gro Seed	F76FS77 BMR	FS	ML	BMR	4.5	16.3	72.1	8.2	52.1	71.9	6.9	65.2	0.670	3207	14568		
Alta Seeds	XF7302	FS	M	BMR	4.3	15.7	72.6	9.0	52.9	70.1	7.4	64.6	0.664	3153	13501		
Dyna-Gro Seed	Fullgraze BMR	SxS	M	BMR	4.1	15.5	73.1	8.3	53.4	69.8	5.9	60.4	0.617	2848	11786		
Blue River Hybrids	Pelican	SxS	ML	BMR	4.1	11.9	64.9	8.8	51.1	66.2	6.3	62.6	0.642	2978	12303		
Blue River Hybrids	Nighthawk	SxS	L	BMR	4.0	12.5	68.2	9.2	52.9	68.5	7.0	63.4	0.650	3049	12140		
Dyna-Gro Seed	Dual Forage SCA	GS	ML	Conv	3.9	10.2	60.3	8.2	46.7	64.7	5.6	65.7	0.676	3186	12596		
Alta Seeds	XF7303	FS	M	BMR	3.8	13.4	71.2	8.6	51.9	67.8	7.2	64.4	0.661	3117	12009		
Trial Mean					4.7	15.4	68.5	8.5	51.4	66.7	6.4	63.1	0.646	3013	14212		
LSD					1.1	3.5	3.1	1.0	5.0	4.6	1.3	2.5	0.027	192	3736		
LSD P >					0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05		
CV					13.8	13.5	2.7	7.2	5.9	4.1	11.9	2.3	2.5	3.8	15.8		
F Test					0.0056	<.0001	<.0001	0.0263	<.0001	<.0001	0.0250	<.0001	<.0001	<.0001	<.0001	0.0735	

<sup>†</sup>Sorghum Type: FS = Forage Sorghum, BD = Brachytic Dwarf, SxS = Sorghum-Sudangrass Hybrid, HPM = Hybrid Pearl Millet, GS = Grain Sorghum

<sup>§</sup>Maturity Group: E = Early, M = Medium, L = Late, PS = Photoperiod Sensitive

Brown Midrib Trait: BMR = Brown Midrib, Conv = Conventional

**Table 14A. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Los Lunas**

**Investigators:** M.A. Marsalis, C. Havlik, D. Price, and M. Place

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Valencia	Previous Crop:	alfalfa/oats	Average		
Longitude:	-106.45	Planting Date:	23-May	Temp.	Precip.	Irrigation
Latitude:	34.46	Harvest Date:	25-Sep	°F	in.	in.
Elevation:	4840 ft.					
Soil Name:	Gila					
Soil Texture:	loam					
Soil Depth:	60 in.					
<b>Test Design:</b>		<b>Production Inputs</b>		<b>Growing Conditions:</b>		
Replications:	3	Rate	Date	Average		
Plot Length:	20 ft.	Nitrogen	20-May	Temp.	Precip.	Irrigation
Rows per Plot:	2	Nitrogen	21-Jun	°F	in.	in.
Row Spacing:	30 in.	Nitrogen	6-Jul			
Seeding Rate:	80,000 seed/a	P <sub>2</sub> O <sub>5</sub>	20-May			
		K <sub>2</sub> O	20-May			
		Fe	20-May			
		Cultivation:	21-Jun			
		Herbicides:				
		None		Seasonal Precipitation	5.96 in.	
		Insecticides:		Total Irrigation	27.52 in.	
		None				
				Date of Last Spring Frost:	20-May	
				Date of First Fall Frost:	10-Oct	
				Frost Free Period:	143 days	

**Table 14B. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Los Lunas**

<u>Results</u>									
Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Type	Maturity <sup>§</sup> Group	Brown Midrib	65% Adj		Moisture		Plant Height in
					Dry Forage t/a	Green Forage t/a	%	at Harvest	
Chromatin, Inc.	SP 1880	FS	L	Conv	13.4	38.2	70.7	0	164
Chromatin, Inc.	SS 405	FS	L	Conv	11.6	33.2	66.2	7	138
Chromatin, Inc.	SP 1615	FS	L	Conv	10.0	28.5	76.3	0	157
Dyna-Gro Seed	Fullgraze BMR	SxS	M	BMR	9.8	28.0	68.7	17	119
Chromatin, Inc.	SP 2876	FS	ME	BMR	7.7	22.1	72.4	5	110
Chromatin, Inc.	SP 2774	FS	ME	BMR	7.3	20.9	74.2	13	123
Alta Seeds	AF7401	FS	L	BMR	6.4	18.4	74.3	0	71
Browning Seed	Silage Master	FS	ML	Conv	6.3	18.1	74.9	72	124
Chromatin, Inc.	SP 4555	SxS		BMR	5.9	16.9	71.8	68	108
Chromatin, Inc.	SP 2880	FS	M	BMR	5.7	16.2	74.3	92	109
Dyna-Gro Seed	F76FS77 BMR	FS	ML	BMR	5.6	16.0	65.2	0	58
Dyna-Gro Seed	705F	FS	ME	Conv	5.3	15.2	74.4	5	82
Chromatin, Inc.	SPX56216	FS	ML	Conv	5.1	14.6	73.3	17	113
Dyna-Gro Seed	F74FS23 BMR	FS	M	BMR	5.0	14.2	79.9	83	108
Alta Seeds	XF7302	FS	M	BMR	4.9	13.9	74.9	0	63
Dyna-Gro Seed	Dual Forage SCA	GS	ML	Conv	4.7	13.5	76.2	0	67
Chromatin, Inc.	NK 300	FS	ME	Conv	4.6	13.1	58.2	45	72
Chromatin, Inc.	SP 3902 BD	FS-BD	ML	BMR	4.5	13.0	72.3	0	77
Chromatin, Inc.	Millex 32	HPM	N/A	Conv	4.4	12.4	71.9	2	101
Alta Seeds	XF7303	FS	M	BMR	3.4	9.8	72.8	0	61
Alta Seeds	XF7103	FS	E	BMR	2.2	6.3	71.0	82	63
Trial Mean					6.4	18.2	72.1	24.1	99.4
LSD					1.4	4.1	3.1	27.1	5.6
LSD P >					0.05	0.05	0.05	0.05	0.05
CV					13.5	13.5	2.6	68.1	3.4
F Test					<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

<sup>†</sup> Sorghum Type: FS=Forage Sorghum, BD = Brachytic Dwarf, SxS = Sorghum-Sudangrass Hybrid, HPM = Hybrid Pearl Millet

<sup>§</sup>Maturity Group: E = Early, M = Medium, L = Late, PS = Photoperiod Sensitive

Brown Midrib Trait: BMR = Brown Midrib, Conv = Conventional

**Table 14C. New Mexico 2017 Irrigated Forage Sorghum Performance Test - Agricultural Science Center at Los Lunas**

**Results**

Brand/Company Name	Hybrid/Variety Name	Sorghum <sup>†</sup> Maturity <sup>§</sup>			NDFD						Milk/			
		Type	Group	Brown Midrib	CP	NDF	30hr	ADF	Ash	TDN	NE <sub>i</sub>	Ton	Acre	Irrigation
					%	%	%	%	%	%	Mcal/lb	lb/t	lb/a	lb/ac-inch
Chromatin, Inc.	SP 1880	FS	L	Conv	6.6	61.2	47.4	37.0	5.0	58.2	0.593	2635	35200	1279
Chromatin, Inc.	SS 405	FS	L	Conv	6.1	63.3	42.6	39.3	5.1	57.7	0.587	2564	29874	1086
Chromatin, Inc.	SP 1615	FS	L	Conv	7.6	65.4	48.6	40.8	6.2	59.9	0.612	2771	27669	1005
Dyna-Gro Seed	Fullgraze BMR	SxS	M	BMR	8.0	59.5	56.5	36.6	5.5	62.3	0.638	2965	28717	1044
Chromatin, Inc.	SP 2876	FS	ME	BMR	7.3	58.5	62.4	36.1	5.2	64.9	0.666	3173	24580	893
Chromatin, Inc.	SP 2774	FS	ME	BMR	8.0	56.3	59.1	33.6	5.3	65.0	0.668	3183	23304	847
Alta Seeds	AF7401	FS	L	BMR	8.9	57.5	57.5	36.9	7.5	66.7	0.687	3333	21495	781
Browning Seed	Silage Master	FS	ML	Conv	6.4	66.8	44.4	42.7	5.9	58.6	0.597	2649	17279	628
Chromatin, Inc.	SP 4555	SxS		BMR	7.6	56.0	47.7	34.5	5.9	60.7	0.620	2829	16755	609
Chromatin, Inc.	SP 2880	FS	M	BMR	6.7	66.5	68.0	43.7	6.9	69.3	0.715	3533	20019	727
Dyna-Gro Seed	F76FS77 BMR	FS	ML	BMR	8.1	60.9	43.6	38.9	6.8	63.4	0.650	3032	16880	613
Dyna-Gro Seed	705F	FS	ME	Conv	6.8	63.6	48.3	40.1	5.6	61.5	0.629	2873	15288	556
Chromatin, Inc.	SPX56216	FS	ML	Conv	9.2	56.4	47.7	35.8	7.1	62.9	0.644	3015	15438	561
Dyna-Gro Seed	F74FS23 BMR	FS	M	BMR	7.4	59.8	52.4	38.2	6.9	64.5	0.663	3144	15622	568
Alta Seeds	XF7302	FS	M	BMR	10.3	56.4	55.1	36.9	8.4	67.9	0.700	3422	16664	606
Dyna-Gro Seed	Dual Forage SCA	GS	ML	Conv	8.5	59.2	56.5	38.1	7.7	68.1	0.702	3436	16215	589
Chromatin, Inc.	NK 300	FS	ME	Conv	6.8	58.8	47.1	35.9	5.1	61.9	0.633	2899	13398	487
Chromatin, Inc.	SP 3902 BD	FS-BD	ML	BMR	8.2	51.8	55.2	31.0	5.8	67.4	0.694	3356	15208	553
Chromatin, Inc.	Millex 32	HPM	N/A	Conv	6.8	63.7	38.0	38.0	4.6	55.4	0.561	2393	10408	378
Alta Seeds	XF7303	FS	M	BMR	8.1	62.1	54.0	40.9	8.0	66.2	0.682	3288	11217	407
Alta Seeds	XF7103	FS	E	BMR	7.6	58.9	54.7	37.2	6.9	65.4	0.673	3229	7176	260
Trial Mean					7.7	60.1	51.7	37.7	6.3	63.2	0.648	3034	18971	689
LSD					1.9	NS	7.7	NS	1.5	3.5	0.039	273	4709	171
LSD P >					0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
CV					14.9	9.3	9.0	11.1	14.2	3.3	3.6	5.4	15.0	15.0
F Test					0.0089	0.1681	<0.0001	0.1412	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

<sup>†</sup> Sorghum Type: FS = Forage Sorghum, BD = Brachytic Dwarf, SxS = Sorghum-Sudangrass Hybrid, HPM = Hybrid Pearl Millet, GS = Grain Sorghum

<sup>§</sup>Maturity Group: E = Early, M = Medium, L = Late, PS = Photoperiod Sensitive

Brown Midrib Trait: BMR = Brown Midrib, Conv = Conventional

**Table 15A. New Mexico 2017 Irrigated Forage Sorghum & Sorghum Sudangrass (Single Cut) Performance Test - Agricultural Science Center at Tucumcari**

**Investigators:** L.M. Lauriault, A. Cunningham, J. Box, P.L. Cooksey, S. Jennings, J. Jennings, and A. Williams

**Test Description**

<b>Location:</b>		<b>Management Practices:</b>		<b>Growing Conditions:</b>		
County/Area:	Quay	Previous Crop:	Fallow	Average		
Longitude:	-103.68	Planting Date:	1-Jun	Temp.	Precip.	Irrigation
Latitude:	35.20	Harvest Dates:	25-Oct	°F	in.	in.
Elevation:	4086 ft.			January	38	1.02
Soil Name:	Canez			February	48	0.17
Soil Texture:	Fine sandy loam	<u>Production Inputs</u>		March	56	2.16
Soil Depth:	>60 in.	Rate	Date	April	58	2.73
		Fertilizer:		May	64	1.82
		Nitrogen	76 lb/a	June	77	3.50
				July	82	1.58
<b>Test Design:</b>				August	75	6.48
Replications:	4			September	70	2.65
Plot Length:	20 ft.			October	60	1.00
Rows per Plot:	2			November		0.00
Row Spacing:	30 in.			December		0.00
Seeding Rate:	80,000 seeds/ac					
	Strip tilled seedbed	Pesticides (herbicides and insecticides):		Seasonal Precipitation	23.2 in.	
		Starane Ultr	0.4 pt/a	24-Jun	Total Irrigation	16.8 in.
		Detonate	8 oz/a	10-Jul		
					Date of Last Spring Frost:	30-Apr
					Date of First Fall Frost:	10-Oct
					Frost Free Period:	163 days

The irrigation system was non-functional from 8/24 until it was repaired on 9/18, which impacted yield.

**Table 15B. New Mexico 2017 Irrigated Forage Sorghum & Sorghum Sudangrass (Single Cut) Performance Test - Agricultural Science Center at Tucumcari**

Brand/Company Name	Hybrid/Variety Name	Moisture										Milk/Ton	Milk/Acre		
		Sorghum <sup>†</sup> Type	Brown Midrib	Dry Forage	Green Forage	at Harvest	CP	NDF	NDFD 48hr	Starch	Ash	TDN	NE <sub>i</sub>		
		t/a	t/a	%	%	%	%	%	%	%	%	%	Mcal/lb	lb/t	lb/a
Chromatin, Inc.	SP1615	FS	Conv	3.4	9.7	71.6	8.7	60.0	68.6	3.5	6.5	60.6	0.533	2272	7713
Dyna-Gro Seed	705F	FS	Conv	2.7	7.8	66.8	6.2	61.2	64.9	6.2	5.6	58.5	0.520	2160	5928
Alta Seeds	XF7302	FS	BMR	2.7	7.7	66.1	7.8	56.8	71.9	4.6	6.4	60.8	0.525	2249	6133
Dyna-Gro Seed	F74FS23 BMR	FS	BMR	2.5	7.1	66.1	6.1	53.9	71.1	8.2	6.2	59.9	0.520	2197	5440
Alta Seeds	AF7401	FS	BMR	2.4	6.8	68.0	7.9	54.5	72.3	5.3	6.5	60.2	0.518	2202	5215
Dyna-Gro Seed	F76FS77 BMR	FS	BMR	2.4	6.9	70.1	8.6	57.5	70.7	4.5	6.5	61.0	0.535	2280	5446
Alta Seeds	XF7303	FS	BMR	1.9	5.3	66.6	8.6	57.0	68.7	4.7	6.7	59.7	0.525	2206	4064
Dyna-Gro Seed	Fullgraze BMR	SxS	BMR	1.6	4.4	69.8	8.3	59.4	69.3	3.6	6.4	60.1	0.525	2219	3414
Alta Seeds	XF7103	FS	BMR	1.1	3.2	69.1	8.5	60.2	70.9	0.7	7.2	60.2	0.520	2201	2445
Dyna-Gro Seed	Dual Forage SCA	GS	Conv	1.0	2.9	64.3	6.8	67.0	64.3	1.4	6.1	58.3	0.520	2141	2164
		Trial Mean		2.2	6.2	67.9	7.8	58.7	69.3	4.3	6.4	59.5	0.524	2213	4796
		LSD P < 0.05		0.9	2.4	2.4	1.2	2.4	2.0	2.1	0.5	NS	NS	NS	1959
		CV		27.2	27.2	2.5	10.6	2.8	2.0	34.4	5.9	2.3	2.6	4.2	28.2
		F Test		0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0006	0.1304	66.2600	0.5073	0.0001	

<sup>†</sup> Sorghum Type: FS=Forage Sorghum, BD = Brachytic Dwarf, SxS = Sorghum-Sudangrass Hybrid, GS = Grain Sorghum

Brown Midrib Trait: BMR = Brown Midrib, Conv = Conventional

## Appendix A

Companies and Contact Information for Participants in the Agricultural Science Center  
Fee-Test Program

## New Mexico 2017 Grain Corn Hybrid Performance Test

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Relative Maturity</b>
<b>AgVenture - Pinnacle</b>	EXP157997AM	99
P.O. Box 70	EXP163027YHB	102
Minden, NE	EXP167047CYXR	104
Leif Hansen		
308-832-1050		
<b>Dyna-Gro Seed</b>	D58VC37 RIB	118
P.O. Box 38, 103 E. Mill Rd	D55VP77 RIB	115
Artesia, NM 88210	D58QC72 RIB	118
Shawn Carter	D57VP51 RIB	117
318-282-9804	D54VC52 RIB	114
	D52VC63 RIB	112
	D49VC39 RIB	109
	D52SS91 RIB	112
	D54DC94 RIB	114
	D45SS65 RIB	105
	D41SS71 RIB	101
	D44VC36 RIB	104
	D39DC43 RIB	99
<b>DuPont Pioneer</b>	P9608AM	96
6519 72nd St.	P9697AM	96
Lubbock, TX 79424	P9998AM	99
Grant Groene	P0157AM	101
620-229-0465	P0365AM	103
	P0589AM	105
	P0657AM	106
	P0805AM	108
	P0801AM	108
	P1306 WHR	
<b>Mycogen Seeds / Dow AgroSciences</b>	MY97R57	97
2076 Parkridge Dr.	MY00J47	100
Hurst, TX 76054	MY01D87	101
Adam Owens	MY02J57	102
817-223-9638	MY04Y97	104
	MY05C67	105

**New Mexico 2017 Grain Corn Hybrid Performance Test, Con't.**

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Relative Maturity</b>
<b>Rob See Co.</b>	IC4570-3110	95
1015 N 205th St	IC4848-3000GT	98
Elkhorn, NE 68022	RC5112-3011A	101
Bob Leisy	IC5203-3120	102
970-396-7100	IC5296-3120	102
<hr/>		
<b>Syngenta</b>	G11B63	111
443 W. County Rd	G13N18-3111	113
Sutherland, NE 69165	G14V04-3000GT	114
John Flynn	G15Q98-3000GT	115
308-386-8725	G18D87-3111	118
	G95D32-3110	95
	G96V99-3120	96
	G97N86-3110	97
	G98L17-3000GT	98
	G01D24-3120	101
	G03C84-3120	103
	G05B91-3010	105
	G06Z97-3102	106
<hr/>		
<b>Warner Seeds, Inc.</b>	W4409 VT2PRIB	109
120 S. Lawton Ave.	W4622 VT2PRIB	118
Hereford, TX 79045		
Rusty Smallwood		
806-787-0557		

## New Mexico 2017 Forage Corn Hybrid Performance Test

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Relative Maturity</b>
<b>Blue River Hybrids</b>	62G22	110
2326 230th St.	66G25	112
Ames, IA 50014	70A47	114
Scott Ausborn		
800-370-7979		
<hr/>		
<b>B-H Genetics</b>	BH 8590VT2P	115
5933 FM 1157	BH 8732VTP	117
Ganado, TX 77962	BH 8721VT2P	117
Travis Janak	BH 8907VT2P	118
361-771-2755	BH 8636SS	116
	X17015SS	117
	BH 8988W/GT	118
<hr/>		
<b>Dyna-Gro Seed</b>	D58QC72 RIB	118
P.O. Box 38, 103 E. Mill Rd	D58SS65 RIB	118
Artesia, NM 88210	D55VP77 RIB	115
Shawn Carter	D53VC47 RIB	113
318-282-9804	D54VC52 RIB	114
<hr/>		
<b>Golden Acres Genetics</b>	G7601	117
205 Old Hewitt Rd	G8738	118
Waco, TX 76712	G6832 STX	116
Chris Sheppard	G7848 VT2PRO	117
254-761-9838		
<hr/>		
<b>Masters Choice</b>	MCT6583	115
305 W. Vienna St	MCT6733	117
Anna, IL 62906	MCT6754	117
Kyle Vosburgh		
618-697-7031		

## New Mexico 2017 Forage Corn Hybrid Performance Test, Con't.

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Relative Maturity</b>
<b>Syngenta</b>	G13N18-3111	113
443 W. County Rd	G14V04-3000GT	114
Sutherland, NE 69165	G14H66-3010A	114
John Flynn	G15Q98-3000GT	115
308-386-8725	G18D87-3111	118
	G01D24-3120	101
	G07H81-3010A	107
	G07B39-3111A	109
	G11B63-3010A	111
	G13N18-3111	113

## New Mexico 2017 Grain Sorghum Hybrid Performance Test

Company/Brand Name	Hybrid/Variety Name	Maturity Group*
<b>Alta Seeds / Advanta Seeds</b> 201 John Carpenter Fwy #660 Irving, TX 75062 Zach Eder 979-332-5138	ADV G1150 AG 1203	ME ME
<b>Dyna-Gro Seed</b> P.O. Box 38, 103 E. Mill Rd Artesia, NM 88210 Shawn Carter 318-282-9804	M60GB31 GX16833 GX17818 M73GR55 M74GB17 M60GB88 GX16535 742C	ME M ML ML ML ME ME ME
<b>Sorghum Partners / Chromatin, Inc.</b> 1301 E. 50th St Lubbock, TX 79404 Rick Kochenower 806-746-5118	SP 25C10 SP 31A15 SP 34A19 SP 33S40 SP 68M57 CHR0039 CHR0163 SP 73B12 SP 7715 CHR0029 CHR2042	E E ME ME M E E ML ML ML
<b>NuTech Seed, LLC</b> 2321 N. Loop Dr. Suite 120 Ames, IA 50010 Steve Sick 402-661-4700	GS 636 GS 663 GS 693 GS 725	M M ML ML

\*E=early, ME=medium early, ML=medium late,L=late or PS=photoperiod sensitive

**New Mexico 2017 Forage Sorghum/SxS Hybrid Performance Test  
(Single Cut)**

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Forage Type</b>	<b>Maturity Group*</b>	<b>Brown Midrib</b>
<b>Alta Seeds / Advanta Seeds</b> 201 John Carpenter Fwy #660 Irving, TX 75062 Zach Eder <u>979-332-5138</u>	AF7401  XF7302  XF7303  XF7103	FS  FS  FS  FS	L  M  M  E	Y  Y  Y  Y
<b>Blue River Hybrids</b> 2326 230th St. Ames, IA 50014 Scott Ausborn 800-370-7979	Blackhawk  Nighthawk  Seahawk  Pelicon	SxS  SxS  SxS  SxS	ML  L  ML  ML	Y  Y  Y  Y
<b>Browning Seed, Inc.</b> 3101 S. I-27 Plainview, TX 79072 Rodney Smith 806-293-5271	Silage Master	FS	ML	N
<b>Dyna-Gro Seed</b> P.O. Box 38, 103 E. Mill Rd Artesia, NM 88210 Shawn Carter 318-282-9804	Fullgraze BMR  705F  F74FS23 BMR  F76FS77 BMR  Dual Forage SCA	SxS  FS  FS  FS  GS	M  ME  M  ML  ML	Y  N  Y  Y  N
<b>NuTech Seed, LLC</b> 2321 N. Loop Dr. Suite 120 Ames, IA 50010 Steve Sick 402-661-4700	FS300  FSB310  PrimeCut	FS  FS  SxS	ML  ML  PS	N  Y  N

\*E=early, ME=medium early, ML=medium late,L=late or  
PS=photoperiod sensitive

**New Mexico 2017 Forage Sorghum/SxS Hybrid Performance Test (Single Cut),  
Con't.**

<b>Company/Brand Name</b>	<b>Hybrid/Variety Name</b>	<b>Forage Type</b>	<b>Maturity Group*</b>	<b>Brown Midrib</b>
Sorghum Partners / Chromatin, Inc.	SPX56216	FS	ML	N
1301 E. 50th St	NK 300	FS	ME	N
Lubbock, TX 79404	SS 405	FS	L	N
Rick Kochenower	SP 1615	FS	L	N
806-746-5118	SP 2774	FS	ME	Y
	SP 2876	FS	ME	Y
	SP 3902 BD	FS	ML	Y
	SP 4555	SxS		Y
	SP 2880	FS	M	Y
	SP 1880	FS	L	N
	Millex 32	HPM	N/A	N

---

\*E=early, ME=medium early, ML=medium late,L=late or PS=photoperiod sensitive

## New Mexico 2017 Forage Sorghum/SxS Hybrid Performance Test (Multi Cut)

Company/Brand Name	Hybrid/Variety Name	Forage Type	Maturity Group*	Brown Midrib
<b>Alta Seeds / Advanta Seeds</b> 201 John Carpenter Fwy #660 Irving, TX 75062 Zach Eder <u>979-332-5138</u>	AS6402 AS6401 XS6505	SxS SxS SxS	L L PS	Y Y Y
<b>Blue River Hybrids</b> 2326 230th St. Ames, IA 50014 Scott Ausborn 800-370-7979	Blackhawk Nighthawk Seahawk Pelicon	SxS SxS SxS SxS	ML L ML ML	Y Y Y Y
<b>Dyna-Gro Seed</b> P.O. Box 38, 103 E. Mill Rd Artesia, NM 88210 Shawn Carter 318-282-9804	Danny Boy BMR Fullgraze BMR	SxS SxS	M M	Y Y

\*E=early, ME=medium early, ML=medium late,L=late or PS=photoperiod sensitive

**Appendix B**  
**Glossary of Terms**

**ADF (Acid Detergent Fiber):** ADF consists primarily of cellulose, lignin and acid detergent fiber crude protein. In the past ADF was used as a predictor of indigestibility of forages, however in recent years, research has indicated that ADF is not as strongly correlated with decreased digestibility as once thought.

**Ash:** Ash is the percentage of residue (minerals) remaining after all organic matter in a sample has been completely incinerated.

**CP (Crude Protein):** CP is termed ‘crude’ because it is not a direct measurement of protein. CP is an estimation of total protein based on the nitrogen content of a sample. This fraction consists of non-protein nitrogen as well.

**Days to Silk:** Days to Silk is the number of days from planting until 50% of plants have begun to show silks.

**Dry Forage:** Dry Forage is green forage converted to a 100% dry matter basis by deducting the amount of Moisture at Harvest.

**Ear Height:** Ear Height is the average distance from the ground to the base of the ear.

**Green Forage:** Green Forage is the harvested yield from the entire plot area, except for the basal part of the stem and the roots, multiplied by a conversion factor to convert the harvested plot yield to a per acre equivalent.

**Grain Yield:** Grain Yield is the harvested grain yield adjusted to a standard moisture and a standard bushel weight then converted to a per acre equivalent. For grain corn, the standard moisture is 15.5% and the standard bushel weight is 56 pounds.

**Lodging:** Lodging is a visual estimate of the percentage of plants with stalks broken below the head or leaning at an angle in excess of 45 degrees.

**Milk/acre (Milk production per acre):** Milk/acre is Milk/ton multiplied by Dry Forage (ton/ac).

**Milk/ton (Milk production per ton of dry matter forage):** Milk/ton is an index of forage nutritive value. Milk/ton is calculated from the Milk2006 Excel spreadsheet <http://www.uwex.edu/ces/forage/pubs/milk2006.xls>. This index uses forage analyses (CP, NDF, NDFD 48hr, Starch and non-fiber carbohydrate) to estimate energy content, and DMI and NDFD 48hr to predict milk/ton.

**Moisture at Harvest:** Moisture at Harvest is the percentage of the green forage sample or grain sample weight that is moisture at the time of harvest.

**NDF (Neutral Detergent Fiber):** NDF is an estimate of the total fiber content of the forage. The NDF or cell wall fraction contains cellulose, hemicellulose and lignin. NDF

gives the best estimate of the total fiber content of the feed and is associated with feed intake.

NDFD 48hr (Neutral Detergent Fiber Digestibility - 48hr): NDFD 48hr is a measure of 48 hr digestibility of the NDF component. The NDFD 48 hr procedure employs a 48-hour *in vitro* fermentation. NDFD 48hr is expressed as a percent of NDF.

NE<sub>L</sub> (Net Energy for Lactation): NE<sub>L</sub> is the energy value of feeds for lactating cows.

N Removal: N Removal is the total amount of nitrogen, in pounds per acre that is removed from the field at harvest. N Removal = dry forage (t/a) x 2000 x N (%); where N (%) = CP (%) / 6.25.

Plant Height: Plant Height is the average height of the plant measured from the ground to the top of the canopy at harvest.

Population: Population is the number of plants per acre based on a count of the number of plants in a plot converted to a per-acre equivalent.

RFV (Relative Feed Value): RFV is an index that estimates the overall quality of the forage to a ruminant. The equation uses ADF to estimate the digestible dry matter content of the forage. This is then combined with an estimate of dry matter intake, which is an estimate of the amount of forage an animal will eat in a given time period. RFV is the most widely used forage quality index in the United States. It is scaled so that full-bloom alfalfa hay would score 100. Typically, hay must score above 150 RFV to be considered 'dairy quality' hay.

RFQ (Relative Forage Quality): RFQ is similar to RFV in that it is an estimate of overall quality of a forage, but it differs in the way it is calculated. It takes total digestible nutrients (TDN) into account rather than DDM calculated from ADF values. This TDN, combined with dry matter intake (DMI), is derived from *in vitro* estimates of digestible fiber. The RFQ value is considered an improved method over RFV and is becoming the new 'standard' in forage quality testing.

Silk Date: Silk Date is the date when 50% of ears have silks fully emerged.

Starch: Starch is the percentage of starch in the ground forage sample.

TDN (Total Digestible Nutrients): TDN represents the sum of digestible crude protein, digestible carbohydrates, digestible nitrogen-free extract and digestible fat. TDN is highly correlated with the energy content of the feed and is used in calculations of net energy values.

Test Weight: Test Weight is the bushel weight equivalent of a sample of grain.